

LOHIKARI



## TABLE OF CONTENTS

### 1 2D collections

18 — 83

### 2 Volumes & interactivity

84 — 154

### 3 Garlands

155 — 194

### 4 Decorations


195 — 231

### 5 Orchestra & technical informations

232 — 252

### 6 Motifs infos & contacts

253 — 256



Recycled bottles needed to create a decoration



#### Blachere Illumination UK Ltd

Gladstone Place, Ladybank, Fife, KY15 7LB  
Tel: +44 (0)1337 832 910

Email: sales@blachere-illumination.co.uk

Design · Design dpt Blachere

Cover · Design dpt Blachere

#### Photographers

- Michel Djaoui
- Lionel Moulet
- Jérémie Pitot
- Odile Pascal
- Brice Toul
- Eric Soltan
- Camille Moirenc



Print · Manufacture d'Histoire Deux-Ponts

#### All rights reserved

Not a contract document. The sizes and wattages of motifs may be subject to change for technical reasons. Non-contractual images.

All our products are CE marked meaning that they meet electrical security norms and electromagnetic requirements.

All our motifs, designs and graphics are protected by the INPI, the OMPI and current industrial and intellectual property laws.

Reproduction of any kind, in full or part, is strictly forbidden without written authorisation of blachere illumination s.a.s..

get inspired at [www.blachere-illumination.com](http://www.blachere-illumination.com)

# FROM LIGHTING TO TRANSPARENCY

“In a world where we feel like we’re losing our bearings, where what we once took for granted now seems fragile, where truth is sometimes hard to discern, it’s really important to us that we provide you with more than just lighting, by being completely transparent about what we do.

At a time of energy crises, colossal ecological challenges, increasingly demanding expectations in terms of innovation, and in honour of our 50th anniversary, it is with great pride that we look back at the progress we’ve made while remaining confident as we look toward the future. Many boast of being the first, the best, the strongest.

And we’re fine with that. Because here at Blachere, our only goal is to light up cities, the places where we live with creativity, love and sincerity.”

Johan Hugues & Romain Allain-Launay , Co-CEO Blachere Illumination

2



3 - A BEAUTIFUL STORY



It all started in 1973, in Apt, when Jean-Paul Blachère lit up his first street. The locals' smiles and reactions confirmed that lighting has a unique magical power.

Lighting became his profession, one that he has pursued with dedication, creating a unique know-how and heritage that he has passed on.

For 50 years, we have been designing, creating and producing decor and illuminations in over 80 countries across the globe with as much enthusiasm as that very first day.

400 employees work every day to enhance cities around the world.

# A BEAUTIFUL STORY



Wherever our projects take us, we work with the same attention to illuminate the smallest village as the largest capital.

We understand and adapt to the needs and challenges of all cities, from Mexico to the US and Sweden.


Thanks to locally-based teams in 27 subsidiaries dotted around the world, we can meet the expectations of each city and the culture of each country so that our installations are as unique as they are practical.

**27 subsidiaries**

**1000 city illuminations in  
more than 80 countries  
as well as 800 shopping  
centres worldwide**



**LIGHT UP  
THE WHOLE WORLD?**



### WWF

The Club Entreprendre pour la Planète unites SMEs that are already committed to the environment and moved by a common desire to help preserve the environment and biodiversity.

We are now supporting the WWF's work by sponsoring the REDONNER DU SOUFFLE A LA MEDITERRANEE project, dedicated to protecting marine ecosystems.

At the same time, common sense and goodwill are central to our culture at the company, and we apply it to achieve a significant and sustainable reduction in our carbon footprint.

Prime examples of our daily commitments are: turning our communication tools paperless, recycling our waste, generating green electricity via our wind farm, installing solar panels and updating our car fleet with hybrid vehicles.

we are a member of the  
club «Entreprendre pour  
la Planète» of WWF




### BLACHERE FOUNDATION

Our corporate foundation was created in 2004 by Jean-Paul Blachère and supports contemporary African creation and promotes artists from the continent. It presents exhibitions and hosts artists in residence at its art centre. It also arranges creative workshops in Africa and Europe and enters major African biennale exhibitions, including Dakar.



OUR  
COMMITMENTS




We love and appreciate that you are taking the time to flick through our catalogue. We hope it brings inspiration to you as we have poured our passion and 50 years of experience into the development of this product range.

A passionate team of 40 are here to bring your visions to life and enable your strategic aims to be fulfilled.

From the initial contact to the switch on of your display, we are all here to bring magic to your scheme.

Thanks to our three depots and remote sales team spread across the UK, we offer a local service. Combining our 50 years of experience as market leaders with your expert site specific knowledge, enables a bespoke process for any city, town, village, shopping centres, retail parks etc. With passion and experience we will understand the specific needs of each project to bring you magical experience.

**we have poured our passion and  
50 years of experience into the  
development of this product range.**



Whether you have a specific vision, that we will use our manufacturing capabilities to bring to life or are starting out with a requirement to grow footfall. We can lead you to a successfully delivered scheme that will exceed your expectation while adhering to your budget requirements.

Relationships are important to us, that's why you'll always have someone to talk to at Blachere. Whether it's your dedicated local contact or any of our other team members, we provide our clients with four points of contact to promote great communication.

We are so proud of the sustainability focus we are continuing to develop at Blachere. No where else can you find such cleanly produced products. With more and more sectors turning to us to satisfy their own eco requirements, we are proudly leading the industry for a better tomorrow.

IN  
THE UK



Kings Road, London



The Shard London



Dunfermline Fife




Multrees Walk, Edinburgh

We offer the complete package of design, manufacture and installation.

Due to our global scale, we can control the supply chain while bringing you a local approach.

All our 50 years of experience enables us to seamlessly bring your vision to life.

IN  
THE UK



Everything is starting with a pencil stroke... creation is the basis of all our projects.

In France and around the world, more than 30 designers imagine our decorations with care and passion.

They design the decorations of your cities and living spaces, proposing a hundred or so new designs each year to surprise you again and again.

Thanks to our innovations, we have found the right balance between ancestral know-how and industrialization:

From artistic ironwork to the most meticulous wiring, more than 6,000 custom-made decorations take shape in our workshops each year : The «Haute Couture» of illuminations.

At the same time, our catalogue decorations from our Summer and Winter collections are printed using plastic bottles manufactured in our workshop with 10 large-format robot printers. 350,000 eco-friendly decorations have been printed since 2016.

**10 large-format robot printers**

**4 sites of production**

**400 people in our international workshops**



# FACE EACH CHALLENGE TOGETHER






Eco-responsibility is at the heart of our corporate strategy, and we are constantly thinking about innovation and the use of eco responsible materials more than ever before. Even if some of our ideas are off-the-cuff, our innovations are covered to numerous patents and all our creations are protected.

In order to respond with creativity and practicality to the new challenges posed by energy-saving needs and ecological issues, we continually design and produce ingenious solutions and tools.

After Bioprint, a recyclable and biodegradable material based on sugar cane, we are transitioning to a 100% Recyprint range of 300 decorations made from recycled plastic bottles.

Half of our research and development budget is allocated to ecoresponsible innovations..

**We have removed 80% of the aluminium in our 2D decorations, 100% Led low consumption for 20 years.**



Our 100% LED lighting components are also recycled after use and are all connectable via our Octoplus fast connection system.

In addition to our eco-responsible structures, we have devised some ingenious tools: TEMPO, SWITCH+ and ORCHESTRA which make it possible to time, control and program decorations in both small towns and buzzing cities, resulting in cost-savings of over 50%!

**RECYPRINT STRUCTURE**  
plastic bottles

**ALUMINIUM FRAME**  
recycled

**INTERCONNECTIVITY**  
Octoplus & steering box

**RECYCLED ELECTRIC COMPONENTS**  
recycled



# REFINED CREATIVITY

# RECYPRINT

a plastic transformed into magical decorations



500 billion plastic bottles are produced each year, and many are discarded in the countryside or our oceans


At Blachere, we have found a way to transform PET (polyethylene terephthalate) into decors that are as stunning as they are innovative! Recycled bottles are sorted by colour and then ground into flakes. The resulting granules are then injected into our 3D printers to produce a unique blue decoration. This method helps to limit greenhouse gas emissions and prevent as many plastic bottles as possible from polluting land and seascapes.

Our innovations are protected by numerous patents.


**Recyprint emits 10 times less CO2 than aluminum.**

**1,590,332 bottles have already been recycled into Christmas decorations.**


## SORTING WASTE can be child's play



By encouraging today's youth to recycle is a major challenge that we have answered with creativity and fun. We have made this vital step a fun and playful collective act thanks to creating containers in the form of funny animals (p.110-111).



# COLLECTION *DESIGN*



The DESIGN Collection features modern lines and geometric motifs.  
It imaginatively combines graphic new trends with Christmas tradition.

20



21- DESIGN





# COLLECTION *DESIGN*



22



23- DESIGN







28



29- CLASSIC

# COLLECTION *CLASSIC*



The CLASSIC Collection boasts our essentials:  
With understated curves and sophisticated  
arabesques, this collection comes in various  
different shades for a colourful and elegant  
Christmas.


30



31- CLASSIC



# COLLECTION *CLASSIC*




ITL033W \* \* □ ♦ 160W - ▲ 28.8kg - ♦ 235  
flash







ITL077W \* \* □ ♦ 160W - ▲ 25.3kg - ♦ 194  
Xled & Slowflash

ITL135 \* □ ♦ 120W - ▲ 25.0kg - ♦ 187  
stars & Slowflash

ITL089W \* \* □ ♦ 85W - ▲ 21.3kg - ♦ 187  
Xled, stars & Slowflash

### 33- CLASSIC







*Cajun*if  
ITL043W ♦♦□♦ 1.65m - ♦ 4.60m  
2.270W - ▲ 28.2kg - 175 flash



*Milo*arc  
ITL127W ♦♦□♦ 1.20m - ♦ 4.00m  
2.110W - ▲ 17.4kg - 116 stars & flash



*Milo*arc  
ITL127W ♦♦□♦ 1.20m - ♦ 4.00m  
2.110W - ▲ 17.4kg - 116 stars & flash



*Bolero*arc  
ITL132W ♦♦□♦ 1.20m - ♦ 4.00m  
2.130W - ▲ 19.5kg - 162 Xled & slowflash



*Milo*banner  
IPL128W ♦♦□♦ 2.80m - ♦ 0.80m  
2.50W - ▲ 8.8kg - 143 stars & flash



*Twist*  
IPL133 ♦□ 1.20m - ♦ 0.60m  
2.35W - ▲ 3.9kg - 133 slowflash



*Asterie*  
IPL110 ♦♦□♦ 2.00m - ♦ 0.85m  
2.50W - ▲ 5.1kg - 160 slowwash




*Milo*  
IPL127W ♦♦□♦ 2.00m - ♦ 0.90m  
2.50W - ▲ 7.2kg - 141 stars & flash



*Milo*banner  
IPL128W ♦♦□♦ 2.80m - ♦ 0.80m  
2.50W - ▲ 8.8kg - 143 stars & flash



*Bolero*  
IPL108W ♦♦□♦ 2.30m - ♦ 0.90m  
2.65W - ▲ 8.1kg - 170 Xled & slowflash



*Cajun*  
IPL132 ♦♦□♦ 2.30m - ♦ 0.70m  
2.65W - ▲ 8.1kg - 170 Xled & slowflash




*Milo*  
IPL127W ♦♦□♦ 2.00m - ♦ 0.90m  
2.50W - ▲ 7.2kg - 141 stars & flash



*Max double*  
♦ 0.90m - ♦ 4.00m  
ITL159B \*●○□  
ITL159R \*●○□  
ITL159W \*●○□  
Xled & slowflash

*Joyeuses Fêtes*

JF  
ITL061 \*●○□  
ITL069 \*●○□  
♦ 0.90m - ♦ 3.50m  
‡ 80W - ▲ 10.8kg - 106



*Ewan*  
ITL166B \*●○□  
ITL166R \*●○□  
ITL166W \*●○□  
♦ 1.00m - ♦ 3.00m  
‡ 70W - ▲ 11.1kg - 98  
Xled, flash & slowflash



*Ewan*  
♦ 1.00m - ♦ 3.00m  
‡ 70W - ▲ 11.1kg - 98  
Xled, flash & slowflash



*Jupiter*  
♦ 1.50m - ♦ 1.00m  
‡ 65W - W 12.0kg - 198  
Xled & slowflash


*Russel*  
♦ 2.30m - ♦ 0.90m  
‡ 55W - ▲ 7.2kg - 174  
Xled & slowflash

*Mae*  
♦ 2.00m - ♦ 0.90m  
‡ 50W - ▲ 6.7kg - 150  
Xled & slowflash

*Halley*  
♦ 3.00m - ♦ 1.00m  
‡ 70W - W 10.0kg - 168  
Xled, flash & slowflash

*Zephyr*  
♦ 2.50m - ♦ 0.90m  
‡ 60W - W 8.2kg - 176  
Xled & slowflash






♦ 1.00m - ♦ 6.00m  
◊ 115W - ▲ 23.4kg - 178  
slowflash

♦ 1.00m - ♦ 6.00m  
◊ 115W - ▲ 23.4kg - 178  
slowflash


♦ 1.00m - ♦ 6.00m  
◊ 115W - ▲ 23.4kg - 178  
slowflash

♦ 1.00m - ♦ 6.00m  
◊ 115W - ▲ 23.4kg - 178  
slowflash





# COLLECTION *ALTO*



The ALTO Collection's decoration is inspired by the variation and precision of ice crystals in cold or warmer tones.  
Close your eyes and imagine you're surrounded by ice in the midst of snowy forests or out on the ski slopes for that freezing-cold Christmas.



46



47- ALTO



# COLLECTION *ALTO*





*Venus double*  
ITL028B \* \*□ ◆ 1.00m - ◆ 6.00m  
◆ 150W - ▲ 25.3kg - ■ 184  
stars & slowflash



*Forest*  
ITL105 \* \*□ ◆ 1.20m - ◆ 5.00m  
◆ 110W - ▲ 24.7kg - ■ 214  
Xled, stars & slowflash



*Charleston double*  
ITL035 \* \*□ ◆ 0.87m - ◆ 5.28m  
◆ 100W - ▲ 19.9kg - ■ 147  
flash



*Charleston*  
IPLO35 \* □ ◆ 2.71m - ◆ 0.88m  
◆ 50W - ▲ 10.3kg - ■ 174  
stars & flash




*Wood*  
IPL124 \* □ ◆ 2.00m - ◆ 0.90m  
◆ 15W - ▲ 5.0kg - ■ 49  
slowflash



*Twister*  
IPL070W \* \*□ ◆ 2.00m - ◆ 0.90m  
◆ 35W - ▲ 6.5kg - ■ 51  
stars & slowflash




*Venus*  
ITL028B \* \*□ ◆ 3.00m - ◆ 10.00m  
◆ 75W - ▲ 12.1kg - ■ 94  
stars & slowflash



*Flora*  
IPL135S \* \*□ ◆ 3.00m - ◆ 10.00m  
◆ 70W - ▲ 13.3kg - ■ 94  
stars & slowflash



*Twister*  
IPL070B \* \*□ ◆ 2.00m - ◆ 0.90m  
◆ 35W - ▲ 6.5kg - ■ 51  
stars & slowflash



*Grand mia*  
ITL101 ◆ 2.00m - ♦ 2.00m  
ITL101W ♠ slowflash



*Snow*  
ITL016 ◆ 3.10m - ♦ 3.10m  
ITL016W ♠ slowflash



Easily transform any hanging decoration into a polemount decoration, thanks to our accessory:  
PIX01 (see p246)



*Alyze double*  
ITL072W \*●□♦ 1.00m - ♦ 6.00m  
120W - ▲ 24.5kg - 1203  
Xled & stars



*Grand blizzard*  
ITL118W \*●□♦ 1.00m - ♦ 5.00m  
135W - ▲ 24.0kg - 1224  
Stars



*Sirocco*  
ITL119W \*●□♦ 1.20m - ♦ 4.00m  
110W - ▲ 22.7kg - 1234  
slowflash



*Volutes JF*  
ITL059 \*●□♦ 1.22m - ♦ 4.93m  
155W - ▲ 23.6kg - 1132  
flash & stars



*Bonnière blizzard*  
IPU117W \*●□♦ 2.80m - ♦ 0.80m  
45W - ▲ 10.2kg - 176  
slowflash



*Blizzard*  
IPU118W \*●□♦ 2.30m - ♦ 0.70m  
60W - ▲ 10.0kg - 1100  
stars



*Cristallin*  
IPL084 \*●□♦ 1.50m - ♦ 0.60m  
35W - ▲ 4.3kg - 135  
stars




*Blizzard VI*  
VL045W \*●□♦ 3.00m - ♦ 2.20m - ♦ 2.20m  
126W - ▲ 31.0kg - 125  
flash



*Alyze*  
IPL072W \*●□♦ 3.00m - ♦ 1.00m  
60W - ▲ 12.4kg - 1102  
Stars, Xled & slowflash




*Boreo*  
IPL069 \*●□♦ 2.30m - ♦ 0.90m  
60W - ▲ 10.3kg - 186  
Stars & slowflash



*Asia*  
IPL126W \*●□♦ 1.50m - ♦ 0.60m  
40W - ▲ 5.4kg - 162  
slowflash



*Zephyr*  
IPL075W \*●□♦ 2.50m - ♦ 0.90m  
60W - ▲ 6.1kg - 176  
Xled & slowflash



*Snow*  
ITL016W \* \* \* \*  
ITL016 flash  
◆ 3.10m - ◆ 3.10m  
x 200W - ▲ 25.7kg - 1244



Easily transform any hanging decoration into a polemount decoration, thanks to our accessory: PIX01 (see p246)

# COLLECTION *MAGIC*



The MAGIC Collection immerses you in a traditional Christmas.  
Gifts with multicoloured ribbons and bows are at the foot of the tree, Majestic stars and baubles decorate the festive table ready for guests to arrive. Because the very best traditions are those you share...



60



61- MAGIC



COLLECTION  
*MAGIC*





*Grand stella*  
ITL094W ⚡

◆ 120m - ◆ 6.00m  
⚡ 195W - ▲ 26.4kg - ⚡ 250  
Xled & slowflash



*Astral double*  
ITL191B ⚡

◆ 0.90m - ◆ 4.00m  
⚡ 138W - ▲ 21.0kg - ⚡ 167  
Stars, Xled & slowflash



*Astral*  
ITL191B ⚡

◆ 0.90m - ◆ 0.90m  
⚡ 60W - ▲ 4.3kg - ⚡ 79  
Stars, Xled & slowflash



*Astral*  
ITL191R ⚡

◆ 2.00m - ◆ 0.90m  
⚡ 60W - ▲ 4.3kg - ⚡ 79  
Stars, Xled & slowflash



*Astral*  
ITL191R ⚡

◆ 2.00m - ◆ 0.90m  
⚡ 60W - ▲ 4.3kg - ⚡ 79  
Stars, Xled & slowflash



*Astral*  
ITL191R ⚡

◆ 2.00m - ◆ 0.90m  
⚡ 60W - ▲ 4.3kg - ⚡ 79  
Stars, Xled & slowflash



*Leia xmas*  
ITL09W ⚡

◆ 1.12m - ◆ 1.12m  
⚡ 35W - ▲ 4.9kg - ⚡ 37  
slowflash



*Celeste*  
ITL042W ⚡

◆ 0.90m - ◆ 0.85m  
⚡ 75W - ▲ 10.0kg - ⚡ 92  
flash




*Stella*  
ITL094W ⚡

◆ 3.00m - ◆ 100m  
⚡ 700W - ▲ 50kg - ⚡ 90  
Xled & slowflash



*Anthares mm*  
ITL082W ⚡

◆ 0.90m - ◆ 0.90m  
⚡ 35W - ▲ 3.3kg - ⚡ 57  
slowflash




*Orion*  
ITL025W ⚡

◆ 1.00m - ◆ 1.00m  
⚡ 10W - ▲ 1.7kg - ⚡ 27  
slowflash



Easily transform any hanging decoration into a polemount decoration, thanks to our accessory:  
PIX01 (see p246)






*Cassiopee double* ♦ 1.00m - ♦ 6.00m  
ITL076W \*•\*□ ½ 120W - ▲ 23.4kg - 187  
Xled & slowflash




*Liv* ♦ 1.00m - ♦ 4.00m  
ITL164W \*•\*□ ½ 165W - ▲ 19.2kg - 145  
slowflash




*Liv chain* ♦ 1.24m - ♦ 6.00m  
ITL162W \*•\*□ ½ 170W - ▲ 27.0kg - 13  
Xled, flash & slowflash



*Cassiopee* ♦ 3.00m - ♦ 1.00m  
IPL076W \*•\*□ ½ 60W - ▲ 12.2kg - 194  
IPL076




*Penelope* ♦ 2.00m - ♦ 0.72m  
IPL039W \*•\*□ ½ 35W - ▲ 5.9kg - 61  
IPL039



*Cascade* ♦ 2.00m - ♦ 0.90m  
IPL151W \*•\*□ ½ 75W - ▲ 7.5kg - 125  
IPL151




*Mathilda* ♦ 1.00m - ♦ 0.70m  
ITL027W \*•\*□ ½ 25W - ▲ 3.1kg - 29  
flash



*Cassiopee* ♦ 3.00m - ♦ 1.00m  
IPL076 \*•\*□ ½ 60W - ▲ 12.2kg - 194  
IPL076




*Penelope* ♦ 2.00m - ♦ 0.72m  
IPL039W \*•\*□ ½ 35W - ▲ 5.9kg - 61  
IPL039



*Liv petit* ♦ 1.20m - ♦ 0.60m  
IPL145W \*•\*□ ½ 25W - ▲ 3.7kg - 129  
Xled & slowflash



*Ilade* ♦ 1.00m - ♦ 0.70m  
IPL141W \*•\*□ ½ 25W - ▲ 3.4kg - 123  
flash




*Clea*  
TL311W ◆ 210m - ◆ 1.83m - ◆ 0.51m  
flash



*Lili*  
IPL043W ◆ 130m - ◆ 0.90m  
IPL043R ◆◆□ slowflash



*Alpha*  
IPL142R ◆◆□ ◆ 2.00m - ◆ 0.90m  
Star & slowflash



*Grand stella*  
TL312W ◆□ flash




*Lili*  
IPL043W ◆ 130m - ◆ 0.90m  
IPL043R ◆◆□ slowflash



*Twister*  
IPL070R ◆◆□ ◆ 2.00m - ◆ 0.90m  
IPL070B ◆◆□ ◆ 35W - ▲ 8.0kg - I43  
IPL070W ◆◆□ stars & slowflash






Référence	Description	Colour	Height	Width	Depth	P(W)	Weight
ITGL141	alto	●	0.50m	0.50m	0.26m	50W	2.60kg
ITGL107	sphere frozen	●	0.50m	0.50m	0.26m	10W	1.70kg
ITGL104	sphere full	●	0.50m	0.50m	0.26m	10W	1.70kg
ITGL104W	sphere full	●	0.50m	0.50m	0.26m	10W	1.70kg
ITGL105	sphere full	●	0.80m	0.80m	0.4m	20W	3.20kg
ITGL105W	sphere full	●	0.80m	0.80m	0.4m	20W	3.20kg
ITGL132B	sphere bubbles	●	0.50m	0.50m	0.26m	11W	2.10kg
ITGL132R	sphere bubbles	●	0.50m	0.50m	0.26m	11W	2.10kg
ITGL133B	sphere bubbles	●	0.80m	0.80m	0.4m	20W	4.00kg
ITGL133R	sphere bubbles	●	0.80m	0.80m	0.4m	20W	4.00kg



Schematic diagram of all the lights presented on this double page:




Front view Side view



Easily transform any hanging decoration into a polemount decoration, thanks to our accessory: PIX01 (see p246)

Référence	Description	Colour	Height	Width	Depth	P(W)	Weight
ITGL112	star5	●	0.80m	0.80m	0.18m	8W	1.50kg
ITGL112W	star5	●	0.80m	0.80m	0.18m	8W	1.50kg
ITGL111	star7	●	0.80m	0.80m	0.18m	15W	1.90kg
ITGL111W	star7	●	0.80m	0.80m	0.18m	15W	1.90kg





Easily transform any hanging decoration into a polemount decoration, thanks to our accessory: PIX01 (see p246)

Référence	Description	Colour	Height	Width	Depth	P(W)	Weight
ITGL117R	love	●	0.60m	0.60m	0.46m	8W	2.00kg
ITGL130W	lanterna	○	0.70m	0.70m	0.40m	26W	5.00kg
ITGL131	goutte	○	0.80m	0.40m	0.26m	10W	1.80kg
ITGL131W	goutte	○	0.80m	0.40m	0.26m	10W	1.80kg
ITGL102	diams	○	0.60m	0.40m	0.24m	15W	1.50kg
ITGL102W	diams	○	0.60m	0.40m	0.24m	15W	1.50kg



73- MAGIC

**3D** **3D foldable spheres** (for optimized storage)

ø 0.60m	● TGL70LWW	sphere pliable pm
◆ 0.60m - ◆ 0.60m - ■ 0.60m	● TGL70LW	
❖ 30W - ☐ 3.9kg		

ø 1.00m	RGB TCL71LWCL	sphere pliable mm
◆ 1.00m - ◆ 1.00m - ■ 1.00m	● TGL71LW	
❖ 8W - ☐ 15.0kg	● TGL71LWW	
	ø 1.60m	

● TGL72LWW	sphere pliable gm
◆ 1.60m - ◆ 1.60m - ■ 1.60m	● TGL72LW
❖ 165W - ☐ 24.8kg	

**2D** **2D Spheres**

ø 0.30m	● ITL051W	sphere pm
◆ 0.30m - ◆ 0.80m	● ITL051	
❖ 5W - ☐ 1.0kg	● ITL051 - ● ITL051B - ● ITL051R	

ø 0.60m	● ITL052W	sphere mm
◆ 0.60m - ◆ 0.60m	● ITL052	
❖ 10W - ☐ 1.7kg	● ITL052 - ● ITL052B - ● ITL052R	

ø 1.00m	● ITL053W	sphere gm
◆ 1.00m - ◆ 1.00m	● ITL053	
❖ 20W - ☐ 2.8kg	● ITL053 - ● ITL053B - ● ITL053R	



# COLLECTION *COSY*



The COSY Collection transports us in a few seconds to a soft and peaceful fireside. The decorations are alternately composed of warm-toned tree branches then delicate lanterns in candlelight.


76



77- COSY



COLLECTION  
*COSY*



Easily transform any hanging decoration into a polemount decoration, thanks to our accessory PIX01 (see p246)

80



81- COSY






Easily transform any hanging decoration into a polemount decoration, thanks to our accessory: PIX01 (see p246)



# SOLAR RANGE

Our best sellers are now solar powered



These decorations are equipped only with 24V LED fireflies.


Thanks to our new solar-powered rechargeable battery, you can combine lighting with energy efficiency.

Once your decor is in place, position the solar box on top of it facing the right way, set your switch-on and switch-off times and enjoy your lighted decorations.

Technical details:

- 8 to 10 hours of recharging with optimal sunlight for 7 hours of lighting.
- Your lights can be programmed to operate for 5, 6 or 7 hours.

Enter decor reference no. + PIXSOL2



When you set it up, make sure it is facing the right way to get the most sun during the day

## 3D CHARACTERS



Every year, we design 3D characters to create lively, funny and joyful scenery. From the funny bear, to the majestic stag, to the giant Santa Claus, all our creations offer young and old alike a wonderful spectacle. They are mostly interactive and animated. Find all our ballast solutions and turntables in the accessory pages p.250.







90



91 - 3D



92



93 - 3D

Volumes &  
interactivity

94



95 - 3D



96



97 - 3D





100



101 - 3D



102



103 - 3D



104



105 - 3D



106



107 - 3D

Volumes &  
interactivity



# SORTING WASTE, *can be child's play*

By encouraging today's youth to recycle is a major challenge that we have answered with creativity and fun. We have made this vital step a fun and playful collective act thanks to creating containers in the form of funny animals.

Placed in city centres or by beaches, whales, trains and other cute creations house recycling containers. The plastic bottles collected are recovered by specialist organisations who process the bottles to provide the raw materials we inject into our printers.

These Recyprint structures are used to create Christmas decorations that are as festive as they are responsible!

This is a real tangible example of a circular economy.

**Collect and recycle in a fun way to  
create recycled decorations.**





## CREATE YOUR own Bioprint scenes

Choose from these characters to create your own scene.

All the motifs presented are self-supporting on a frame but can also be manufactured in wallmount and polemount (on demand).

- **Choose your frame:** Bauble or Golden Gift (Ref. SC014 or SC015).

- **Choose 2 decorations and create your own scene:** Reindeer, House, Fir Tree, Angel, Sled, Snowflake, Snowman and Gift Packs (Ref. from SC016 to SC025) - Let your imagination run wild!





# PLAY MAGIC

*Play in augmented reality!*

Allowing audiences to do things like take a photo with Father Christmas or play with Charlie the Unicorn, our augmented reality apps add virtual characters into the real world, leaving the public laughing and amazed. Children and adults can easily take part in the fun using a smartphone enjoying an unforgettable experience that transforms reality into a unique performance.

#### How does it work?

**For the public, the idea is simple:** When users approach the Play Magic banner, the app they have pre-installed on their phones automatically unlocks to give them access to the games. They can then share the experience on their social media pages. The public app features your branding and a link to your website or social media.

#### For the city:

The games app has a subscription model valid while the illuminations are up, with games updated each year. Apart from this, all you need to do is install the banner near the illuminations to tell the public they can enjoy a free game on their phone in the location. There is no need for any connection. The app's success also depends on you advertising it on displays in your town/city and on your social media pages. We can assist you in setting up your communications (Réf. ARCOM below).

#### Games available:



Reference	Description
AR001	3 games pack (chosen from the 7 existing games) + 1 Totem
AR002	5 games pack (chosen from the 7 existing games) + 1 Totem
ARTOTO2	1 additional Totem
ARCOM	Augmented Reality Communications Pack (non-printed poster, web banner and smartphone-format image).





# NORDIKA & 3D



Christmas wouldn't be Christmas without a Christmas tree. Our majestic NORDIKA trees are so lifelike that they could be mistaken for real imposing Scandinavian firs. These beautiful and everlasting specimens give Christmas decorations a gentle and reassuring touch.

Combined with our elegant, bright trees and our fountains, streets and alleyways are given a welcoming and natural feel.

# NORDIKA,

*a majestic conifer as realistic as a natural one*

[ Blachere  
Exclusivity ]

Who doesn't love a fabulous Christmas tree? And yet, it takes between 30 and 40 years for a natural conifer to reach 12m in height. As we want to avoid deforestation halting the felling of these majestic trees, we invented NORDIKA. Pre-illuminated with a slowglow effect, easy to assemble and store, they are perfect replicas of their natural version, both in their design and incredibly realistic appearance - as true to life as it gets.

Our environmental approach is based on a simple principle: to save at least as much carbon as we generate. We do this by only using biocompatible materials, which we recycle at the end of their lifespan.



OPTIONAL  
TREETOP



HYPER REALISTIC  
CHRISTMAS TREE  
BRANCHES



WOOD-EFFECT TRUNK



WOOD EFFECT  
STAND AVAILABLE






# NORDIKA,

*The Christmas tradition*

The perfect regularity of the branches, the realistic high-quality finishes and a majestic size make our conifers a festive must. You can customise your Nordika every year for a unique look: hang Christmas baubles on its branches, add a set of lights, or even set it on a wooden base.

New construction:  
8 additional branches



Ref	Name	Height	ø	P(W)	Weight	No of elements	Colour of Led	No of Led
GX081LW-2	sapin Nordika - PM	5,00 m	3,56 m	245 W	263 kg	46	●	2976 (1488 steady + 1488 with slowglow effect)
GX082LW	sapin Nordika - MM	8,00 m	4,70 m	770 W	1112 kg	107	●	8664 (4332 steady + 4332 with slowglow effect)
GX083LW	sapin Nordika - GM	12,00 m	5,90 m	1870 W	2750 kg	194	●	21048 (10524 steady + 10524 with slowglow effect)



FREE STANDING  
NO NEED TO SECURE  
WITH WIRES

TOTALLY  
SAFE 24V

INDOOR &  
OUTDOOR USE

PVC  
FREE

PRE-LIGHTED  
WITH 100% LED  
SLOWGLOW EFFECT

CAN BE TOTALLY  
DISMANTLED  
(EASY TRANSPORT  
AND STORAGE)



# NORDIKA,

## Accessories

### Decorative baubles kit

Each kit features 52 baubles in the same colour (M1/B1 category-fireproof)-50% shiny /50% satiny

- 28 baubles ø 12cm
- 20 baubles ø 20cm
- 4 baubles ø 25cm



Colour	Reference
Silver	KITNDK-A
Blue	KITNDK-B
Gold	KITNDK-O
Red	KITNDK-R

#### Recommendations

Nordika - 5 m → 2 kits - 104 baubles  
 Nordika - 8 m → 4 kits - 208 baubles  
 Nordika - 12 m → 8 kits - 416 baubles

### Bioprint & Recyprint kit

Each kit features 20 motives

- 8 motives ø 50cm
- 12 motives ø 30cm

Colour	Motive	Reference
Blue/White	Snowflake	KITNDK-F
Gold/White	Star	KITNDK-E

#### Recommendations

Nordika - 5 m → 2 kits - 40 décos  
 Nordika - 8 m → 4 kits - 80 décos  
 Nordika - 12 m → 8 kits - 160 décos

### Base and tree topper

4 tree toppers are available for an additional magical touch to your Nordika tree.

Bases can also be featured with all Nordika trees.




Tree topper	Ø	Reference
tree topper star7	0,80m	CIME7
tree topper bella	1,00m	CIME2
tree topper mia	1,00m	CIME6
tree topper aiguille	1,00m	CIME4

Base	Reference
Nordika base 5m (GX081LW-2)	SOCLGX81
Nordika base 8m (GX082LW)	SOCLGX82
Nordika base 12m (GX083LW)	SOCLGX83





Description	Height	Ø	P(W)	Weight	Parts number	Ø	Ø
Conical fir tree 3m	3,00 m	1,18 m	24 W	49 kg	3	SV301	SV301W
Conical fir tree 5m	5,00 m	1,80 m	60 W	241 kg	6	SV501	SV501W
Conical fir tree 10m	10,00 m	3,43 m	248 W	985 kg	23	SV1001	SV1001W
Conical fir tree 14m	14,36 m	5,80 m	640 W	2371 kg	49	SV1401	SV1401W
Conical "crossing" fir tree 8m	8,00 m	2,78 m	200 W	585 kg	17	SV801-P	SV801W-P
Conical "crossing" fir tree 12m	12,00 m	4,08 m	440 W	1174 kg	33	SV1201-P	SV1201W-P





Volumes &  
interactivity




130



131 - 3D







134



135 - 3D





Volumes &  
interactivity







142



143 - 3D

Volumes &  
interactivity

144



145 - 3D







148



149 - 3D

Volumes &  
interactivity



# BI-SEASON RANGE

*Our urban furniture all year round!*

This new range of evolving urban furniture is composed of a luminous archway and a shade tree equipped with spotlights and USB plugs changing over the seasons and according to the chosen classic decoration kit.

The kits can be assembled in our workshops (tell us during your order) or at home in complete autonomy.

For instance:

Arch Base + Christmas Arch Kit for a frosted look for the yearend celebrations  
or Share Tree Base + Summer Arch Kit for a multicoloured summer look



**GX242L  
BASE ARBRE**  
◆ 3.00m - ♦ 3.20m - □ 3.20m  
▲127.00kg - 40W

**KIT2-242  
KIT ARBRE SUMMER**  
• 32 passive decorations



**GX242L  
BASE ARBRE**  
◆ 3.00m - ♦ 3.20m - □ 3.20m  
▲127.00kg - 40W

**KIT1-242  
KIT ARBRE CHRISTMAS**  
• 27 light & passive decorations



**SL134  
BASE ARCHE**  
◆ 3.45m - ♦ 5.00m - □ 3.61m  
▲245.30kg - 40W

**KIT2-134  
KIT ARCHE SUMMER**  
• 37 passive decorations



**SL134  
BASE ARCHE**  
◆ 3.45m - ♦ 5.00m - □ 3.61m  
▲245.30kg - 40W

**KIT1-134  
KIT ARCHE CHRISTMAS**  
• 39 light & passive decorations



# 2D LETTERS WITH SPOTLIGHTS


*To install anywhere and any season*

The name of your city and a hashtag ? A welcome message with a heart ? Create your luminous word and personalise your message with our decorations. These giant letters will be perfect selfie spots to increase your visibility on social networks.

Letters available in 1,40m and 2m height.



# Garlands, Blachere LEDs



By considering practical use in their innovative designs, our R&D department has devised the all-new LED+ in both static and slowflash editions to make your projects come alive! Our new and exclusive LED range is the outcome of a long-term collaboration with Nichia®, the world leader in LEDs. The range is:

**+ bright, + robust, + long span, + consistent in terms of color**

The new technical features of LED+:

► **Design is optimized and registered**

to promote the luminous efficiency of our product (inverted cone principle).

► **Thermal dissipation is maximized**

for longer LED life


► **Uniform phosphorus deposition**

for a uniform lighting effect.

► **2 years guarantee**

► **Optimum protection index: IP66 / IP69**

► **Octoplus 230V Connection System by Blachere IP67**



**Our standard LED model!**

Bright and stable (lifespan and colour), our Classic LEDs has also inverted cones (homogeneous light diffusion).

Its production is closely followed to make sure the quality is optimal and competitive on the market.

230V model: IP66

24V model: IP55


## Keys - Garlands

- ◆ Height
- ◆ Length
- ◻ Width
- P(W) Wattage
- ||| Number of strings
- Number of garlands that can be connected end-to-end
- ⚡ Voltage
- ☒ Weight

- ◻ White cable
- █ Black cable
- ██ Green cable
- ░ Silver cable
- ███ Brown cable
- Transparent cable
- ⚡ Pure white Led flash
- ⚡ Warm white Led flash

- Pure white Led
- Warm white Led
- Blue Led
- Red Led
- Amber Led
- Pink Led
- Green Led
- Multicoloured Led



- Indoor/outdoor use
- Type of cable
- Supply voltage
- Protection rating
- Power supply included
- Shock resistance index
- Octoplus by blachere® 230V exclusive range
- Octoplus by blachere® 24V exclusive range



N

## «SOBRILLANCE» CONCEPT

*Controllable on request*



► Flash curtains «Superbright»

◆	◆	FLASH	P (W)	¶	■	■
6,00 m	2,00m	80 ⚡	20	8	5	260-F


product info

Sobrillance is the combination of a fixed warm white curtain and a Super Bright flash curtain.


Vary the sequences with our remote controlled/programmable clock and create a living light show in your street! On special request.

► Static curtains Led+

◆	◆	LED	P (W)	¶	■	□	■
5,00 m	2,00 m	540 ⚡	67	15	9	FL75W-B+	FL75W+
7,00 m	2,00 m	750 ⚡	69	15	9	FL72W-B+	FL72W+
10,00 m	2,00 m	1050 ⚡	77	15	9	FL79W-B+	FL79W+




## «SUPERBRIGHT» CURTAINS With flashes



◆	◆	FLASH	P (W)	■	■	■
6,00 m	2,00m	80 Ⓞ	20	8	5	260-F

## «SUPERBRIGHT» GARLANDS With flashes



◆	LED	FLASH	P (W)	■	■	■
40,00m	420 Ⓞ	80 Ⓞ	20	8	2	560-F

delivered in 40m roll

### product info


Recreate the most beautiful avenue in the world in your own city!  
A product and animation developed exclusively for the Champs-Élysées now available to all our clients. Blachere Illumination is the official supplier of the «Champs-Élysées» Committee.



## Sparklight® garlands Led+ & slowflashes



requires 230V power supply cable L:1,50m FY08+ type... and bridge rectifier FY043+ type... p 240




### product info


Blachere exclusive  
 - Registered design  
 - High brightness  
 - Shock resistant IK06  
 - Long lifespan  
 - Stable colour  
 - IP 66/69 protection rating.  
 Maximum rating allowed for a  
 230V product  
 - Flexible connectivity thanks to  
 the extensive Octoplus 230V by  
 Blachere range.

**2 YEARS GUARANTEE**  
conditions: contact us

◆	LED	SLOWFLASH	P (W)	●	□	■
20,00 m	108 ○	52 ○	11,5	100m	FL590BF+	FL590F+
20,00 m	108 ○	52 ○	11,5	100m	FL590WBF+	FL590WF+
20,00 m	108 ○	52 ○	11,5	100m	FL590BLF+	
20,00 m	108 ●	52 ○	11,5	100m		FL590RF+
1,50 m	230V power supply cable				FY08-B+	FY08+
0,30 m	bridge rectifier		690W max		FY043A-B+	FY043A+
0,20 m	bridge rectifier		230W max		FY041A-B+	FY041A+



## Sparklight® garlands with flash or static



### ► 100% flash

◆	LED	P (W)			
20,00 m	80 ○	5	100m		510-FX

### ► with flash

◆	LED	FLASH	P (W)			
20,00 m	90 ○	30 ○	8	100m		512-FX
20,00 m	90 ○	30 ○	8	100m		512W-FX
20,00 m	150 ○	50 ○	15,5	100m	511B-FX	511-FX
20,00 m	150 ○	50 ○	15,5	100m	510BW-FX	510W-FX
20,00 m	150 ○	50 ○	15,5	100m		510B-FX
20,00 m	150 ○	50 ○	15,5	100m		510R-FX
20,00 m	150 ○	50 ○	15,5	100m		510P-FX

### ► static

◆	LED	P (W)			
20,00 m	200 ○	15	100m	508-B	508
20,00 m	200 ○	15	100m	508W-B	508W
20,00 m	200 ○	15	100m		508B
20,00 m	120 ○	8	100m		512C
20,00 m	120 ○	8	100m		512CW

### product info

Proven reliability.  
Power supply with connecting socket included.  
Wide range of Octoplus 230V by Blachere accessories available.

High flash concentration on FX models.  
Increased waterproofing thanks to optimum protection rating.




164

165 - led 

## Sparklight® garlands *Garlands static*



requires 230V power supply cable L:1,50m FY08+ type... and bridge rectifier FY043+ type... p 240



product info					
Blachere exclusive					
- Registered design					
- High brightness					
- Shock resistant IK06					
- Long lifespan					
- Stable colour					
- IP 66/69 protection rating.					
Maximum rating allowed for a 230V product					
- Flexible connectivity thanks to the extensive Octoplus 230V by Blachere range.					
<b>2 YEARS GUARANTEE</b>					
conditions: contact us					

◆	LED	P (W)	●	□	■
20,00 m	160 ○	11,5	100m	FL590-B+	FL590+
20,00 m	160 ○	11,5	100m	FL590W-B+	FL590W+
20,00 m	160 ●	11,5	100m		FL590BL+
20,00 m	160 ●	11,5	100m		FL590R+
1,50 m	230V power supply cable			FY08-B+	FY08+
0,30 m	bridge rectifier	690W max		FY043A-B+	FY043A+
0,20 m	bridge rectifier	230W max		FY041A-B+	FY041A+



167 - led Classic

## Sparklight® 24V garlands with flash or static



### with PVC cable



#### ► with flash

◆	LED	FLASH	P (W)		
20,00 m	168 ⚪	28 ⚪	5	5	FL502-FX
20,00 m	168 ⚪	28 ⚪	5	5	FL502W-FX
20,00 m	168 ⚪	28 ⚪	5	5	FL502B-FX
20,00 m	168 ⚪	28 ⚪	5	5	FL502R-FX

#### ► static

◆	LED	P (W)		
20,00 m	196 ⚪	5	5	501W

### with rubber cable



#### ► static

◆	LED	P (W)		
20,00 m	196 ⚪	6,2	4	501CW


switch-mode power supply 24V dc 25W - sold separately

### product info


Very low voltage ideal for safe installations within the reach of the public.  
High protection rating to withstand dirt and moisture.  
Long lengths made possible by connecting several garlands using one transformer.

Ref 501CW: more durable rubber cable, ideal for permanent use.

Wide range of Octoplus 24V by Blachere accessories p.242.



## Micro light + PRO® Range garlands




### ► Micro light + PRO garlands

◆	LED	P (W)		■
19,20 m	192 ⚡	15	2	501+
19,20 m	192 ⚡	15	2	501W+

### product info


This new Micro light + PRO range has been designed to be more powerful and brighter, while remaining low consumption and with a homogeneous wide angle light distribution.

Power supply with connection plug included.



171 - GARLANDS

## Garland RGB Controllable



◆	LED	P (W)	■
3,75 m	25 RGB	7,5	FL525RGB
Caméléon Control box	No of outputs	No of pixels	input voltage
	10	10 x 50 = 500	230V
		P (W)	output voltage
		150	5V
		PRX10RGB	

### product info

Customize the colour and animation of your trees,

According to month, week or for a particular event at any time of year.  
For a tree of 8 to 10m:  
-20 x FL525RGB strings for 10 runs of 7m (2 x 3.50),  
-one PRX10RGB box


Maximum colour range thanks to RGB LED technology.



172

173 - led *Classic*

## Controllable RGBWW garland *color-changing*



### product info

RGBWW garland allowing the mixing of colors with a single hot white color selectable. Customizable predefined animations.  
Wireless settings using the Caméléon+ effects programmer.

Space between LEDs: 10cm.

	◆	LED	P (W)	□
1-128	12,80 m	RGBWW ●●●○○	10	FLRGBWW-A
129-256	12,80 m	RGBWW ●●●○○	10	FLRGBWW-B


Coffret Caméléon+ 2 x 256 pixels with 24V 100W power supply included



## Joylight® curtains Led + & slowflashes



requires 230V power supply cable L:150m FY08+ type...  
and bridge rectifier FY043+ type... p.240



◆	◆	LED	SLOWFLASH	P (W)	■	■	□	■
1,50 m	2,00 m	150 ⚪	60 ⚪	17	15	27	FL74BF+	FL74F+
1,50 m	2,00 m	150 ⚪	60 ⚪	17	15	27	FL74WBF+	FL74WF+
3,00 m	2,00 m	240 ⚪	120 ⚪	25	15	18	FL70BF+	FL70F+
3,00 m	2,00 m	240 ⚪	120 ⚪	25	15	18	FL70WBF+	FL70WF+
5,00 m	2,00 m	360 ⚪	180 ⚪	65	15	9	FL75BF+	FL75F+
5,00 m	2,00 m	360 ⚪	180 ⚪	65	15	9	FL75WBF+	FL75WF+
7,00 m	2,00 m	510 ⚪	240 ⚪	70	15	9	FL72BF+	FL72F+
7,00 m	2,00 m	510 ⚪	240 ⚪	70	15	9	FL72WBF+	FL72WF+
10,00 m	2,00 m	690 ⚪	360 ⚪	80	15	8	FL79BF+	FL79F+
10,00 m	2,00 m	690 ⚪	360 ⚪	80	15	8	FL79WBF+	FL79WF+
1,50m 230V power supply cable								
0,30m bridge rectifier								
0,20m bridge rectifier								
690W max								
230W max								
FY08-B+								
FY08+								
FY043A-B+								
FY043A+								
FY041A-B+								
FY041A+								

product info
<b>Blachere exclusive</b> <ul style="list-style-type: none"> <li>- Registered design</li> <li>- High brightness</li> <li>- Shock resistant IK06</li> <li>- Long lifespan</li> <li>- Stable colour</li> <li>- IP 66/69 protection rating. Maximum rating allowed for a 230V product.</li> <li>- Flexible connectivity thanks to the extensive Octoplus 230V by Blachere range.</li> </ul> <p><b>2 YEARS GUARANTEE</b> <small>conditions: contact us</small></p>



## Joylight® Curtains with flash or static




### ► with flash

◆	◆	LED	FLASH	P (W)	¶	¤	□
0,80 m	2,00 m	140 ☀	28 ☺	14	14	30	21CBFX
0,80 m	2,00 m	140 ☺	28 ☺	14	14	30	21CWBFX
1,50 m	2,00 m	210 ☺	30 ☺	15	15	25	24CBFX
1,50 m	2,00 m	210 ☺	30 ☺	15	15	25	24CWBFX
1,50 m	2,00 m	210 ☺	30 ☺	15	15	25	24CRFX
1,50 m	2,00 m	210 ☺	30 ☺	15	15	25	24CBLFX
3,00 m	2,00 m	420 ☺	56 ☺	33	14	16	20CBFX
3,00 m	2,00 m	420 ☺	56 ☺	33	14	16	20CWBFX
3,00 m	2,00 m	420 ☺	56 ☺	33	14	16	20CRFX
3,00 m	2,00 m	420 ☺	56 ☺	33	14	16	20CBLFX
5,00 m	2,00 m	900 ☺	90 ☺	55	15	12	25CBFX
5,00 m	2,00 m	900 ☺	90 ☺	55	15	12	25CWBFX
5,00 m	2,00 m	900 ☺	90 ☺	55	15	12	25CRFX
5,00 m	2,00 m	900 ☺	90 ☺	55	15	12	25CBLFX
7,00 m	2,00 m	1200 ☺	120 ☺	80	15	8	22CBFX
7,00 m	2,00 m	1200 ☺	120 ☺	80	15	8	22CWBFX
10,00 m	2,00 m	1350 ☺	135 ☺	84	15	8	29CBFX
10,00 m	2,00 m	1350 ☺	135 ☺	84	15	8	29CWBFX



### ► static (individual strands)

◆	◆	LED	P (W)	¶	¤	□
1,50 m	2,00 m	342 ☺	30	18	20	24C-B
1,50 m	2,00 m	342 ☺	30	18	20	24CW-B
3,00 m	2,00 m	540 ☺	35	18	15	20C-B
3,00 m	2,00 m	540 ☺	35	18	15	20CW-B
5,00 m	2,00 m	900 ☺	65	18	9	25C-B
5,00 m	2,00 m	900 ☺	65	18	9	25CW-B
7,00 m	2,00 m	1080 ☺	72	18	9	22C-B
7,00 m	2,00 m	1080 ☺	72	18	9	22CW-B
10,00 m	2,00 m	1350 ☺	58	18	10	29C-B
10,00 m	2,00 m	1350 ☺	58	18	10	29CW-B



### product info

Ideal for decorating facades, trees or for cross-street motifs.

Up to 30 curtains on the same power supply.

**Compatible with the entire range**


Connection options with the Octoplus 230V by Blachere® accessories.



## Joylight®Led+ curtains static



requires 230V power supply cable L:150m FY08+ type...  
and bridge rectifier FY043+ type... p.240



◆	◆	LED	P (W)	■	■	□	■
1,50 m	2,00 m	210 ○	20	15	25	FL74-B+	FL74+
1,50 m	2,00 m	210 ○	20	15	25	FL74W-B+	FL74W+
3,00 m	2,00 m	360 ○	30	15	16	FL70-B+	FL70+
3,00 m	2,00 m	360 ○	30	15	16	FL70W-B+	FL70W+
5,00 m	2,00 m	540 ○	67	15	9	FL75-B+	FL75+
5,00 m	2,00 m	540 ○	67	15	9	FL75W-B+	FL75W+
7,00 m	2,00 m	750 ○	69	15	9	FL72-B+	FL72+
7,00 m	2,00 m	750 ○	69	15	9	FL72W-B+	FL72W+
10,00 m	2,00 m	1050 ○	77	15	9	FL79-B+	FL79+
10,00 m	2,00 m	1050 ○	77	15	9	FL79W-B+	FL79W+
1,50m	230V power supply cable					FY08-B+	FY08+
0,30m	bridge rectifier					FY043A-B+	FY043A+
0,20m	bridge rectifier					FY041A-B+	FY041A+


### product info

#### Blachere exclusive

- Registered design
- High brightness
- Shock resistant IK06
- Long lifespan
- Stable colour
- IP 66/69 protection rating. Maximum rating allowed for a 230V product.
- Flexible connectivity thanks to the extensive Octoplus 230V by Blachere range p.240-241.

#### 2 YEARS GUARANTEE


conditions contact us



180

181 - led **Classic**

## ECO Led *curtains static*




◆	◆	LED	P (W)	¶	■	□
1,50 m	2,00 m	210 ○	15	15	20	ECOX24-B
1,50 m	2,00 m	210 ●	15	15	20	ECOX24W-B
3,00 m	2,00 m	360 ○	20	15	15	ECOX20-B
3,00 m	2,00 m	360 ●	20	15	15	ECOX20W-B
5,00 m	2,00 m	576 ○	30	16	12	ECOX25-B
5,00 m	2,00 m	576 ●	30	16	12	ECOX25W-B
7,00 m	2,00 m	750 ○	50	15	7	ECOX22-B
7,00 m	2,00 m	750 ●	50	15	7	ECOX22W-B
10,00 m	2,00 m	1050 ○	55	15	6	ECOX29-B
10,00 m	2,00 m	1050 ●	55	15	6	ECOX29W-B

product info
Unbeatable value for money with proven reliability.
NEW: Octoplus 230V by Blachere connection system
An extensive selection of accessories and connection options with Octoplus® 230V by Blachere® accessories.

182 - led Classic

## Joylight® 24V curtains with flash




◆	◆	LED	F.	P (W)	■	■	□
3,00 m	2,00 m	300 ○	60 ○	12,5	15	2	FL203-FX
3,00 m	2,00 m	300 ○	60 ○	12,5	15	2	FL203W-FX
3,00 m	2,00 m	300 ●	60 ○	12,5	15	2	FL203B-FX
3,00 m	2,00 m	300 ●	60 ○	12,5	15	2	FL203R-FX
3,00 m	2,00 m	300 ●	60 ○	12,5	15	2	FL203P-FX



183 - led Classic

## Joylight® Slowglow curtains




New animation exclusive to Blachere illumination. Gentle lighting snowflake effect.  
Compatible with the entire range.  
Connection options with 230V Octoplus® accessories by Blachere® p240 à 241.

◆	◆	LED Slowglow	P (W)	■	■	□
1,50 m	2,00 m	120 ○	16	15	13	24SG
1,50 m	2,00 m	120 ○	16	15	13	24WSG
3,00 m	2,00 m	180 ○	15	15	12	20SG
3,00 m	2,00 m	180 ○	15	15	12	20WSG
5,00 m	2,00 m	210 ○	17	15	12	25SG
5,00 m	2,00 m	210 ○	17	15	12	25WSG
7,00 m	2,00 m	225 ○	17	15	12	22SG
7,00 m	2,00 m	225 ○	17	15	12	22WSG
10,00 m	2,00 m	270 ○	15	15	13	29SG
10,00 m	2,00 m	270 ○	15	15	13	29WSG



## “Scintillance” curtains



◆	◆	LED	FLASH	P (W)	¶	¤	□
7,00 m	2,00m	420 ☺	80 ☺	55	10	-	ECOX216W

### product info

Recreate the most beautiful avenue in the world wherever you are !

Product and animation developed exclusively for the Champs Elysées now available for all our customers.

Blachere illumination official supplier of the « Champs Elysées » Committee.


A PRO version that exactly reproduces the effect on the Champs Elysées and an ECO version with a simplified effect.



## Stalactitlight® Led+ with slowflash or static



requires 230V power supply cable L: 1,50m FY08+ type...  
and bridge rectifier FY043+ type...



► with slowflash

◆	◆	LED	SLOWFLASH	P (W)	¶	¤	□
0,80 m	4,50 m	120 ◎	60 ◎	16	48	20	FL390BF+
0,80 m	4,50 m	120 ◇	60 ◇	16	48	20	FL390WBF+
1,50m	230V power supply cable			690W max			FY08-B+
0,30m	bridge rectifier			690W max			FY043A-B+
				230W			FY041A-B+

► static


◆	◆	LED	P (W)	¶	¤	□
0,80 m	4,50 m	180 ◎	16	48	20	FL390-B+
0,80 m	4,50 m	180 ◇	16	48	20	FL390W-B+
1,50m	230V power supply cable		690W max			FY08-B+
0,30m	bridge rectifier		690W max			FY043A-B+
			230W			FY041A-B+

product info
<b>Blachere exclusive</b>
- Registered design - High brightness - Shock resistant IK06 - Long lifespan - Stable colour - IP 66/69 protection rating. Maximum rating allowed for a 230V product. - Flexible connectivity thanks to the extensive Octoplus 230V by Blachere range. p.240.


**2 YEARS GUARANTEE**  
conditions contact us



## *Stalactitlight®* with flash or static



Refs : 352/354



Refs : 353

### ► with flash

◆	◆	LED	FLASH	P (W)	■	■	□
0,57 m	4,50 m	156 ⚪	48 ⚪	13	48	15	352-FX
0,57 m	4,50 m	156 ⚪	48 ⚪	13	48	15	352W-FX
0,57 m	4,50 m	156 ⚪	48 ⚪	13	48	15	352R-FX
0,57 m	4,50 m	156 ⚪	48 ⚪	13	48	15	352B-FX
1,00 m	4,50 m	180 ⚪	60 ⚪	12	36	15	354-FX
1,00 m	4,50 m	180 ⚪	60 ⚪	12	36	15	354W-FX

### ► static

◆	◆	LED	P (W)	■	■	□
0,57 m	4,50 m	180 ⚪	12	48	15	352
0,57 m	4,50 m	180 ⚪	12	48	15	352W
1,00 m	4,50 m	240 ⚪	12	36	15	354
1,00 m	4,50 m	240 ⚪	12	36	15	354W
1,50 m	4,50 m	320 ⚪	16	32	15	353C
1,50 m	4,50 m	320 ⚪	16	32	15	353CW

### product info

An absolute must since its creation, this product is a best-seller owing to its reliability.


Can be divided into sections for greater adaptability.

#### Compatible with the entire range.

Connection options with 230V Octoplus® accessories by Blachere® p.240.

190 - led Classic

## Ceilings with flash or static



### ► with flash


◆	◆	LED	F.	P (W)	■	■	■
30,00 m	2,00 m	588 ○	98 ○	30	7	3	414-FX
30,00 m	2,00 m	588 ○	98 ○	30	7	3	414W-FX

### ► static

◆	◆	LED	P (W)	■	■	■
30,00 m	2,00 m	686 ○	30	7	3	414
30,00 m	2,00 m	686 ○	30	7	3	414W



## Micro light+ PRO® ceilings




### ► ceilings Micro light + PRO


◆	◆	LED	P (W)	■	■	■
1,50 m	21,60 m	720 ○	36	2	5	420+
1,50 m	21,60 m	720 ○	36	2	5	420W+

191

Garlands



## LED<sup>+</sup> Braided Garlands with flash



micro steel wire

### ► with flash

◆	Ø	LED	FLASH	P (W)		□
60,00 m	6cm	648 ○	312○	69	2	TSL60+
60,00 m	6cm	648 ○	312○	69	2	TSL60W+

Product delivered with power supply kit + rectifier and 60m roll.

## Braid garlands with flash or static



### ► with flash

◆	Ø	LED	FLASH	P (W)		□
7,50 m	12,00 cm	210 ○	30 ○	13	13	TSL3FX
7,50 m	12,00 cm	210 ○	30 ○	13	13	TSL3WFX

### ► static

◆	Ø	LED	P (W)		□
7,50 m	6,00 cm	240 ○	13	13	TSL2
7,50 m	6,00 cm	240 ○	13	13	TSL2W

Mounting on Ø3 mm  
sheathed steel cable





## Fil lumière®



### LED+

50 Led/m



Horizontal LED


### PLATINUM/ECO

30 Led/m



inverted 320° LED cone vertical position

	Fil Lumière® eco	Fil Lumière® Platinum	Fil Lumière® Led+
density per led	30	30	50
P (W)/roll	3	4	75-80
Roll	90m	50m	25m
ø	12mm	12mm	13mm
○	NL5011	NLEDU51	NLED51+
●	NL5011W	NLEDU51W	NLED51W+
●	NL5012	NLEDU52	NLED52+
●	NL5014	NLEDU54	NLED54+
●	NL5016	NLEDU56	NLED56+
●			NLED57+
●	NL5013	NLEDU53	NLED58+



The use of inverted cone LED (see diagram) enables Blachère LED Garlands and Fil lumière products to offer exceptional luminosity.  
Can be divided every meter.


### product info

Fil lumière® LED+ and Platinum : Ideal for highlighting facade.

Supplied with 3 special LED power supplies, 3 end caps, 3 connectors. Strictly for professional use.

Cannot be sold in shops.

## Cherrylight® Garland




◆	LED	P (W)		■
20,00 m	160	4	3	FL555C



N

## Cherrylight® curtains




◆	◆	LED	P (W)		■
2,00 m	1,50m	180	15	15	FL224C
2,00m	3,00m	300	25	10	FL220C

198




199 - DECORATIONS

## Hanging bouquets indoor & outdoor



drawing of installation:



### ► Indoor use / IP20 - PVC cable

Ø	Colour	LED	FLASH	P (W)	
0,80 m	Silver	441 Ⓛ	63 Ⓛ	25	FCL080A
0,80 m	Gold	441 Ⓜ	63 Ⓛ	25	FCL080G
Indoor transformer for FCL bouquet - sold separately					25 PRTR24VI


### ► Outdoor use / IP55 - Rubber cable

Ø	Colour	LED	FLASH	P (W)	
0,80 m	Silver	441 Ⓛ	63 Ⓛ	25	FCL080A-E
0,80 m	Gold	441 Ⓜ	63 Ⓛ	25	FCL080G-E
Outdoor transformer for FCL bouquet - sold separately					25 PRTR24V

### product info


The hanging bouquets animated with flash with a gold or silver decoration, good daytime effect.

Works with a PRTR24VI or PRTR24V transformer - sold separately.



201 - DECORATIONS

## Garland with 10 glittering candles - flame effect




◆	◆	LED	P (W)	■	■	■
2,00 m	3,00 m	●	12	10	2	FL910B

### product info

Very beautiful and realistic candle garlands thanks to its wax effect and a delicate and gleaming light diffusion.

Easy to install on the of your tree thanks to its integrated clip.

## Nicia® garlands with flash



◆	Ø	LED	FLASH	P (W)		□
6,00 m	6,00 cm	432 ○	48 ○	23	9	558-FX
6,00 m	6,00 cm	432 ○	48 ○	23	9	558W-FX




## Nicia® garlands X-Led effect




### ► Set of 3 garlands

◆	LED	P (W) x1	■	□
3,00 m	152 ○	9	FXL152	FXL152-B



## X-led hanging motifs



### ► set of 5 decorations

◆	◆		LED SMD	P (W)	■
3,00 m	1,20 m	Ø 25 cm	270 ○	25	FLX920E
3,00 m	1,20 m	23 x 20 cm	270 ○	25	FLX920S




## X-Led animated sparkles



octoplus 230V



FYPTR9B



suspension and safety wire

Refs : G-FL900xx



Refs : FL900xx


### ► set of 10 sparkles

◆	◆	Ø	2D LED sparkles	P (W)	■
3,00 m	2,00 m	25 cm	10 ○	30	FL900E
3,00 m	2,00 m	25 cm	10 ○	30	FL900EW
3,00 m	2,00 m	25 cm	10 ○○	30	FL900WW
3,00 m	2,00 m	25 cm	10 ○●●●●	30	FL900EM

### ► individual sparkle

	2D LED sparkles	P (W)	□
12D sparkle Ø25cm connected on FYPTR9 only	1 ○	3	G-FL900
12D sparkle Ø25cm connected on FYPTR9 only	1 ○○	3	G-FL900WW
230V -> 24V transformer with Octoplus connector			FYPTR9B

## Hanging balls with flame effect



### ► set of 5 spheres

		animation		P (W)	
3,00 m	1,20 m	glittering	5 ⚡ Ø 20 cm	15	FL920LU



### ► individual sphere

1 ball Ø20cm - to connect on FYPRTR9 only	1 ⚡ Ø 20 cm	3	G-FL920LU
230V -> 24V transformer with Octoplus connector			


## Hanging balls with animations



FL920M / G-FL920M  
Random and unsynchronized  
colour change



60 cm suspension  
and safety wire



### ► set of 5 spheres


		animation		P (W)	
3,00 m	1,20 m	RGB	5 RGB Ø 20 cm	24	FL920M

### ► individual sphere

1 ball Ø20cm - to connect on FYPRTR9 only	1 RGB Ø 20 cm	4,5	G-FL920M
230V -> 24V transformer with Octoplus connector			



## Bulbs *Nostalgia XL*



### ► set of 4 bulbs

◆	◆	●	micro LED	FLASH	P (W)	■
2,00 m	2,00 m	ø 28 cm - H 50 cm	400 ⚡	200 ⚡	7,2W	FL930BB

### ► individual bulb


◆	◆	●	micro LED	FLASH	P (W)	□
1 bulb - connection on FYPTR9B only (not supplied)	100 ⚡	50 ⚡	2		G-FL930BB	

230V -> 24V transformer with Octoplus connector

FYPTR9B



## Stalactite *Nostalgia by Blachere®*




### ► stalactite

◆	◆	LED	●	P (W)	■	□
1,00 m	4,50 m	48 ⚡	48	20	15	12

FL361W

## X-Led® stems Double drop double-sided



Suspension attachment  
and securing required during installation


◆	◆	LED	P (W)	¶	■
0,50 m	2,70 m	320 ⓠ	12	5	2
0,80 m	2,70 m	480 ⓠ	17	5	2

X-Led stem for B22/230V socket FY03B22 accessories

◆	LED	P (W)	■
0,80 m	96 ⓠ	2	FYL08-B22




## Light stems with flash



◆	◆	LED	FLASH	P (W)	¶	■
1,20 m	1,20 m	480 ⓠ	120 ⓠ	50	6	3
1,20 m	1,20 m	480 ⓠ	120 ⓠ	50	6	3




## Branches *Micro Led*



◆	LED	P (W)	¶	USB	☒
1,20 m	288 ⚪	6	24	4	BRIN288
1,20 m	288 ⚪	6	24	4	BRIN288W

2m extension lead

FY04W-PVC



## Twigs *Multi-motifs*



► set of 3 twigs



◆	LED	P (W)	■
3 x 1,80 m	3 x 161 ⚪	3 x 5	BRIN180
3 x 1,80 m	3 x 161 ⚪	3 x 5	BRIN180W
24V – 3 output transformer for BRIN180/180W		FY04BRIN	
double output Y connector		FY030M	
accessories and 230/24V extension cords			



## Foldable suspensions



requires 230V power supply cable L:150m FY08+ type...  
and bridge rectifier FY043+ type.. p.240



### ► Led Classic compatible with Octoplus 230V range

◆	Ø	LED	FLASH	P (W)	□
0,60 m	0,60 m	70○	6○	4	G-SPHERE
0,60 m	0,60 m	41○	4○	4	G-STAR
1,50 m		power supply		690W max	FY08-B+
0,30 m		bridge rectifier		690W max	FY043A-B+

### ► Micro light + PRO compatible with Octoplus 24V range

◆	Ø	LED	P (W)	□
0,60 m	0,60 m	144○	12	G-SPHER+
0,60 m	0,60 m	144○	12	G-SPHERW+
0,60 m	0,60 m	88○	10	G-STAR+
0,60 m	0,60 m	88○	10	G-STARW+
0,60 m	0,60 m	136○	12	G-MONT+
0,60 m	0,60 m	136○	12	G-MONTW+

### product info



These foldable suspensions are aesthetic by day thanks to the white lacquering of the metal structures (available in Led Classic or Micro light + PRO). Power supply sold separately.

Compatible with the entire range.



## Spherical suspensions foldable



DKOB50W



DKOB80W



Ø	LED	FLASH	P (W)	☒
0,45m	212 ☺	108 ☺	10	DKOB50W
0,75m	400 ☺	200 ☺	15	DKOB80W
Indoor use				PRTR24VI



## Ledmosphere garlands



◆	☒	P (W)	☒	■
10m	30 ☺	14	10	600W
50m	150 ☺	70	2	650W



## Garlands with B22 sockets



### ► Rolls of B22 socket garlands - plug not included

	description	cable section		
100 m	roll of garland 1 socket/m	2 x 1,5 mm <sup>2</sup>	■ G098C	■ G098CN
100 m	roll of garland 2 sockets/m	2 x 1,5 mm <sup>2</sup>	■ G099C	■ G099CN
100 m	roll of garland 3 sockets/m	2 x 1,5 mm <sup>2</sup>	■ G100C	■ G100CN
50 m	roll of garland 4 sockets/m	2 x 1,5 mm <sup>2</sup>	■ G112C	■ G112CN
50 m	roll of garland 5 sockets/m	2 x 1,5 mm <sup>2</sup>	■ G113C	
100 m	roll of garland 3 sockets/m	2 x 1,5 mm <sup>2</sup>	□ G100C-B	

### ► garlands with B22 sockets - plug included


	description	cable section		
9 m	garland of 20 sockets	2 x 1,5 mm <sup>2</sup>	■ G1C	■ G1CN
15 m	garland of 40 sockets	2 x 1,5 mm <sup>2</sup>	■ G2C	

### product info

Customise your garland with different bulbs suggested on p239 and make up your own eye-catching effect.

Replace your old incandescent bulbs with LED bulbs, new technology with vintage look but more economical so more ecological.

220



221 - DECORATIONS

## Bulbs B22 & E27 & starflash®



LDL B22/E27 range (registered design)



LDLH B22 SMD range



LDLFL-B22



F722-L / F732-L



In outdoor use, must be mounted on garland with B22 sockets minimum IPX4 with waterproof seal fitted.



description	B22	E27	B22	B22	B22
type of globe	polycarbonate	polycarbonate	polycarbonate	polycarbonate	
ø of globe	45 mm	45 mm	45 mm	36 x 115 mm	
voltage	230V	230V	230V	230V	
intensity	3,68VA	3,68VA	3,68VA		
wattage	16mA max/0,5W	16 mA max/0,5W	16mA max/0,5W	3W	1W
packing	set of 25	set of 25	set of 25	unit	unit
use	outdoor	outdoor	outdoor	outdoor	outdoor
pure white	<a href="#">LDL11-B22</a>	<a href="#">LDL11-E27</a>	<a href="#">LDLH11</a>		
warm white	<a href="#">LDL11W-B22</a>	<a href="#">LDL11W-E27</a>	<a href="#">LDLH11W</a>		
amber	<a href="#">LDL12-B22</a>	<a href="#">LDL12-E27</a>	<a href="#">LDLH12</a>	<a href="#">LDLFL-B22</a>	<a href="#">F722-L</a>
red	<a href="#">LDL13-B22</a>	<a href="#">LDL13-E27</a>	<a href="#">LDLH13</a>		
blue	<a href="#">LDL14-B22</a>	<a href="#">LDL14-E27</a>	<a href="#">LDLH14</a>		
green	<a href="#">LDL16-B22</a>	<a href="#">LDL16-E27</a>	<a href="#">LDLH16</a>		
pink	<a href="#">LDL18-B22</a>	-	<a href="#">LDLH18</a>		

Low power consumption bulb - Note: use the appropriate power (16mA i.e 3,68VA) to calculate the rating of your network (cable section area, circuit breaker, power required etc.). Use 0,5W per bulb to calculate the power consumption.

### product info

The LDL series is a classic of Blachere lighting. A registered model, the particular arrangement of the LEDs in the bulb globe gives a "filament effect" similar to the incandescent bulbs of yesteryear.

The polycarbonate globe guarantees an increased solidity (IK06).

The LDLFL-B22 recreates the effect of a flame, regardless of the mounting direction.

F722-L/F732-L  
A historical product that is easy to use on a B22 lampholder.  
Produces 1 flash approximately every 3 seconds.

## Pre-lit swag garland



► swag garland per unit

◆	Ø	LED	P (W)	█	■
3,00 m	0,35 m	400 ⚡	30	6	GP303W
4,00 m	0,35 m	500 ⚡	38	4	GP304W




## Fir garland stalactites with flashes




4,50 m



◆	◆	LED	F.	P (W)	█	■	Ø	140mm	■
0,57 m	4,50 m	156 ⚡	48 ⚡	13	48	15	○		GP138L
0,57 m	4,50 m	156 ⚡	48 ⚡	13	48	15	●		GP139L-W



## Synthetic pre-lit fir garlands (set of 2)



### ► with flash

◆	Ø	LED	FLASH	P (W)		
2,70 m	0,30 m	180	60	11	10	GPI134LWFX

### ► static

◆	Ø	LED	P (W)		
2,70 m	0,30 m	240	11	10	GPI134L-W

### product info


Great classic for traditional street decorations.

Quick-fit accessories, extension leads, multi-socket connectors Octoplus® 230V by Blachere®.

## Inflatable baubles ceiling lights




Using a conventional inflation gun



### ► Four-baubles set

Ø	couleur	référence
50 cm	●	BG50-1
50 cm	●	BG50-3
50 cm	●	BG50-2
50 cm	●	BG50-4




## Gobo projector RGBW



Joyeuses  
Fêtes

G-GOBO4



G-GOBO1



PRJPGOBO1



PRM-GOBO1



PRP-GOBO1

dimensions	LED	↙	☒	P (W)	Gobo size	reference
648 x 344 x 273 mm	RGBW	100-240V 50/60Hz	16kg	250W	66 mm	PRJPGOBO1
501 x 400 x 350 mm		Wall mount for PRJPGOBO1				PRM-GOBO1
501 x 252 x 400 mm		Pole mount for PRJPGOBO1				PRP-GOBO1

## Led rounded projectors for tree or pole



PRJA-W / PRJA



### ► Rounded projectors for trees (set of 2)

dimensions	LED	tension	P (W)	référence
180 x 55 x 24 mm	<input type="radio"/> 6X	24V	2 x 6W	PRJA
180 x 55 x 24 mm	<input checked="" type="radio"/> 6X	24V	2 x 6W	PRJA-W
black switch-mode power supply 24V dc 25W (for a set of 2)				
elastic strap for PRJA-W and PRJA projectors				
protective and adhesive foam (set of 10)				
FY-MOUS				




## Led projector decorative



### ► Led decorative spotlight - unit - IP65 - class1

LED	volt-age	P (W)	packing	reference
<input checked="" type="radio"/>	230V	6W	x1	PRJP-03W+




## DMX controllable LED projectors and wall washers




230V  
IP65  
incl.



PRJP3-DMX



PRJR2-DMX



PRJR1-DMX

### ► DMX controllable LED projectors

dimensions	LED	spreading angle			P (W)	reference
320 x 212 x 195 mm	18 RGB	45°	230V	5kg	70W	PRJP3-DMX
Interface DMX box including 12V power supplied (to be installed in waterproof housing – not included) 512 channel output. Storage of the animation on SD card or USB stick (not supplied)						PR-DMX

### ► DMX controllable RGB wall washer

◆	LED	spreading angle			P (W)	reference
58 cm	18 RGB	45°	230V	2,6kg	45W	PRJR1-DMX
110 cm	24 RGB	45°	230V	6,7kg	80W	PRJR2-DMX
3 m	230V DMX power supply					FYIAL-DMX
6 m	DMX extension lead					FYSPL-DMX
6 m	DMX signal extension lead					FYSS-DMX

### product info

New range of RGB strip lights.  
Perfect for facades or monument illuminations.

Use of the SMD RGB led for a better lighting result.

Independent controller bringing greater autonomy thanks to the 10 pre-programmed animations or DMX interface box ref PR-DMX. For more information, please contact us.

### ► RGBW Projector

Dimensions	LED	Tension	Description	Reference
21 cm x 12 cm x 15 cm	6 led x 5W RGBW	230V/50Hz	RGBW DMX	HLPRJPDMX

Option: controllable with infrared remote control (distance 3 to 4 m max). Simple functions.

# ENERGY EFFICIENCY

*Optimised energy management*



**It is time to accelerate the movement of the smart city «Smart City», for more energy saving.**

Eco-design and sustainability of equipment as well as smart energy management are all part of a global eco-friendly urban policy. Blachere Illumination is committed to working alongside towns and cities and developing new solutions to protect our planet and safeguard everybody's future.

With our lighting management systems, you can remotely manage lighting times and detect anomalies with a single click. This means it's easier for cities or towns to manage and control electrical resources and fulfil their eco-friendliness and sustainable development objectives.

Smart and efficient systems for a sustainable city:

- automatic timers (p.233)
- Switch+ and/or Orchestra programmable systems (p.234-235).



## UNIVERSAL «TEMPO2» BOX

By equipping your decorations with the Tempo2 box, you can disconnect them from the public lighting network and they automatically programme themselves for

**7 hours** of lighting.  
Compatible with Octoplus or any other kind of decor with 2P+T.

Ref : TEMPO2



## «TEMPO+» BOX

By equipping your decorations with the Tempo+ box, you can disconnect them from the public lighting network and you can also set when you want them to switch on and off.

With a simple press, you can select **5, 6, 7, 8, 9 or 10 hours** of lighting and automatic switch-off. Octoplus compatible.

Ref : TEMPO+



## SWITCH+ BOX

Equip your light-up decorations and garlands with Switch+ boxes:

In one street, all your decorations are individually equipped with Switch+ boxes, forming a network (maximum distance between decorations: 50 m). This means you can disconnect your illuminations from the public lighting network and you can choose to switch them on only at certain times of the day or year, thus saving energy. Pre-programmed by default or custom programming possible.

Ref: ask us for a tailored quotation




## ORCHESTRA BOX OPTION

All your decorations are equipped with Switch+ boxes, and you set up ORCHESTRA relay boxes (maximum distance to the box: 500m). You can control this system via an online interface, which you can open on your computer or tablet.

You can programme your light displays and the days/times your illuminations are lit up. Remotely, you have a real-time view of how your light displays are operating and your energy savings, and you are alerted of any anomalies.

Ref: ask us for a personal assessment.

	Switch+	Option Orchestra
Tracking energy savings		
Creating groups of decorations/trees	●	
Calendar programming (Days and times for groups to be on)	●	
Off-site order management	-	
Remote management of orders	-	
Managing alerts (anomalies)	-	
Real-time installation monitoring	-	
Lighting schedule optimization	●	
Security via Blachere Smartcloud	●	
Interface customization	-	
Lighting Scenarios (Timing schedules, group management, etc...)	-	



# OCTOPLUS BY BLACHERE®

**Exclusive**



Octoplus by Blachere® 230V connector, protection rating IP67, according the European standard EN60529 on the degree of protection provided by enclosures.



Safety extra-low voltage connector 12/24V

**Octoplus** is the connector that enables **fast and multiple connection** between our decorations and most of our range of garlands.

Each item that is marked "Octoplus" can therefore **be connected** to another "Octoplus" item. This means **the combination of items is infinite** just by simplifying the electrical connections.


## Octoplus®: Example of use No.1



For a transverse motif

FY08-B+	1	240
FY043A-B+	1	240
FY01-3B+	1	240
FL390WBF+	1	187
FCL080G-E	2	199
FYPRTR9B	2	242


To install on steel wire with PVC sheath




## Octoplus®: Example of use No.2

For a width of 4.50m

FY08-B+	1	240
FY043A-B+	1	240
FY01-2B+	1	240
354W	1	189
FYT-B+	2	240
FYPRTR9	2	242
G-FL900	2	204

To install on steel wire  
with PVC sheath

## Octoplus®: Example of use No.3



Réf.	Quantity	Page
FY08-B+	1	240
FY043A-B+	1	240
FY01-3+	2	240
BTX8	1	240
508R-FX	10	163
FY030+	4	240
FYPRTR9	1	234
G-FL900	1	204
FY03B22	1	241
FXL08-B22	1	210
F722-L	1	227



## Connexions 230V



Diagram/Picture	Description		<input checked="" type="checkbox"/>	<input type="checkbox"/>
	Power cable 230V - 1.5m - HOSRN-F - 2x1mm² with male plug and female Octoplus connector	Euro UK Swiss Wieland	FY08+ FY08-UK+ FY08-S+ FY08-W	FY08-B+ FY08-BUK+ FY08-BS+ FY08-BW
	AC/DC bridge rectifier (compulsory) for LED+ with Octoplus connector (M+F)	1A/230W 3A/690W 1m 2m 3m 5m 10m (2X5m)	FY041A+ FY043A+ FY01-1+ FY01-2+ FY01-3+ FY01-5+ FY01-10+	FY041A-B+ FY043A-B+ FY01-1B+ FY01-2B+ FY01-3B+ FY01-5B+ FY01-10B+
	Set of 5 end-caps plugs		FY1C+	FY1CB+
	T connector 230V		FYT+	FYT-B+
	Y connector 230V		FY030+	FY030-B+
	W connector 230V		FY031+	FY031-B+
	Collector - 230V - HOSRN-F L = 2 x 1.60m = 3.20m 20cm between connectors with 16 sockets and steel wire with PVC-coating 690 W max in total		FY023+	FY023-B+

Diagram/Picture	Description	Obs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	IP66 multi-socket box with 4 Octoplus (F) outputs and one Octoplus (M) input	690 W max	BTX4	BTX4-B
	IP66 multi-socket box with 8 Octoplus (F) outputs and one Octoplus (M) input	690 W max	BTX8	BTX8-B
	230V adaptor Sparklight and Stalactites (connector 2017 -> connector 2018)	-	FY230F2	FY230F2-B
	230V adaptor Sparklight and Stalactites (connector 2018 -> connector 2017)	-	FY230M1	FY230M1-B
	B22 bushing with M/F Octoplus connector	5W max	FY03B22	FY03B22-B
	Elasticated "SPECIAL TREE" connector to let the tree grow without any restrictions	set of 5	FY07A	-
	20cl tube of silicone sealant for full sealing of connectors (extreme environment)	-	NLC60	-
	IP66 quick connector for HOSRN-F cable	-	BT04	-
	Protective and adhesive foam	set of 10	FY-MOUS	-



## Electrical accessories for Led Fil Lumière®



Schéma/Photo	Descriptif	Obs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	Rallonge PVC 1m 24V Connecteurs M-C1/F-C2		FY01-PVC	FY01B-PVC
	Rallonge PVC 2m 24V Connecteurs M-C1/F-C2		FY02-PVC	FY02B-PVC
	Rallonge PVC 5m 24V Connecteurs M-C1/F-C2		FY05-PVC	FY05B-PVC
	Connecteur 2 départs PVC 24V Connecteurs M-C1/F-C2		FY2-PVC	FY2B-PVC
	Connecteur 3 départs PVC 24V Connecteurs M-C1/F-C2		FY3-PVC	FY3B-PVC
	Transformateur 230V -> 24V avec connecteurs Octoplus	10W max	FYPRTR9	FYPRTR9B
	Transformateur 230V / 24V avec connecteurs Octoplus	100W		PRTR100W
	Collecteur 24V - PVC L : 80cm - 4 départs - espacement 20cm		FY024	FY024-B

## Electrical accessories for LED Platinium fil lumière®



The kit includes: 1 rubber power lead of 1m with plug and polarized connector + integrated AC/DC bridge rectifier, 1 power lead spin, 1 full spin, 1 pot of glue and 1 end cap.

## Fixing accessories for Led fil lumière®



## Repair kit for Led Platinium fil lumière® - 230V - IP55 - Ø 12mm

For Blachere illumination motifs only

NLKL01-12	10 m of fil lumière® white Led	(type NML41)	2 power leads	glue	10 connectors,	5 end caps
NLKL02-12	10 m of fil lumière® blue Led	(type NML42)	2 power leads	glue	10 connectors,	5 end caps
NLKL06-12	10 m of fil lumière® red Led	(type NML46)	2 power leads	glue	10 connectors,	5 end caps
NLKL01W12	10 m of fil lumière® warm white Led	(type NML41W)	2 power leads	glue	10 connectors,	5 end caps

## Fixing accessories for motifs

Photo	Infos	Ref
	Heart shape eye for ø 4mm cable set of 10	D001
	Heart shape eye for ø 6mm cable set of 10	D011
	Cable gripper for ø 4mm cable set of 10	D002
	Cable gripper for ø 6mm cable set of 10	D012
	Steel cable ø 4mm 100m roll	D005
	Steel cable ø 6mm 100m roll	D006
	Steel cable ø 4mm with PVC sheath ø 6mm 100m roll	D015
	Steel cable ø 6mm with PVC sheath ø 8mm 100m roll	D016

Photo	Infos	Réf
	Transverse unit for fastening to pole for ø 11mm cable pair	MA011
	Eyebolt L:150mm set of 2pcs	D033
	Galvanized steel shackle ø 10mm	MA002
	Mixed stretcher unit - M10 L: 22 to 30cm	D004
	Ø 6mm Snap hook WLL 80kg	D0M7T
	safety sling L:60cm WLL: 70kg	D026

## Connections - Housing




245 - ORCHESTRA &amp; TECHNICAL PAGES

**Ref: C001**  
differential circuit-breaker equipped with a waterproof power plug.  
(for poles)  
Note : box subject to modification according to availability



**Ref: C006**  
230V - IP55 protection housing with insulated transformer (for a large quantity of Spark Light /Octoplus) with 8 AC/DC Octoplus rectified outputs. (ideal to reduce leakage current).  
Note : box subject to modification according to availability


## Fixing accessories for polemounts



## Fixing accessories for polemounts



Inverted cone  
1 PIX03 (up)  
1 PIX04 (down)  
2 curtains H : 5m



**Circular brackets**  
Put together low-price 3D decorations  
on your columns with our circular brackets  
(inner diameter adjustable)

Ref	ø	Perimeter	pole ø	usable with
PIX04	25 cm	0,80 m	60 à 120 mm	Curtains
PIX02	60 cm	1,90 m	60 à 200 mm	
PIX03	130 cm	4,00 m	60 à 200 mm	


## Fixing accessories for motifs

"Order your FIX01 fixing to colour match your lamp columns!!!  
Let us know the corresponding RAL and get a customized quotation. Contact our sales department for information"

## FIX01 (pair)



**FIX01P (pair)**  
Strengthened fastening devices for poles (storm conditions) (wind area 3)





"Order your FIX01 fixing to colour match your lamp columns!!!  
Let us know the corresponding RAL and get a customised quotation. Contact our sales department for information.

## **FIXOM (pair )**



**FIX01MC (pair)**  
Fastening devices for curved pole



249 - ORCHESTRA & TECHNICAL PAGES

- Each fastening must be individually strapped twice (see diagram). For motifs exceeding a height of 3.5m, it is essential to use three fasteners per motif.  
Ref: D007
- Strapping box including 1 cutting pliers and 1 strapping pliers.  
Ref: D008
- Stainless steel strap Roll of 50m thickness : 0,7mm  
Ref: D009
- Staple-clip for steel strap set of 100  
Ref: D010
- Black protection strip for Stainless steel strap - L: 10 ml / 10 mm



## Scenography/decoration accessories

Picture	Infos	Réf
	Concrete block 1000kg H: 500mm L:1000mm I:1000mm avec anneau de levage et passage de fourche (in order)	PLO1000
	Concrete block 1500kg H: 750mm L:1000mm I:1000mm avec anneau de levage et passage de fourche (in order)	PLO1500
	Pyramid ballast 25kg Base 38 cm x 38 cm with carry handle	PLOSAC25
	Mounting base for 3D motif ø : 800mm	PLA800OR
	Mounting base for 3D motif ø :1200mm	PLA1200OR

Picture	Infos	Réf
	barrier Opéra H:120m L:2,00m	BARR01
	White pine barrier H:0,80m L:1,80m	GP506-B

To complement your decorations, we can provide you with our real fir trees sustainably cultivated and processed with flake finish based on fireproof natural cellulose fibre. Contact our sales department and choose your colours and finish.

Picture	Infos	Réf
	Square Carpet Blue 4m x 4m	GPC300B
	Round carpet Blue ø:3m	GPR300B
	Square Carpet Red Square Carpet Blue4m x 4m	GPC300R
	Round carpet Red ø:3m	GPR300R

Picture	Infos	Réf
	White cotton carpet roll 30m x 2,6m	GP500
	Red carpet roll 10m x 2m	GP510R
	Red - ø 140mm Lot de 16	B14-1
	Gold - ø 140mm Set of 16	B14-2
	Red - ø 200mm Set of 9	B20-1
	Gold - ø 200mm Set of 9	B20-2
	Red - ø 280mm Set of 9	B28-1
	Gold - ø 280mm Set of 2	B28-2
	Red and gold gift H: 0,55m L: 0,45m I: 0,45 m	JDK50R

# SOLAR KIT 100W

**100W Solar Kit with constant light for 12 hours without loss of brightness**




#### Technical data :

- Full kit with solar panel, 12V gel batteries, power regulator and protection against discharges.
- Gel batteries for 2400 cycles with 30% discharge.
- Prevent battery damages with low power protection .
- 24V or 230V output to indicate with your order.
- Can be fixed on floor.
- + :
- 50% of battery consumption after 12 hours.
- Easy to move with flexible rubber wheels with high degree of resistance to abrasion.
- No maintenance and easy installation.



Reference	Description	Height	Length	Width	Weight
KITSOL	Kit solaire 100W	1,90m	1,04m	0,38m	130kg

#### Installation steps :



• **Directeur des ventes France :**  
David Bettremieux - 06 83 09 91 01

• **Responsable régional Nord :**  
Joao Vitoria - 06 74 35 65 68

• **Responsable régional Centre :**  
Sébastien Bouvet - 06 08 80 47 66

• **Responsable régionale Sud :**  
Aude Grojsman - 06 74 48 50 41

• **Chef de projet**  
**Studio Blachere Illumination - Paris :**  
Cédric Parcineau - 01 42 77 66 15 / 07 77 26 37 76

• **Directrice administration des ventes :**  
Géraldine Esposito - 04 90 74 73 23  
• **Responsable distributeurs nationaux**  
Françoise Grégoire - 04 90 74 73 20  
- 07 84 11 22 41

# BLACHEERE FRANCE

<b>Île-de-France Est</b>	Sophie Duquesnoy - 06 08 00 57 52 Assistante, Delphine Ha - 04 90 74 73 61
<b>Île-de-France Ouest</b>	Véronique René - 06 08 80 47 65 Assistante, Delphine Ha - 04 90 74 73 61
<b>Nord - Picardie</b>	Barbara Gheysens - 06 31 59 64 07 Assistante, Nadège Dauberte - 04 90 74 73 63
<b>Champagne - Ardennes</b>	Matthieu Marie - 06 79 47 06 26 Assistante, Nadège David - 04 90 74 73 60
<b>Alsace - Lorraine</b>	Olivier Radreux - 06 07 67 39 46 Assistante, Morgane Bonelli - 04 90 74 70 47
<b>Savoie - Haute Savoie</b>	Maëva Rigoureau - 06 78 52 33 70 Assistante, Stéphanie Imbert - 04 90 74 96 22
<b>Rhône - Sud Bourgogne - Jura - Isère - Loire</b>	Sorizic De Vaner - 06 70 12 41 62 Assistante, Delphine Borel - 04 90 74 96 24
<b>Bourgogne - Centre - Limousin - Auvergne</b>	Maxime Bavauzet - 06 78 52 33 82 Assistante, Nadège Dauberte - 04 90 74 73 63
<b>Bouches-du-Rhône - Var</b>	Xavier Le Penven - 06 84 02 80 04 Assistante, Delphine Borel - 04 90 74 96 24
<b>Côte d'Azur - Monaco</b>	Bruno Morin - 06 37 62 42 21 Assistante, Stéphanie Imbert - 04 90 74 96 22
<b>Vaucluse - Ardèche - Cantal - Haute Loire - Drôme</b>	Gilles Allemann - 06 48 79 19 50 Assistante, Delphine Borel - 04 90 74 96 24
<b>Occitanie - Pyrénées - Méditerranée - Aveyron</b>	Justine Gaußen - 06 47 04 59 85 Assistante, Sandrine Sarrazin - 04 90 74 70 45
<b>Sud-Ouest</b>	Nicolas Montenon - 07 85 88 19 50 Assistante, Sandrine Sarrazin - 04 90 74 70 45
<b>Pays de Loire - Poitou</b>	Sophie Pintiaux - 06 85 23 77 43 Assistante, Stéphanie Imbert - 04 90 74 96 22
<b>Bretagne - Basse Normandie</b>	Régis Danais - 06 30 07 35 09 Assistante, Nadège David - 04 90 74 73 60
<b>Corse</b>	M. Gabbiati Fabrice - 06 29 31 51 19 Nadège Dauberte - 04 90 74 73 63



# Blachere *international*

## Blachere Illumination s.a.s Service international

Zone industrielle Les Bourguignons  
84400 Apt - France  
tél : +33 (0) 413 068 002  
fax : +33 (0) 490 747 367  
sales@blachere-illumination.com  
www.blachere-illumination.com

**Géraldine** - tél : +33 (0) 490 747 323  
geraldine@blachere-illumination.com

**Florence** - tél : +33 (0) 490 747 642  
florence@blachere-illumination.com

**Marion** - tél : +33 (0) 490 747 330  
marion@blachere-illumination.com

**Irène** - tél : +33 (0) 490 747 396  
irene@blachere-illumination.at

**Marie** - tél : +33 (0) 490 747 044  
marie@blachere-illumination.com

**Cathy** - tél : +33 (0) 490 747 325  
cathy@blachere-illumination.com

## Afrique/Africa

Blachere Illumination Afrique  
Rue du Caire - Route de M'Saken  
4081 Zaouiet Sousse - Tunisie  
tel : +216 73 386 601  
fax : +216 73 386 650  
email : gregory.roux@blachere-factory.com

## Asie Pacifique/Asia Pacific

Blachere Illumination Asia Pacific  
Unit B, 17/F., United Centre  
95 Queensway, Admiralty,  
Hong Kong  
email : hkoffice@blachere-illumination.com

## Autriche/Austria & Allemagne/Germany

Blachere Illumination GmbH  
Krenglbacher Straße 7- 4631 Krenglbach  
tel : +43 (0) 7249 46400 - 0  
fax : +43 (0) 7249 46400 - 900  
email : office@blachere-illumination.at

## Belgique/Belgium

Blachere Illumination Belgique  
Z.I. des hauts sarts  
Rue de Hermée 225, 4040 Herstal  
tel : +32 4 275 02 81  
email : info@blachere-illumination.be

## Brésil/Brasil

Blachere Iluminação Brasil  
Estrada Antiga de Itu, 1111  
CEP: 06695-570 Itapevi - São Paulo  
tel : +55 11 4198 5593 - fax : +55 11 4198 4992  
email : eduardo.morroni@blachere-illumination.com.br

## Canada/Canada

Blachere Illumination Canada  
3400 14th Avenue, Unit 18  
Markham, Ontario L3R 0H7  
tel : +1 905 475 6553 - fax : +1 905 475 1670  
email : info@blachere-illumination.ca

## Colombie/Colombia

Blachere - City Lights  
Calle 19B No. 32-30 - Bogotá  
tel : 601 646 6000  
email : jklahr@blachere.co  
comercial@blachere.co

## Croatie/Croatia

Blachere Illumination Croatia  
Cospodari svjetla d.o.o.  
Petrova ulica 43, Hrastina Samoborska  
10430 Samobor  
tel : +385 1 8877 660  
email : info@gospodarivjetla.hr

## Danemark/Denmark

Blachere Illumination Denmark  
Norgesvej 2  
6230 Redekro  
tel : +45 70 20 00 03  
email : info@jadagroup.dk

## Espagne/Spain

Blachere Iluminación España s.a.  
Calle Corazón de María, 70-BE  
28002 Madrid  
tel : +34 91 388 28 77  
email : info@blachere-illumination.es

## États-Unis/USA

Blachere Illumination USA Inc.  
PO Box 41, 4198 State Highway 14 W  
Christopher, IL 62822  
tel : +1 618 724 1500 - fax : +1 618 724 4500  
email : info@blachere-illumination.us

## Europe Centrale/Central Europe

Blachere Illumination Central Europe  
Karadžićeva 8/A  
Bratislava 821 08, Slovakia  
tel : +421 918 428 040  
email : info@blachere-illumination.sk

## Finlande/Finland

Blachere Illumination Finland - Lohikari  
Ruoholahdenkatu 24  
00180 Helsinki  
tel : +358 9 565 7750  
email : lohikari@lohikari.fi

## Hongrie/Hungary

Blachere Illumination Hungary  
H-2142, Nagytarcsa, Csónka János út 4, K  
épület  
tel : +36 70 389 1475  
email : info@blachere-illumination.hu

## Italie/Italia

Blachere Illumination Italia – Lumiworks Srl  
Via Vecchia Leverano, 55  
73047 Monteroni di Lecce (Le)  
tel : +39 376 0563212  
email : info@lumiworks.it

## Mexique/Mexico

Blachere Iluminación México  
3 Oriente No. 416 Centro.  
74200 Atlixco, Puebla, México.  
tel : +52 244 44 51 281  
email : contacto@blachere.com.mx

## Moyen-Orient/Middle East

Blachere Illumination Middle East  
FAB Property Management Buildings  
Building 22 Warehouse 3 DIP 1  
Dubai - United Arab Emirates  
tel : +971 4 254 8856 - mobile : +971 50 506  
92 31  
email : m.soltay@blachere-illumination.ae

## Norvège/Norway

Blachere Illumination Norway - Eurosign  
Stanseveien 21  
0975 Oslo  
tel : +47 23 00 85 00  
email : salg@eurosign.no

## Pays-Bas/Netherlands

Blachere Illumination Netherlands - Avontuur  
Blokdijk 3 - 1608 HH Wijdenes  
tel : +31 229 50 12 22  
email : info@avontuur.net

## Pologne/Poland

Blachere Illumination Polska  
Jasna 39 - 06-070 Czermiewo  
tel : +48 790 785 896  
email : info@blachere-illumination.pl

## Portugal/Portugal

Blachere Iluminação Portugal  
Variante de Cernache - IC2, Km 184 - Antanhol  
3040-573 Coimbra  
tel : +351 239 487 030  
email : info@blachere-illumination.pt

## Rép. Tchèque/Czech Republic

Blachere Illumination Czech Republic  
Ostrá Horka 1/51 - 760 01 ZLÍN  
tel : +420 602 227 226  
email : pesek@blachere-illuminations.cz

## Roumanie/Romania

Blachere Illumination Romania  
Cluj Napoca, Str. Anatole France, nr. 22, et. 2  
birou 2, Județul Cluj, cod postal 400463  
tel : +40 75 705 08 66 - fax : +40 31 845 13 73  
email : office@blachere-illumination.ro

## Royaume-Uni/UK

Blachere Illumination UK Ltd  
Gladstone Place, Ladybank, Fife, KY15 7LB  
tel : +44 (0)337 832 910  
email : sales@blachere-illumination.co.uk

## Suède/Sweden

Blachere Illumination Sweden  
C/O Embassy House  
Gustavslundsvägen 143,  
167 51 Bromma  
tel : +46 (0)72 601 66 46  
email : andreas.phamgia@blachere-illumination.se

## Suisse/Switzerland

Blachere Illumination Swiss SA  
Route de Denges 28C  
CH - 1027 Lonay  
tel : +41 21 886 00 90  
email : office@blachere-illumination.ch

## Turquie/Turkey

Blachere Illumination Aydinlatma  
Hasanpaşa Mah. Lavanta Sk.  
Polat İş Merkezi 26/3  
Kadıköy-İstanbul  
tel : +90 532 660 69 23  
email : msoltay@blachere-illumination.com.tr

# SUMMER RANGE 2023

*Special catalogue on request*



# Going paper-free

Here at Blachere, above and beyond just being deeply concerned about sustainable development and our carbon footprint, we are constantly looking for ways to increase the efficiency of the tools we use, which has naturally led us towards going paper-free.

Though the «zero paper» business is somewhat of a Utopian ideal, going paper-free considerably reduces the amount of printouts we produce and, as a consequence, our impact on the environment. The paper tools we do continue to use are printed on paper from sustainably managed forests at our «Imprim'vert» accredited printers.

Our interactive catalogue, available on our website or by email on request, gives you access to multiple additional media: videos of our decorations and installations, how they look in the daytime, work in progress photos and technical information about the products.

Visit us at [www.blachere-illumination.com](http://www.blachere-illumination.com)



**LOHIKARI**

lohikari.fi 09-565 7750

