

BLACHERE ILLUMINATION 2025

GENERAL *catalog*





HEAD OFFICE & WORKSHOP

Blachere Illumination S.A.S
22 Allée des Bourguignons, 84400, Apt
Tel : +33 (0) 490 748 004
Fax : +33 (0) 490 741 463

Mail : sales@blachere-illumination.com
Web : blachere-illumination.com

DESIGN • DESIGN DPT BLACHERE

CONTACT

Géraldine - tél : +33 (0) 490 747 323
geraldine@blachere-illumination.com
Léa - tél : +33 (0) 490 747 642
lalves@blachere-illumination.com
Marion - tél : +33 (0) 490 747 330
marion@blachere-illumination.com
Irène - tél : +33 (0) 490 747 396
i.baravet@blachere-illumination.com
Marie - tél : +33 (0) 490 747 044
marie@blachere-illumination.com
Cathy - tél : +33 (0) 490 747 325
cathy@blachere-illumination.com

COVER • DESIGN DPT BLACHERE

PHOTOGRAPHERS

- Michel Djaoui
- Lionel Moulet
- Jérémie Pitot
- Odile Pascal
- Brice Toul
- Eric Soltan
- Camille Moirenc

PRINT • GROUPE PRENANT

ALL RIGHTS RESERVED

Not a contract document. The sizes and wattages of motifs may be subject to change for technical reasons.
Non-contractual images.

All our products are CE marked meaning that they meet electrical security norms and electromagnetic requirements.

All our motifs, designs and graphics are protected by the INPI, the OMPI and current industrial and intellectual property laws.

Reproduction of any kind, in full or part, is strictly forbidden without written authorisation of blachere illumination s.a.s.

Get inspired at blachere-illumination.com



SUMMARY

catalogue

1
2
3
4
5

VOLUMES & URBAN	14 – 71
SUSPENSIONS COLLECTIONS	72 – 157
GARLANDS	158 – 227
DECORATIONS	228 – 253
TECHNICAL PAGES	254 – 288

- ◆ Height
- ◆ Length
- Width
- ⚡ Voltage
- Weight
- ★ Flash colour
- LED colour
- Print colour
- N News
- ◐ Recycled bottles needed to create a decoration

OUR HISTORY

It all began in Apt, in the heart of Provence, in 1973.

When Jean-Paul Blachère illuminated his first village, the smiles on the inhabitants' faces were his confirmation that light has a unique magical power. He then turned this experience into a profession, a passion and know-how that he passes on with love and respect for tradition.

We have now grown, delivering our decorations in over 80 countries, supported by our 600 members of staff in France and our 27 subsidiaries worldwide. We are proud to illuminate 70% of French districts with over 5,000 inhabitants and more than 1,000 towns and cities and 500 shopping centres worldwide.

- 27 SUBSIDIARIES
- 1000 TOWNS AND CITIES ILLUMINATED IN OVER 80 COUNTRIES
- 800 SHOPPING CENTRES WORLDWIDE

Above all, we strive to do our job with the same passion as on the very first day.

The richness of our company comes from the experience gained through discussions, listening and the creative solutions provided for our customers.

When it comes to illuminations in Sweden, the United States, France or Mexico, the expectations are often different. The adaptability and professionalism of our local teams therefore ensure that we are able to meet the needs of each city and the culture of each country.

The ultimate aim, whatever the location around the globe, is to arouse emotions with our illuminations...



BLACHERE KNOW-HOW

For us, creation is key: it starts with a sketch, a drawing by hand, an idea, a dream... then our designers bring it to life in the form of light.

We are more than just manufacturers; we are passionate creatives with a single mission: to enthrall the world by telling beautiful stories through fairytale designs, innovative decorations and magical luminous settings.

We are inspired by all that surrounds us, and by anything that could stir an emotion... Being creative is not mutually exclusive with professional expertise: this philosophy keeps us one step ahead and sets us apart from the crowd. Thanks to our innovations, we are able to strike the right balance between age-old know-how and industrialisation.

This is demonstrated by the fact that we are the only company in our market to have received the EPV living heritage company label.

- 12 LARGE-SCALE 3D PRINTERS
- 5 PRODUCTION SITES AROUND THE WORLD
- 500 PEOPLE IN OUR FRENCH AND INTERNATIONAL WORKSHOPS

This distinction is awarded to companies with exceptional know-how, combining tradition and innovation.

From decorative ironwork to the most painstaking wiring, more than 7,000 made-to-measure decorations take shape in our workshops in France and abroad each year: the "Haute Couture" of illuminations. In parallel, standard decorations from our summer and winter "Ready-to-wear" collections are printed using eco-friendly materials thanks to our fleet of twelve large-scale 3D printers in France and elsewhere.

Although our expertise was born in France over 50 years ago, we are delighted to now have five production sites in Europe, the Middle East and America, which allow us to deliver to countries around the world via local supply chains and to contend with the economic demands of the market.



OUR LARGE-SCALE 3D PRINTERS

We will never stop innovating in order to rise to the new ecological challenges with creativity and common sense.

Each year, we do everything in our power to create or replace parts of our decorations to make them more eco-friendly and limit their impact as much as possible. Thanks to our fleet of 12 large-scale 3D printers, since 2016 we have been printing structures in eco-friendly materials, thereby replacing 80% of the aluminium in our decorations.

Whether we are working with Bioprint, Recyprint or our brand-new Flexiprint, the operating

procedure is the same: the granules of these three materials are tinted with clean dyes and then injected into our 3D printers to produce coloured structures.

Our manufacturing processes are patented.

This innovation has enabled the creation of a workshop dedicated to 3D printing, along with a dozen jobs, most of which are new professions within our group.



BIOPRINT

Bioprint is a bio-based material derived from GM-free sugar cane turned into dehydrated bioethanol under the supervision of a French laboratory. Our Bioprint decorations are reused or recycled at the end of their life, and remain biodegradable if they are thrown away. Biodegradation is the breakdown of organic materials by microorganisms, without causing damage to the natural environment.

- BIOBASED, MADE FROM SUGAR CANE
- 100% BIODEGRADABLE AND RECYCLABLE



RECYPRINT

600 billion bottles are produced each year, and many of them end up in the oceans. At Blachere, we have decided to turn this waste into magical decorations. The plastic bottles collected are recovered by specialist bodies, which recycle them.

This post-consumer recycled plastic from the food industry is then injected into our printers in the form of granules. Over four million bottles have already been turned into decorations to date.


- MADE FROM PLASTIC BOTTLES
- 100% RECYCLABLE



FLEXIPRINT

Following on from Bioprint and Recyprint, this year we have created Flexiprint with the same aim of reducing our products' impact and adopting a sustainable and ecofriendly approach. After months of tests, we are now offering a unique material made from recycled plastic that is supple enough to cover our three-dimensional decorations, like textile or mesh. This new material therefore now adorns our figures or Christmas trees, supplementing our ranges of sustainable and eco-friendly products.

- MADE FROM RECYCLED PLASTIC
- 100% RECYCLABLE



• 6



Antwerpen, Belgium

• 7




The Shard, London, United Kingdom

OUR SCHEMES




Victoria Leeds, United Kingdom

• 8



• 9

OUR SCHEMES



OUR ECO-FRIENDLY MATERIALS

Innovation has always been in our DNA. As our company was born in 1973 at the heart of the oil crisis, we have been continually developing the construction of our decorations since our company was founded to make them more eco-friendly and limit their impact as much as possible.

Every year, more than 35,000 decorations are restored and reconditioned to be hired out or resold once more. We also put in place measures to encourage a clean end of life for all our products.

RECYCLED ALUMINIUM

The frameworks and support structures of our decorations are made of aluminium, composed of 70% recycled material.

ECO-FRIENDLY MATERIALS



OUR COLOURS AVAILABLE



LOW-CONSUMPTION LEDS

Our decorations and all the products in the fairy lights and spotlights section are equipped with ultra-low consumption LEDs that consume ten times less energy than traditional lighting.

SOLAR POWER ALTERNATIVE

To respond to your ecological concerns with creativity and common sense, certain decorations are available with solar panels, making them totally self-sufficient.

CONTROLLING YOUR DECORATIONS

Smart energy management is an integral part of a global eco-friendly solution. To be able to control your illuminations at best, we offer you a range of boxes as well as complete control systems, which can be found in the accessories section at the end of the catalogue.

CLEAN END OF LIFE FOR DECORATIONS

At Blachere we ensure:

- The repair, reuse, collection and processing of waste electrical and electronic equipment.
- Bioprint, Recyprint and Flexiprint are recyclable and repurposed.



SUSTAINABILITY AND RECONDITIONED DECORATIONS

At Blachere, it is essential to look after things and take a long-term approach. We don't throw away, we repair!

We give our decorations a new lease of life – sometimes more than once – and offer our clients a broad range of fully serviced and reconditioned decorations: an eco-aware and responsible mode of consumption with decorations that remain of high quality and attractively priced.


Our servicing process stretches from January to June. 50 to 60 people are enlisted in our workshops to repair 35,000 decorations per year, whether they are lamppost decorations, figures

or fairy lights. The decorations are carefully tested and repaired one by one, by hand, according to extremely exacting repair and servicing criteria.

The most sensitive products are then stored on racks in our covered warehouses, and the others in our outdoor area. Just under three hectares in total is dedicated to storing these decorations.

Our sales team remains at your disposal to present our full range of reconditioned decorations. Long live Blachere Illumination decorations!

-
- 35,000 DECORATIONS SERVICED EACH YEAR
 - EXTREMELY EXACTING SERVICING AND REPAIR CRITERIA
 - A FULL RANGE OF RECONDITIONED DECORATIONS
-



OUR COMMITMENTS TO CSR, LABELS & QUALITY

We keep our communication short but truthful. Our CSR approach is in keeping with our attitude for the past 50 years. Everything that we create to light up the world absolutely must respect our planet and care for humanity.

We are keen to create a working environment that allows every employee to flourish. We like to develop, train and support our staff, to make them want to stay, while offering them the chance to advance and learn. For us, gender equality and equal opportunity are the keys to success, and we are proud to employ almost as many women as men in our teams.



Launched in 2000, the United Nations Global Compact is the largest global initiative in terms of social responsibility. We signed up to the compact in 2023, and incorporate the principles regarding human rights, international labour standards, environmental protection and fighting all forms of corruption into our strategy.



The French Touch is an inspiring and inspired movement created to support the economic growth of cultural and creative industries. The French Touch brings together companies in the sector to form a network of motivated and determined entrepreneurs united around four core values: creativity, excellence, boldness, and authenticity.



Launched in 2017, La French Fab flies the flag for French industry in motion. La French Fab represents companies, clusters, business groups and industrial sites located in France who want to develop French industry.



Living Heritage Company (EPV) is an official French label delivered under the authority of the Ministry of the Economy and Finance, to designate French companies with artisanal and industrial expertise deemed exceptional.



This label showcases THE community of companies committed to the energy and ecological transition. This logo demonstrates our commitment to putting climate concerns at the heart of our strategy.

THE BLACHEIRE FOUNDATION

The fruit of a passion for contemporary art and the African continent, our corporate foundation was established by Jean-Paul Blachère in 2004.

It supports contemporary art from Africa and the promotion of artists from the African continent.

In its 400m² arts centre at the heart of the Luberon region, it presents exhibitions



COMMON SENSE AND KINDNESS ARE AT THE HEART OF OUR BEHAVIOUR IN THE BLACHEIRE GROUP



• 14



• 15

Volumes
& urban

VOLUMES & URBAN

GENERAL CATALOGUE



N GX356L-ICE
◆ 3m ◆ 1.5m ◆ 1.0m ◆ 43kg ◆ 12W
FLASH

N GX346L-TIPI CRISTAL
◆ 3m ◆ 1.5m ◆ 1.0m ◆ 50kg ◆ 63W
FLASH

N SL053W-KADO
◆ 3m ◆ 1.5m ◆ 1.0m ◆ 15kg ◆ 12W
SOFT XLED

N GX354LW-LUX
◆ 3m ◆ 1.5m ◆ 1.0m ◆ 55kg ◆ 22W
SOFT XLED

N SL051W-FONTAIN CRISTAL
◆ 3m ◆ 1.5m ◆ 1.0m ◆ 56kg ◆ 16W
SOFT XLED

N GX348L-SANTA CRISTAL
◆ 3m ◆ 1.5m ◆ 1.0m ◆ 70kg ◆ 42W
FLASH



N GX347L: WIZZ CRYSTAL
Φ: 2m □: 2m □: 2.5m ▲: 55kg ▷: 90W
FLASH

N GX349L: FROST
Φ: 1.5m □: 2.5m □: 1.1m ▲: 40kg ▷: 40W
FLASH

N GX344L: SCALA
Φ: 1.5m □: 1.1m □: 1.0m ▲: 25kg ▷: 12W
FLASH

N SLO52W: DEMI ARCHE CRYSTAL
Φ: 2.3m □: 2.1m □: 1.0m ▲: 25kg ▷: 60W
FLASH 49

N GX357L: CHRIS
Φ: 2.3m □: 4.5m □: 1.0m ▲: 40kg ▷: 60W
FLASH

N GX345L: CRYSTAL
Φ: 1.1m □: 2.1m □: 1.2m ▲: 50kg ▷: 70W
FLASH



• 20

• 21

N

SLO53W-KADO
 ● 1.3m ● 1.6m ■ 0.8m ■ 1.5kg ■ 12W
 FLASH

N

GX333L-HAPPY SANTA
 ● 1.6m ● 2.1m ■ 1.5m ■ 1.5kg ■ 40W
 FLASH

N

GX087L-LITTLE TEDDY CHIC
 ● 1.0m ● 1.2m ■ 1.5m ■ 1.4kg ■ 40W
 FLASH

N

GK265LW-LOLLIPOP
 ● 1.2m ● 1.5m ■ 1.3m ■ 11.5kg ■ 50W
 FLASH

N

GX165L-ELIOTT
 ● 1.8m ● 2.1m ■ 1.5m ■ 1.3kg ■ 20W
 FLASH





GX130BL-LETTERBOX
Φ 1.2m □ 1.2m □ 0.3m ▲ 41.9kg ⚡ 172W
QR CODE: STARSFLASH

SV504A-DAVE A
Φ 1.5m □ 1.2m □ 1.2m ▲ 44.9kg ⚡ 239W
QR CODE: FLASH

GX14BL-MAX
Φ 1.2m □ 1.2m □ 1.4m ▲ 28.9kg ⚡ 139W
QR CODE: FLASH

GX153L-CANDY XMAS
Φ 1.2m □ 1.2m □ 2m ▲ 50kg ⚡ 31W
QR CODE: STARS&FLASH

GX132L-MISTER XMAS
Φ 1.5m □ 1.2m □ 1.2m ▲ 47kg ⚡ 240W
QR CODE: STARS&FLASH

SLO38W-K100

Φ 3.5m □ 3.5m □ 3.5m ▲ 173kg ⚡ 20W
QR CODE: 25

SLO38B-K100

Φ 3.5m □ 3.5m □ 3.5m ▲ 173kg ⚡ 20W
QR CODE: 25

SLO38R-K100

Φ 3.5m □ 3.5m □ 3.5m ▲ 173kg ⚡ 20W
QR CODE: 25



GX261LW - TRADI BOX
◆ 1.9m ◆ 1.2m ◆ 0.7m ◆ 12.5kg ◆ 40W
◆ FLASH&STARS 9

GX092L - CUTE RENNOO
◆ 1.2m ◆ 1.2m ◆ 0.7m ◆ 12.5kg ◆ 40W
◆ FLASH

GX093L - REINNOO
◆ 1.2m ◆ 1.2m ◆ 0.7m ◆ 12.5kg ◆ 40W
◆ FLASH



GX260LW - ELY
◆ 2.2m ◆ 2.2m ◆ 0.8m ◆ 20.4kg ◆ 20W
◆ STARS 41

GX260LW - ELY
◆ 1.6m ◆ 1.2m ◆ 0.7m ◆ 7.1kg ◆ 20W

◆ STARS 41

SOCL43 - ASTRAL BOOTH
◆ 2.2m ◆ 2.2m ◆ 0.8m ◆ 20.4kg ◆ 20W
◆ STARS 118

SL038W - KOO
◆ 1.5m ◆ 0.9m ◆ 0.7m ◆ 17.5kg ◆ 20W
◆ STARS 25



2 in 1 products!

You can choose from a warm white or pure white. By reversing the connectors, you can obtain either a pure white decor/ pure white flash or a warm white decor/warm white flash.



GX151L-ROY
 ⚡ 2.0m ⚡ 0.8m ⚡ 0.8m ⚡ 21.0kg ⚡ 17W

 FLASH

SOCL47-TRADI PHOTOBOOTH
 ⚡ 2.0m ⚡ 1.0m ⚡ 1.0m ⚡ 21.0kg ⚡ 17W

 FLASH

GX152L-ED
 ⚡ 2.0m ⚡ 1.5m ⚡ 0.9m ⚡ 21.0kg ⚡ 12W

 FLASH

GX194L-WIZZ
 ⚡ 2.0m ⚡ 1.3m ⚡ 1.2m ⚡ 8.0kg ⚡ 7W

 XLEDSTARFLASH ⚡ 277

GX118DC-DUO COMETE
 ⚡ 2.0m ⚡ 2.0m ⚡ 2.0m ⚡ 21.0kg ⚡ 20W

 FLASH





GX263L-THEODOR
◆ 1.6m ◆ 0.8m ◻ 1.6m ▲ 25.5kg ⚡ 20W



GX358L-ALEX
◆ 1.6m ◆ 0.8m ◻ 1.6m ▲ 25.5kg ⚡ 20W

GX267LW-CIRCUS
◆ 1.0m ◆ 1.0m ◻ 1.0m ▲ 11kg ⚡ 10W

TO ORDER

GX102LW-XMAS TRAIN
◆ 1.0m ◆ 1.0m ◻ 1.0m ▲ 115kg ⚡ 120W

TO ORDER

GX247L-A-BOX
◆ 1.2m ◆ 1.2m ◻ 1.2m ▲ 45.5kg ⚡ 120W

FLASH&LED 536

GX264LW-BIGS
◆ 1.0m ◆ 1.0m ◻ 1.0m ▲ 67.5kg ⚡ 45W

FLASH 519

GX193L-FLASH
◆ 1.2m ◆ 1.2m ◻ 1.2m ▲ 55kg ⚡ 35W

GX244L-LOLITA
◆ 1.2m ◆ 1.2m ◻ 1.2m ▲ 55kg ⚡ 35W



GX262LW-YUMMY
Φ 1.5m Φ 1.5m □ 0.5m ▲ 17kg ⚡ 30W
FLASH 192

GX159L-DOUDOU
Φ 1.2m Φ 1.2m □ 1.2m ▲ 21.5kg ⚡ 30W
FLASH

GX248L-SUGAR
Φ 1.2m Φ 1.2m □ 1.2m ▲ 21.5kg ⚡ 30W
FLASH

GX105L-TOMMY
Φ 1.2m Φ 1.2m □ 2.2m ▲ 11kg ⚡ 20W
FLASH

GX164L-WIZZ SANTA
Φ 1.2m Φ 1.2m □ 2.2m ▲ 40kg ⚡ 20W
FLASH

GX119L-ROMY
Φ 1.2m Φ 1.2m □ 2.2m ▲ 37kg ⚡ 20W
FLASH

GX118L-COMETE
Φ 1.2m Φ 1.2m □ 2.2m ▲ 37kg ⚡ 20W
FLASH

GX249L-RAYMOND
Φ 2m Φ 5m □ 1.8m ▲ 57kg ⚡ 20W
FLASH
GX249L/RAYMOND
Φ 2m Φ 5m □ 1.8m ▲ 46kg ⚡ 20W
FLASH

With push button





GX086L/TEDDY CHIC

◆ 4.0m ◆ 4.0m ◻ 2.8m ▲ 157kg ⚡ 20W

FLASH

TO ORDER

GX086L-A/TEDDY CHIC

◆ 4.0m ◆ 4.0m ◻ 2.8m ▲ 172kg ⚡ 240W

INTERACTIVE/FLASH

TO ORDER

With presence detector

SL135W/ASTRAL ARCH

◆ 1.8m ◆ 1.9m ◻ 1.0m ▲ 88kg ⚡ 80W

FLASH & XLED 25

GX133L-MISTER SANTA

◆ 2.0m ◆ 1.8m ◻ 1.4m ▲ 175kg ⚡ 40W

FLASH

XLED 5



GX097L-PETER

◆ 1.2m ◆ 1.5m ◻ 1.0m ▲ 65kg ⚡ 20W

FLASH

XLED 5

SL045V-VERDE

◆ 1.2m ◆ 1.5m ◻ 1.5m ▲ 65.5kg ⚡ 180W

XLED 299

GX098L-JOHN

◆ 3m ◆ 5m ◻ 2.0m ▲ 140kg ⚡ 30W

FLASH



GX261LW-YUMMY
◆ 4m ◆ 3m ◆ 3m ◆ 1.3kg ◆ 31W FLASH 192



GX256LW-ANGEL
◆ 4m ◆ 4.2m ◆ 4.2m ◆ 42kg ◆ 32W FLASH 22

GX257LW-CLEM
◆ 4.5m ◆ 4.2m ◆ 4.2m ◆ 42kg ◆ 32W FLASH 191

GX172LW-JOSÉ
◆ 4.5m ◆ 4.2m ◆ 4.2m ◆ 42kg ◆ 32W FLASH 57

GX259LW-CLEO
◆ 1.3m ◆ 1.3m ◆ 1.3m ◆ 15.5kg ◆ 8W FLASH 184

GX245LW-MANALA
◆ 1.3m ◆ 1.3m ◆ 1.3m ◆ 15.5kg ◆ 8W FLASH 258

GX258LW-KRYS
◆ 1.2m ◆ 1.3m ◆ 1.3m ◆ 17kg ◆ 55W FLASH 172

GX550LW-SCENETTE JOSE
◆ 2.2m ◆ 2.4m ◆ 2.5m ◆ 55kg ◆ 80W FLASH 217



GX047L-SKATE BEAR
Φ1.3m Φ2.0m Σ1.1m ▲44kg ⚡50W

GX182L-TEDDY SKI
Φ1.0m Φ1.4m Σ1.6m ▲240kg ⚡140W
LED 41

GX182L-TEDDY SKI ANIME
Φ1.0m Φ1.4m Σ1.6m ▲360kg ⚡180W
Interactive LED 41

With presence detector
TO ORDER



GX160L-PINGU
Φ1.3m Φ1.3m Σ1.2m ▲113kg ⚡20W
FLASH 15

SOCL42-BLIZZARD PHOTOBOOTH
Φ1.0m Φ1.6m Σ1.8m ▲14.0kg ⚡25W
142

GX306L-BABY BEAR
Φ1.3m Φ1.4m Σ1.3m ▲32.4kg ⚡40W

GX145L-NOAH
Φ1.0m Φ1.5m Σ1.8m ▲70kg ⚡50W
FLASH&LED 21

GX145L-NODAH ANIME
Φ1.0m Φ1.5m Σ1.8m ▲200kg ⚡50W
INTERACTIVITE&FLASH&LED 21

+ buzzer
TO ORDER


GX305L-DADDY BEAR
Φ1.0m Φ1.2m Σ1.3m ▲27kg ⚡27W

GX149L-FROZEN LETTERBOX
Φ1.0m Φ1.2m Σ1.2m ▲36kg ⚡40W
FLASH 432

GX079L-ICE IGLOO
Φ1.0m Φ1.2m Σ1.0m ▲55kg ⚡64W
FLASH 134

GX147L-FOX
Φ1.0m Φ1.4m Σ1.4m ▲37kg ⚡20W
FLASH





GX184LW-GOLD ARCH
Φ 3.5m □ 3.8m □ 2.0m ▲ 513kg ⚡ 100W
FLASH & FL900E&COMETE 1537
TO ORDER

SL155W-ASTRAL ARCH
Φ 3.8m □ 4.5m □ 2.0m ▲ 513kg ⚡ 80W
FLASH & FL900E&COMETE 25
TO ORDER

GX184L-BLIZZARD ARCH
Φ 3.5m □ 3.8m □ 2.0m ▲ 513kg ⚡ 100W
FLASH & FL900E&COMETE 337
TO ORDER

GX252L-TRADI ARC
Φ 4.6m □ 5.5m □ 2.0m ▲ 542kg ⚡ 500W
FLASH&FLASH 568W
TO ORDER

SL156-QUADRILLE ARCH
Φ 3.8m □ 4.5m □ 2.0m ▲ 513kg ⚡ 60W
XLED & FL900E&FLASH 25
TO ORDER

GX252LW-TRADI ARC
Φ 4.6m □ 5.5m □ 2.0m ▲ 542kg ⚡ 500W
FLASH&FLASH 568W
TO ORDER

SL156W-QUADRILLE ARCH
Φ 3.8m □ 4.5m □ 2.0m ▲ 513kg ⚡ 60W
XLED&FLASH 25
TO ORDER





SL050R-LOVE ARCH
◆ 5.0m ◆ 5.0m ◆ 1.5m 219kg 150W
 832
TO ORDER

TO ORDER

GX155LW[®] ELIE
◆ 4.2m ◆ 4.0m ◻ 4.0m ⚡ 58kg ⚡ 582
 STARS&FLASH ■ 441


STARS&FLASH 441

GX154LW-LUMI
◆4.0m ◆2.0m □1.8m 171kg 15
ORANGE WHITE FLASH 1367

FLASH 1367

GX070LR-TITAN
◆ 5.9m ◆ 3.6m ◻ 3.5m ⚒ 255kg ⚒ 2600kg
 FLASH i 1927
TO ORDER

FLASH 1927





SL051W FONTAIN CRYSTAL

Φ 2.2m	Φ 4.0m	Φ 4.0m	50kg	38W
SOFT LED	257			

SL055W TATIANA

Φ 2.0m	Φ 4.0m	Φ 6.0m	22.5kg	40W
COMETEFLASH				

SL040 BLIZZARD FONTAIN

Φ 2.2m	Φ 4.0m	Φ 4.0m	55kg	40W
COMETEFLASH	122			


SL044W ASTRAL FONTAIN

Φ 2.0m	Φ 4.0m	Φ 6.0m	82kg	120W
FLASH & COMETEFLASH	122			






SL036 DEMI ARCHE FEU D'ARTIFICE
Φ 2.7m □ 1.2m □ 0.9m ▲ 12kg ▽ 21W
FLASH 70



SL036W DEMI ARCHE FEU D'ARTIFICE
Φ 2.7m □ 1.2m □ 0.9m ▲ 12kg ▽ 21W
FLASH 70



SL037W DEMI ARCHE COMETE
Φ 2.7m □ 1.2m □ 0.9m ▲ 24kg ▽ 20W
FLASH 106



SL052W DEMI ARCHE CRISTAL
Φ 2.7m □ 1.2m □ 1.2m ▲ 23kg ▽ 52W
FLASH 24



GX156LW-SELFIE TREE
◆ 1.5m ◆ 2.0m ◆ 2.5m ◆ 5.5kg ◆ 210W
FLASH 85

GX168LW-SELFIE LOVE
◆ 1.5m ◆ 2.0m ◆ 2.5m ◆ 5.5kg ◆ 20W
FLASH 139

TO ORDER

GX110LW-STARLIGHT
◆ 0.9m ◆ 1.4m ◆ 2.0m ◆ 3.0kg ◆ 100W
FLASH 8

GX327LW-BOULE XMAS
◆ 1.5m ◆ 2.0m ◆ 2.5m ◆ 4.0kg ◆ 20W
FLASH 8

GX327LW-BOULE XMAS
◆ 1.5m ◆ 2.0m ◆ 2.5m ◆ 4.0kg ◆ 20W
FLASH 8

SL033-SYLVESTRE GM
◆ 2.0m ◆ 2.5m ◆ 3.0m ◆ 8.0kg ◆ 410W
FLASH

SL015W-SYLVESTRE GM
◆ 1.5m ◆ 2.0m ◆ 2.5m ◆ 8.0kg ◆ 410W
FLASH

SL012-SYLVESTRE PM
◆ 1.4m ◆ 2.0m ◆ 2.5m ◆ 8.0kg ◆ 400W
FLASH

SL012W-SYLVESTRE PM
◆ 1.3m ◆ 1.8m ◆ 2.5m ◆ 7.5kg ◆ 230W
FLASH


SL013-PROXIMA GM
◆ 2.0m ◆ 2.5m ◆ 3.0m ◆ 8.0kg ◆ 410W
FLASH

SL015W-PROXIMA GM
◆ 1.5m ◆ 2.0m ◆ 2.5m ◆ 8.0kg ◆ 410W
FLASH

SL012-PROXIMA PM
◆ 1.3m ◆ 1.8m ◆ 2.5m ◆ 8.0kg ◆ 230W
FLASH

SL012W-PROXIMA PM
◆ 1.3m ◆ 1.8m ◆ 2.5m ◆ 8.0kg ◆ 230W
FLASH





GX173LW-MAGIC

- Φ 1.2m
- Φ 1.0m
- 1.0m
- 173kg
- 200W

XLED&FLASH

TO ORDER

GX173L-MAGIC

- Φ 1.0m
- Φ 1.0m
- 1.0m
- 173kg
- 200W

XLED&FLASH

SL005W-BIORK TREE BLANC CHAUD

- Φ 1.0m
- Φ 1.0m
- 1.0m
- 205kg
- 300W

FLASH

SL005-BIORK TREE

- Φ 1.0m
- Φ 1.0m
- 1.0m
- 205kg
- 300W

FLASH

SL039W-BIORK PM

- Φ 1.0m
- Φ 1.7m
- 1.7m
- 40kg
- 20W

FLASH

GX185LW-LINA

- Φ 1.0m
- Φ 1.0m
- 1.0m
- 60kg
- 140W

XLED




GX354L-LUX
Φ 1m □ 1.6m □ 1.6m ▲ 155kg ▷ 220W
QR SOFT XLED



GX354LW-LUX
Φ 1.7m □ 1.6m □ 1.6m ▲ 155kg ▷ 220W
QR SOFT XLED

2 in 1 products!


You can choose from a warm white or pure white.
By reversing the connectors, you can obtain either a pure white decor/ pure white flash or a warm white decor/warm white flash.



GX266DC-MINI MAGIC
Φ 1.2m □ 1.6m □ 1.6m ▲ 25.3kg ▷ 70W
QR FLASH

GX355LW-GRACE TREE
Φ 1.4m □ 1.6m □ 1.6m ▲ 18kg ▷ 74W
QR SOFT XLED

• 54



SLD48-EMY
Φ1.0m □1.0m □1.5m ▲14.5kg ▷150W
FLASH+STARS 5' 525

TO ORDER



SLD49W-JUDY
Φ1.0m □1.0m □2.5m ▲15kg ▷70W
FLASH+STARS 5' 525

TO ORDER

SLD45V-VERDE
Φ1.0m □2.5m □2.5m ▲45.5kg ▷180W

XLED 5' 299

GX344L-SCALA
Φ2.5m □1.0m □1.0m ▲115kg ▷150W

FLASH



GX344LW-SCALA
Φ1.0m □1.0m □5.0m ▲115kg ▷150W

FLASH

• 55

• 56

The collage consists of five panels. The first panel on the left shows three tree models against a dark background: 'SLED01OW' (7.5m tall), 'SND017' (6.3m tall), and 'SV502W' (6.0m tall). The second panel shows a real-world night view of a tall, multi-tiered tree with a star-shaped top. The third panel shows a real-world day view of a tall, multi-tiered tree with a star-shaped top. The fourth panel on the right shows a tall, multi-tiered tree with a star-shaped top, set against a modern building facade.

SLED01OW

7.5m

SND017

6.3m

SV502W

6.0m

• 57

50

SLED01OW-MARINA

Φ 1.5m	Φ 4.6m	2.4m	112kg	200W
--------	--------	------	-------	------

FLASH

SND017-GRAND VEGA FROZEN

Φ 1.5m	Φ 2.2m	2.2m	110kg	270W
--------	--------	------	-------	------

FLASH

TO ORDER




SV502W-CELESTE

Φ 1.5m	Φ 3m	1.5m	47kg	180W
--------	------	------	------	------

FLASH

FLASH

TO ORDER



SV302W-PETIT CELESTE
Φ1.0m Φ1.2m Φ1.2m ▲ 54kg ⚡ 70W
FLASH&STARS 419

SV303W-QUADRI TREE
Φ1.0m Φ1.2m Φ1.2m ▲ 50kg ⚡ 55W
FLASH&STARS 199

SV303-QUADRI TREE
Φ1.0m Φ1.2m Φ1.2m ▲ 50kg ⚡ 55W
FLASH&STARS 199

SV502-CELESTE
Φ1.0m Φ1.2m Φ1.2m ▲ 97kg ⚡ 100W
FLASH 598
[TO ORDER](#)

SV502-PETIT CELESTE
Φ1.0m Φ1.2m Φ1.2m ▲ 54kg ⚡ 70W
FLASH&STARS 419





GX253LW-TOM

Φ 1.0m	Φ 2.0m	2.5m	43kg	120W
FLASH	273			

TO ORDER

GX251L-BUBBLE


Φ 1.0m	Φ 2.0m	2.5m	44kg	130W
FLASH				

TO ORDER

GX251LW-BUBBLE

Φ 1.0m	Φ 2.0m	2.5m	44kg	130W
FLASH				

TO ORDER



Description	Height	Ø	P(W)	Nb of light points	Weight	Parts number	○	●
Conical fir tree 3m	3,00 m	1,18 m	24 W	612 + 156 flashes	49 kg	3	SV301	SV301W
Conical fir tree 5m	5,00 m	1,80 m	64 W	1028 + 364 flashes	241 kg	7	SV501	SV501W
Conical fir tree 10m	10,00 m	3,45 m	252 W	6528 + 1664 flashes	985 kg	23	SV1001	SV1001W
Conical "crossing" fir tree 2m	8,00 m	2,78 m	200 W	4284 + 1092 flashes	585 kg	17	SV801-P	SV801W-P
Conical "crossing" fir tree 12m	12,00 m	4,08 m	420 W	10149 + 2587 flashes	1174 kg	39	SV1201-P	SV1201W-P

TO ORDER

SND022 ROMANTIC
 ● 8,0m ● 2,2m ■ 2,2m ▲ 17kg ⚡ 80W
 ○ STARS&COMETEFLASH

TO ORDER

SND019 GRAND VEGA GREEN
 ● 6,3m ● 2,2m ■ 2,2m ▲ 170kg ⚡ 270W
 ○ STARS&XLED ■ 286

SV507W ALPS TREE
 ● 5,4m ● 2,2m ■ 2,2m ▲ 17kg ⚡ 10W
 ○ STARS&XLED ■ 356



SV505CL-CHERRY TREE
Φ 1.0m H 5.8m L 1m W 1.0m 11kg 90W
RGBW & FLASH



TO ORDER

SV506RGBW-FULL-COLOUR TREE
Φ 1.0m H 5.7m L 1m W 1.0m 15kg 220W
RGBW

TO ORDER

SND021-TEDDY A
Φ 0.5m H 5.5m L 1.5m W 1.0m 17kg 32W
FLASH

TO ORDER

SV504A-NORDIKA 3D - ECO
Φ 0.5m H 3.1m L 1.0m W 1.0m 14.5kg 30W
FLASH

TO ORDER

SL041W-NORDIKA 3D - ECO
Φ 1.0m H 3.0m L 1.0m W 1.0m 72kg 120W
SLOWGLOW 214



SND018-VEGA GREEN
Φ 0.5m H 2.7m L 1.0m W 1.0m 25.5kg 30W
FLASH 46

TO ORDER

GP15BWF-SAPIN VERT PRE ILLUMINE-H210M
Φ 1.0m H 2.1m L 1.0m W 1.0m 18kg 29W
(306) FLASH (78)

TO ORDER

NORDIKA, AS REALISTIC AS A NATURAL ONE

Who doesn't love a fabulous Christmas tree?

it gets.

And yet, it takes between 30 and 40 years for a natural conifer to reach 12m in height. As we want to avoid deforestation halting the felling of these majestic trees, we invented NORDIKA.


Pre-illuminated with a slowglow effect, easy to assemble and store, they are perfect replicas of their natural version, both in their design and incredibly realistic appearance - as true to life



OPTIONAL
TREETOP



HYPER REALISTIC
CHRISTMAS TREE BRANCHES



WOOD-EFFECT TRUNK




WOOD EFFECT
STAND AVAILABLE



NORDIKA, THE CHRISTMAS TRADITION

The perfect regularity of the branches, the realistic high-quality finishes and a majestic size make our conifers a festive must. You can customise your Nordika every year for a unique look: hang

Christmas baubles on its branches, add a set of lights, or even set it on a wooden base.



TO ORDER							
Ref	Name	Height	Ø	P(W)	Weight	No of elements	Colour of Led
5X081LW-2	sapin Nordika - PM	5,00 m	3,56 m	245 W	263 kg	46	○ 2976 (1488 steady + 1488 with slowglow effect)
5X082LW	sapin Nordika - MM	8,00 m	4,70 m	770 W	1 112 kg	107	○ 8664 (4352 steady + 4352 with slowglow effect)
5X083LW	sapin Nordika - GM	12,00 m	5,90 m	1870 W	2 750 kg	194	○ 21048 (10524 steady + 10524 with slowglow effect)



FREE STANDING NO NEED TO SECURE WITH WIRES

The Nordika is built on a robust internal framework that ensures its stability without the need for external cables or wires for balance.

TOTALLY SAFE 24V

100% secure thanks to its 24V voltage across the entire tree.

INDOOR & OUTDOOR USE

Thanks to its weather-resistant structure and durable materials, it withstands outdoor conditions perfectly while remaining elegant and safe indoors.

PVC FREE

The flexible polyethylene branches provide a natural appearance and an eco-friendly approach. This innovative material perfectly mimics the look of real branches while being durable and environmentally friendly.

PRE-LIGHTED WITH 100% LED SLOWGLOW EFFECT

No need to install string lights anymore: the tree comes pre-decorated and ready to shine.

CAN BE TOTALLY DISMANTLED

Transport and storage are also made easier.

NORDIKA, ACCESSORIES



DECORATIVE BAUBLES KIT

Each kit features 52 baubles in the same colour (M1/B1 category fireproof)-50% shiny/50% satiny

- 28 baubles ø 12cm
- 20 baubles ø 20cm
- 4 baubles ø 25cm

SILVER : KITNDK-A
BLUE : KITNDK-B
GOLD : KITNDK-O
RED : KITNDK-R

NORDIKA - 5 M = 2 kits - 104 baubles
NORDIKA - 8 M = 4 kits - 208 baubles
NORDIKA - 12 M = 8 kits - 416 baubles

BIOPRINT & RECYPRINT KIT

Each kit features 20 motives
- 8 motives ø 50cm
- 12 motives ø 30cm

BLUE/WHITE - SNOWFLAKE : KITNDK-F
GOLD/WHITE - STAR : KITNDK-E

NORDIKA - 5 M = 2 kits - 40 decorations
NORDIKA - 8 M = 4 kits - 80 decorations
NORDIKA - 12 M = 8 kits - 160 decorations



TREE TOPPER

These carefully designed toppers allow you to customize the top of your tree, giving it a unique and magical finish.


CIMIER STAR7 - 0.80M : CIME7
CIMIER BELLA - 1.00M : CIME2
CIMIER MIA - 1.00M : CIME6
CIMIER AIGUILLE - 1.00M : CIME4



BASE

Stabilize and enhance your Nordika tree with our specially designed bases!

NORDIKA 5M (GX081LW-2) : SOCLGX81
NORDIKA 8M (GX082LW) : SOCLGX82
NORDIKA 12M (GX083LW) : SOCLGX83






SUSPENSIONS COLLECTIONS

GENERAL CATALOGUE


ARTY

The ARTY collection is inspired by the refinement and purity of the Art Deco artistic movement. We have elegantly mixed the geometric lines of this timeless artistic style with the traditional symbols of Christmas. Flashes, diamond shapes and streamlined curves are accented with light, enabling us to create an extremely elegant and dynamic decoration that is equally beautiful day and night in your streets.

ART DECO
REFINEMENT
GEOMETRIC SHAPES
ELEGANCE
FLASH OF LIGHT
DROP BEADS



• 76



IPL357W-GATSBY BANNER	
◆ 1.0m	◆ 1.0m
■ SLOWFLASH & SOFTXLED	52

IPL356W-GATSBY GRAND	
◆ 1.0m	◆ 1.0m
■ SLOWFLASH & SOFTXLED	79

IPL355W-GATSBY	
◆ 1.0m	◆ 1.0m
■ SLOWFLASH & SOFTXLED	57

ITL358W-GATSBY UNIT	
◆ 1.0m	◆ 1.0m
■ SLOWFLASH & SOFTXLED	29

IPL355-GATSBY
◆ 1.0m

ITL358-GATSBY UNIT
◆ 1.0m



ARTY • 77



IPL144W-QUADRILLE GRAND

Φ 1,2m	Φ 1,2m	2	10,1kg	570W
ORANGE	ORANGE			
STARSL&SLOWFLASH&XLED	93			

IPL129W-QUADRILLE

Φ 1,0m	Φ 1,0m	2	7,0kg	500W
ORANGE	ORANGE			
STARSL&SLOWFLASH	57			

IPL130W- QUADRILLE PETIT

Φ 1,0m	Φ 1,0m	2	4,0kg	200W
ORANGE	ORANGE			
STARSL&SLOWFLASH	33			

ITL161W-QUADRILLE CHAIN

Φ 1,2m	Φ 1,2m	2	11,1kg	500W
ORANGE	ORANGE			
XLED&STARSL&FLASH	116			

ITL130W-QUADRILLE CURVE

Φ 1,2m	Φ 1,2m	2	11,1kg	500W
ORANGE	ORANGE			
STARSL&SLOWFLASH	114			

IPL131W-QUADRILLE BANNER

Φ 1,0m	Φ 1,0m	2	7,0kg	500W
ORANGE	ORANGE			
STARSL&SLOWFLASH	8			

IPL143W-SERENADE

Φ 1,0m	Φ 1,0m	2	5,0kg	250W
ORANGE	ORANGE			
STARSL&SLOWFLASH&FLASH	34			

IPL230W-QUADRILLE ROLL

Φ 1,0m	Φ 1,0m	2	5,0kg	250W
ORANGE	ORANGE			
XLED&STARSL&FLASH	45			



ITL129W-QUADRILLE ARC

Φ 1,0m	Φ 1,0m	2	5,0kg	100W
ORANGE	ORANGE			
STARSL&SLOWFLASH	132			

ITL291W-QUADRILLE UNIT

Φ 0,8m	Φ 0,7m	2	2,0kg	170W
ORANGE	ORANGE			
SLOWFLASH&STARSL&XLED	26			





IPL144 QUADRILLE GRAND
Φ 1.2m Φ 1.2m □ 15.5kg ▷ 50W
STARS&SLOWFLASH&XLED 93

IPL129 QUADRILLE
Φ 1.2m Φ 1.2m □ 7.5kg ▷ 40W
STARS&SLOWFLASH 57

IPL130 QUADRILLE PETIT
Φ 1.2m Φ 1.2m □ 4kg ▷ 20W
STARS&SLOWFLASH 55

ITL161 QUADRILLE CHAIN
Φ 1.2m Φ 0.6m □ 25.5kg ▷ 80W
XLED&STARS&FLASH 116

ITL130 QUADRILLE CURVE
Φ 1.0m Φ 1.0m □ 15.5kg ▷ 80W
STARS&SLOWFLASH 114

TO ORDER

IPL131 QUADRILLE BANNER
Φ 2.0m Φ 1.0m □ 9.7kg ▷ 50W
STARS&SLOWFLASH 8


IPL145 SERENADE
Φ 1.2m Φ 1.2m □ 5.5kg ▷ 25W
STARS&SLOWFLASH 34

IPL230 QUADRILLE ROLL
Φ 1.2m Φ 1.2m □ 5kg ▷ 25W
XLED&STARS&FLASH 45

ITL129 QUADRILLE ARC
Φ 1.2m Φ 1.0m □ 18kg ▷ 50W
STARS&SLOWFLASH 132

ITL291 QUADRILLE UNIT
Φ 0.8m Φ 0.7m □ 2.4kg ▷ 25W
SLOWFLASH&STARS&XLED 76





ITL101W-GRAND MIA

ITL102W-MIA

ITL022W-DENDRA

ITL316W-HEXA CHAIN

ITL165-THORN CHAIN

ITL101-GRAND MIA

ITL102-MIA

ITL022-DENDRA

ITL315-HEXA

ITL235-QUADRILLE JF



ITL101W
Φ1.2m Φ1.2m 5.8kg ⚡ 120W
ORANGE SLOWFLASH ⚡ 216

ITL102W
Φ1.2m Φ1.2m 5.8kg ⚡ 120W
ORANGE SLOWFLASH ⚡ 73

ITL022W
Φ1.2m Φ1.2m 5.8kg ⚡ 45W
ORANGE SLOWFLASH ⚡ 73

ITL316W
Φ1.0m Φ1.0m 5.8kg ⚡ 95W
ORANGE FLASH & SOFT XLED ⚡ 194

ITL165
Φ1.2m Φ1.2m 5.8kg ⚡ 120W
XLED & SLOWFLASH & STARS ⚡ 194

ITL235
Φ1.2m Φ1.2m 5.8kg ⚡ 120W
XLED & FLASH & STARS ⚡ 166





Grace

The GRACE collection is inspired by Baroque style. Born in Italy in the 17th century, this artistic movement is characterised by its majestic ornamentation and arabesques, symbols that we have chosen to combine with more pared-back contemporary lines.

An essential element in Baroque style, the chandelier is available in several versions that you will find in these pages.

BAROQUE
ARABESQUES
CHANDELIERS
ELEGANCE
ORNAMENTATION
GILDING





IPL317R: DROP BANNER

Φ 2.8m	Φ 0.8m	2	▲ 11kg	△ 40W
● SLOWFLASH & SOFT XLED	● 14			

TO ORDER

IPL202W: COIMBRA BANNER

Φ 2.8m	Φ 0.8m	2	▲ 13kg	△ 40W
● FLASH&XLED&SLOWFLASH	● 43			

IPL318R: DROP GRAND

Φ 2.2m	Φ 0.8m	2	▲ 8kg	△ 40W
● SLOWFLASH & SOFT XLED	● 16			

TO ORDER

IPL226W: COIMBRA

Φ 2.2m	Φ 0.8m	2	▲ 7kg	△ 40W
● FLASH&XLED&SLOWFLASH	● 56			


IPL320R: DROP PETIT


Φ 2.5m	Φ 0.6m	2	▲ 6kg	△ 30W
● SLOWFLASH & SOFT XLED	● 5			

TO ORDER

IPL205W: COIMBRA ROLL

Φ 2.5m	Φ 0.6m	2	▲ 4kg	△ 20W
● FLASH	● 22			





IPL267W-GRACE GRAND	
Φ 5.5m H 1.0m	▲ 12.5kg ⚡ 50W
ORANGE SLOWFLASH&XLED 18	

IPL266W-GRACE PETIT	
Φ 2.0m H 0.9m	▲ 6.5kg ⚡ 40W
ORANGE SLOWFLASH&XLED 64	

IPL265W-GRACE PETIT	
Φ 1.5m H 0.6m	▲ 5.7kg ⚡ 20W
ORANGE SLOWFLASH&XLED 38	

IPL266W-GRACE DOUBLE	
Φ 0.9m H 1.0m	▲ 12.7kg ⚡ 80W
ORANGE SLOWFLASH&XLED 128	

IPL031W-MAZURKA	
Φ 1.2m H 0.9m	▲ 7.8kg ⚡ 50W
ORANGE XLED & SLOWFLASH 53	

IPL268W-GRACE ROLL	
Φ 1.7m H 1.3m	▲ 5.5kg ⚡ 35W
ORANGE SLOWFLASH&XLED 47	

IPL082W-LIBRETTO	
Φ 1.2m H 0.6m	▲ 5.5kg ⚡ 30W
ORANGE SLOWFLASH&XLED 33	

ITL082W-LIBRETTO	
Φ 1.2m H 0.6m	▲ 5.5kg ⚡ 30W
ORANGE XLED & SLOWFLASH 141	




ITL266W

ITL165W

ITL077W



GRACE • 89



ITGL170W - SPIRIT
 ⚡ 2.0m ⚡ 1.2m ⚡ 1.1m ⚡ 44kg ⚡ 87W
FLASH
 TO ORDER

ITGL170B - SPRIT
 ⚡ 2.0m ⚡ 1.2m ⚡ 1.1m ⚡ 44kg ⚡ 87W
FLASH
 TO ORDER


TGL169LW - BAROQUE
 ⚡ 1.4m ⚡ 1.2m ⚡ 1.2m ⚡ 20kg ⚡ 55W
FLASH
 ⚡ 1.3

GX114LW - JAVA
 ⚡ 1.5m ⚡ 1.2m ⚡ 1.2m ⚡ 27kg ⚡ 50W
FLASH ⚡ 78


ITGL100 - CADENCE
 ⚡ 1.5m ⚡ 1.2m ⚡ 1.2m ⚡ 27kg ⚡ 55W
SLOWFLASH ⚡ 155

ITGL101W - NOELIE
 ⚡ 1.0m ⚡ 1.2m ⚡ 1.2m ⚡ 1.8kg ⚡ 20W
SLOWFLASH ⚡ 38





• 94



IPL115-FLORA	
Φ 1.0m	Φ 1.0m
2	2
■ 11.3kg	■ 70W
STARS&SLOWFLASH	■ 94




IPL075B-ZEPHYR	
Φ 1.0m	Φ 0.9m
2	2
■ 8.3kg	■ 60W
LED&SLOWFLASH	■ 76

IPL110-ASTERIE	
Φ 1.0m	Φ 0.9m
2	2
■ 5.1kg	■ 50W
SLOWFLASH	■ 6

ITL021-AIGUILLE	
Φ 1.0m	Φ 0.9m
2	2
■ 4.0kg	■ 50W
STARS&SLOWFLASH	■ 187

ITL115W-FLORA DOUBLE	
Φ 1.0m	Φ 1.0m
2	2
■ 21kg	■ 130W
STARS&SLOWFLASH	■ 187



GRACE • 95


Precious

The Precious collection is inspired by the world of jewellery and fashion.

The design's lines echo those of items of jewellery: long necklaces, pendants and pearls are all refined references found in this theme.

A symbol of Christmas par excellence, the bow evokes connection, sharing and the joy of gifting, imposing its precious and timeless style.

JEWELLERY
LINKS
ADORNMENT
FASHION
BOW
RIBBONS





IPL332W-DANDY
Φ 1.0m □ 1.0m □ 7kg □ 54W
SLOWFLASH & SOFT XLED 67

IPL328W-LUCKY GRAND
Φ 1.0m □ 1.0m □ 9kg □ 55W
SLOWFLASH & SOFT XLED 67

IPL335W-DANDY DRAPEAU
Φ 1.0m □ 1.0m □ 9kg □ 55W
SLOWFLASH & SOFT XLED 95


ITL335W-DANDY DOUBLE
Φ 0.7m □ 0.7m □ 17kg □ 110W
SLOWFLASH & SOFT XLED 118

ITL328W-LUCKY DOUBLE
Φ 1.0m □ 1.0m □ 28kg □ 110W
SLOWFLASH & SOFT XLED 137

ITL335W-LUCKY PETIT
Φ 0.5m □ 0.5m □ 5kg □ 36W
SLOWFLASH & SOFT XLED 41

ITL332W-DANDY UNIT
Φ 1.0m □ 1.0m □ 5kg □ 54W
FLASH 67

ITL331W-LUCKY UNIT
Φ 1.0m □ 1.0m □ 5kg □ 23W
FLASH 44



• 100



ITGL182WW-LANTERN BOHO 5

Φ 0.3m	Φ 0.4m	Φ 0.4m	3kg	40W
ORANGE	EFFECT FLAMME			

TO ORDER

ITGL182BW-LANTERN BOHO 3

Φ 0.3m	Φ 0.4m	Φ 0.4m	3kg	40W
ORANGE	EFFECT FLAMME			

TO ORDER

ITGL180WW-LANTERN BOHO 1

Φ 0.3m	Φ 0.4m	Φ 0.4m	3kg	40W
ORANGE	EFFECT FLAMME			

TO ORDER

ITGL180BW-LANTERN BOHO 1

Φ 0.3m	Φ 0.4m	Φ 0.4m	3kg	40W
ORANGE	EFFECT FLAMME			

TO ORDER

ITGL179WW-LANTERN BOHO 2

Φ 0.3m	Φ 0.3m	Φ 0.3m	4kg	40W
ORANGE	EFFECT FLAMME			

TO ORDER


ITGL179BW-LANTERN BOHO 2

Φ 0.3m	Φ 0.3m	Φ 0.3m	4kg	40W
ORANGE	EFFECT FLAMME			

TO ORDER



PRECIOUS • 101



IPL326W BOHO BANNER
Φ 2.0m Φ 0.8m 2 11kg 40W

IPL324W BOHO GRAND
Φ 2.0m Φ 0.8m 2 10kg 40W
FLASH 82

IPL325W BOHO
Φ 1.0m Φ 0.8m 2 10kg 45W
FLASH 85

ITL327W-BOHO UNIT
Φ 1.0m Φ 0.8m 2 10kg 240W
FLASH 77

ITL033W-RHAPSODY DOUBLE
Φ 1.0m Φ 0.8m 2 18.0kg 120W
FLASH 48

TO ORDER




IPL087W-LIANO
Φ 50m Φ 1.0m 2 11.8kg 40W

IPL115W-LYRE
Φ 2.0m Φ 0.8m 2 11kg 40W
XLEDA/SLOWFLASH 76

IPL272W-RIALTO
Φ 2.0m Φ 0.8m 2 11kg 25W
SLOWFLASH/XLEDA 65





IPL039W-PENELOPE

Φ 2.0m □ 0.7m □ 5.9kg □ 30W
FLASH 61

IPL151W-CASCADE

Φ 1.0m □ 1.0m □ 7.0kg □ 40W
SLOWFLASH 25

IPL141W-ILIADE

Φ 1.0m □ 0.7m □ 5.9kg □ 20W
FLASH 51

TL311W-CLEA

Φ 1.0m □ 1.0m □ 7.0kg □ 40W
FLASH 25

ML019W-DANDY XL

Φ 4m □ 2.0m □ 2.5m □ 18kg □ 110W
SOFT XLED 1

TL311R-CLEO

Φ 1.0m □ 0.8m □ 0.3m □ 2.2kg □ 40W
FLASH 1

TO ORDER

TL312W-CLEA RUBAN

Φ 8m □ 2.0m □ 2.0m □ 8kg □ 40W
FLASH 1

ML020W-DANDY RUBAN

Φ 8m □ 2.0m □ 2.0m □ 5kg □ 270W
FLASH 1

IPL039-PENELOPE

Φ 2.0m □ 0.7m □ 5.9kg □ 30W
SLOWFLASH 61

IPL272-RIALTO

Φ 1.0m □ 1.0m □ 5.9kg □ 30W
FLASH&XLED 26

IPL145W-LIV PETIT

Φ 1.0m □ 0.6m □ 3kg □ 20W
SLOWFLASH 29

TO ORDER

TL311R-CLEO

Φ 1.0m □ 0.8m □ 0.3m □ 2.2kg □ 40W
FLASH 1

TL312W-CLEA RUBAN

Φ 8m □ 2.0m □ 2.0m □ 8kg □ 40W
FLASH 1



PRECIOUS • 105





COSY

Close your eyes and breathe in the delicious scent of cinnamon that fills the alleyways of the Christmas market.

Pine green, red and gold are the key colours in this collection, which has a warm, traditional and gourmand feel. Lanterns of every variety are an integral part of this Cosy collection, an ode to festive winter traditions with family and friends.

TRADITION
WARM
COOCOONING
PINE TREES
CANDLE
LANTERNS





IPL114W-OLYMPIE BANNER
◆ 2.3m ◆ 0.3m ■ 5.7kg ▲ 90W
■ SLOWFLASH 65

IPL114W-ZOE
◆ 2.3m ◆ 0.3m ■ 5.7kg ▲ 65W
■ SLOWFLASH 57

PL344W-BOA
◆ 0.6m ◆ 1.0m ■ 1.0kg ▲ 10W
■ FLASH

ITL113W-CALYPSO DOUBLE
◆ 0.9m ◆ 4.0m ■ 14.3kg ▲ 110W
■ SLOWFLASH 82

GX116LW-ACHILLE
◆ 2.7m ◆ 0.4m ■ 5.6kg ▲ 10W
■ ANIME BOUGE


IPL139W-NORDIKA 2D-GM
◆ 5.0m ◆ 1.2m ■ 11.0kg ▲ 40W
■ SLOWFLASH 45

IPL140W-NORDIKA 2D-PM
◆ 5.0m ◆ 1.2m ■ 11.0kg ▲ 40W
■ SLOWFLASH 21

PL344-BOA
◆ 0.6m ◆ 1.0m ■ 1.0kg ▲ 10W
■ FLASH

GX117LW-ULYSSE
◆ 2.0m ◆ 0.5m ■ 1.5kg ▲ 120W
■ SLOWFLASH 11





IPL271R COSY PETIT

Φ 1.5m Φ 0.6m □ 5.3kg ▷ 30W

■ ■ ■ SLOWFLASH 1 28

IPL271W COSY PETIT

Φ 1.5m Φ 0.6m □ 5.3kg ▷ 30W

■ ■ ■ SLOWFLASH 1 28

ITL276R-COSY STAR UNIT

Φ 1.5m Φ 0.6m □ 5.3kg ▷ 30W

■ ■ ■ SLOWFLASH 1 18

ITL279W-COSY BALL UNIT

Φ 1.0m Φ 0.3m □ 3.7kg ▷ 20W

■ ■ ■ SLOWFLASH 1 40

ITL279R-COSY BALL UNIT

Φ 1.0m Φ 0.3m □ 3.7kg ▷ 20W

■ ■ ■ SLOWFLASH 1 18

ITL279W-COSY STAR UNIT

Φ 1.0m Φ 0.3m □ 3.7kg ▷ 20W

■ ■ ■ SLOWFLASH 1 40

ITL277R-COSY ANGEL UNIT

Φ 1.0m Φ 0.8m □ 5.3kg ▷ 20W

■ ■ ■ SLOWFLASH 1 40

IPL270R-COSY

Φ 1.0m Φ 0.3m □ 3.6kg ▷ 20W

■ ■ ■ SLOWFLASH 1 45

IPL270W-COSY

Φ 1.0m Φ 0.3m □ 3.6kg ▷ 20W

■ ■ ■ SLOWFLASH 1 45



ITL275R-COSY UNIT

Φ 1.0m Φ 0.3m □ 3.6kg ▷ 20W

■ ■ ■ SLOWFLASH 1 40

ITL278W-COSY TREE UNIT

Φ 1.0m Φ 0.8m □ 5.3kg ▷ 20W


■ ■ ■ SLOWFLASH 1 55

ITL277W-COSY UNIT

Φ 1.0m Φ 0.8m □ 5.3kg ▷ 20W

■ ■ ■ SLOWFLASH 1 38





IPL076W-CASSIOPEE
Φ 1.0m □ 1.0m □ ▲ 12.2kg ▷ 60W ORANGE XLED & SLOWFLASH 94

IPL076-CASSIOPEE
Φ 1.0m □ 1.0m □ ▲ 12.2kg ▷ 60W ORANGE XLED & SLOWFLASH 94

IPL081W-SAMBA
Φ 2.5m □ 1.5m □ ▲ 5.0kg ▷ 40W ORANGE XLED & SLOWFLASH 43

ITL076W-CASSIOPEE DOUBLE
Φ 1.0m □ 1.0m □ ▲ 12.4kg ▷ 120W ORANGE XLED & SLOWFLASH 187


FCL080G-E
Φ 2.5m □ 1.5m □ ▲ 5.0kg ▷ 150W GREEN XLED & SLOWFLASH 225

ITL009
Φ 1.0m □ 1.0m □ ▲ 2.0kg ▷ 55W ORANGE XLED & FLASH 16

ITL009-JF
Φ 1.0m □ 1.0m □ ▲ 10.0kg ▷ 80W ORANGE XLED & FLASH 16

Joyeuses Fêtes
Joyeuses Fêtes





ITL055-SPHERE GM
Φ 1.0m □ 1.0m □ / ▲ 2.8kg ⚡ 30W
FLASH 35
ITL055W-SPHERE GM
Φ 1.0m □ 1.0m □ / ▲ 2.8kg ⚡ 30W
FLASH 35
ITGL104-SPHERE FULL GM
Φ 1.0m □ 1.0m □ / ▲ 3.2kg ⚡ 30W
SLOWFLASH
ITGL105W-SPHERE FULL GM
Φ 1.0m □ 1.0m □ / ▲ 3.2kg ⚡ 30W
SLOWFLASH
ITGL104W-SPHERE FULL MM
Φ 1.0m □ 1.0m □ / ▲ 1.7kg ⚡ 10W
SLOWFLASH
TGL71W-SPHERE PLIABLE MM
Φ 1.0m □ 1.0m □ / ▲ 1.7kg ⚡ 10W
FLASH
TGL71WW-SPHERE PLIABLE MM
Φ 1.0m □ 1.0m □ / ▲ 1.7kg ⚡ 10W
SLOWFLASH
TGL71WW-SPHERE PLIABLE PM
Φ 1.0m □ 1.0m □ / ▲ 1.7kg ⚡ 10W
FLASH
TGL70W-SPHERE PLIABLE PM
Φ 1.0m □ 1.0m □ / ▲ 5.0kg ⚡ 30W
FLASH
TGL70WW-SPHERE PLIABLE GM
Φ 1.0m □ 1.0m □ / ▲ 5.0kg ⚡ 30W
FLASH
G-SPERW+-SPHERE
Φ 1.0m □ 1.0m □ / ▲ 11.5kg ⚡ 15W
FLASH
G-MONT+-MONTGOLFIERE
Φ 1.0m □ 1.0m □ / ▲ 2.3kg ⚡ 12W
FLASH
G-MONTW+-MONTGOLFIERE
Φ 1.0m □ 1.0m □ / ▲ 2.3kg ⚡ 12W
FLASH





ITGL141- ALTO
Φ1.0m Φ1.0m □ 0.4m ▲ 5.1kg ⚡ 10W
● ●

ITGL131- GOUTTE
Φ0.8m Φ0.4m □ 0.5m ▲ 1.8kg ⚡ 10W
● ●

ITGL111- STAR 7
Φ0.8m Φ0.8m □ 0.2m ▲ 1.8kg ⚡ 10W
● ●

ITGL102- DIAMS
Φ0.6m Φ0.4m □ 0.2m ▲ 1.5kg ⚡ 10W
● ●





Cristal


The Cristal collection brings a breath of freshness to your polar decoration.

Delicate arabesques and more decorative lines warm up this glacial world.

New snowflakes with softer designs in warm shades, mixing pure white and warm white, make up this range inspired by the nomadic peoples of the Far North.

POLAR
MOUNTAINS
FROSTY ATMOSPHERE
SNOWFLAKES
BLIZZARD
ARCTIC






IPL128W-MILO BANNER
Φ 3m □ 3m ■ ▲ 5.8kg ▷ 50W
■ STARS&FLASH 43

IPL323W-MILO
Φ 3m □ 3m ■ ▲ 5.8kg ▷ 50W
■ FLASH 67

ITL127W-MILO
Φ 3m □ 3m ■ ▲ 5.2kg ▷ 50W
■ STARS&FLASH 41

ITL127W-MILO ARC
Φ 3m □ 3m ■ ▲ 5.7kg ▷ 110W
■ STARS&FLASH 116
TO ORDER
ITL232W-LINE JF
Φ 3m □ 3m ■ ▲ 5.7kg ▷ 120W
■ XLED&STARS 83
ITL232W-IF VOLUTUS
Φ 3m □ 3m ■ ▲ 5.7kg ▷ 155W
■ FLASH&STARS 132





IPL199-LINE BANNER
Φ 2.0m □ 0.3m □ 10.8kg □ 60W
FLASH&LED&STARS 85

IPL201-LINE GRAND
Φ 2.5m □ 0.3m □ 10.8kg □ 60W
FLASH&LED&STARS 67


IPL200-LINE DRAPEAU
Φ 2.5m □ 0.3m □ 10.8kg □ 60W
FLASH&LED&STARS 67

ITL314-WALLIS GRAND
Φ 1.6m □ 1.4m □ 8.1kg □ 30W
FLASH&STARS 57

ITL312-WALLIS
Φ 0.8m □ 0.8m □ 2.5kg □ 20W
STARS 32


ITL314W-WALLIS GRAND
Φ 1.6m □ 1.4m □ 8.1kg □ 30W
FLASH&LED&STARS 67

ITL312W-WALLIS
Φ 0.8m □ 0.8m □ 2.5kg □ 20W
STARS 32



ITL312W / ITL314W + GP303W / PIX05B

• 126



IPL072W-ALYZE
Φ1.0m □Φ1.0m □ 12.4kg ▲ 60W
● STARS&LED&SLOWFLASH 1102

IP118W-BLUZZARD
Φ2.3m □Φ2.0m □ 10kg ▲ 60W
● SLOWFLASH&STARS 1100

IP1084-CRISTALLIN
Φ1.5m □Φ1.6m □ 4.3kg ▲ 35W
● LED&SLOWFLASH 1155

ITL072W-ALYZE DOUBLE
Φ1.0m □Φ1.0m □ 14.1kg ▲ 120W
● STARS&LED&SLOWFLASH 1203

TGL159W-BELLA
Φ1.0m □Φ1.0m □ 18.3kg ▲ 120W
● FLASH 1



P120-TIVANO

PL250-TIVANO

● STARS&FLASH

IP118W-BLUZZARD

● STARS&SLOWFLASH 1100

IP1084-CRISTALLIN

● LED&SLOWFLASH 1155

ITL072W-ALYZE DOUBLE



● STARS&LED&SLOWFLASH 1203

TGL159W-BELLA

● FLASH 1



• 128



IPL160-VENTIRO

◆ 1.0m ◆ 1.0m ◆ 1.0kg ◆ 65W
FLASH 199

IPL150-THORN

◆ 1.0m ◆ 1.0m ◆ 1.0kg ◆ 65W
FLASH 199

IPL126- ALTHAIR

◆ 1.0m ◆ 1.0m ◆ 1.0kg ◆ 65W
XLED&FLASH 162

ITL160-VENTIRO DOUBLE

◆ 1.5m ◆ 1.0m ◆ 4.0kg ◆ 10W
STARS&SLOWFLASH 154

ITL126-ASIA CURVE

◆ 1.0m ◆ 1.0m ◆ 1.0kg ◆ 10W
FLASH 197

IPL126-ASIA

◆ 1.0m ◆ 1.0m ◆ 1.0kg ◆ 40W
SLOWFLASH 162

ITL167-APELIOTE

◆ 1.0m ◆ 1.0m ◆ 1.0kg ◆ 40W
SLOWFLASH 162

TO ORDER



VL046-LINE VL

◆ 1.0m ◆ 1.0m ◆ 1.0kg ◆ 22W
XLED&FLASH 235



CRISTAL • 129

stella


Whether shooting or sparkling, the star comes in every shape and shade to the delight of young and old, who come to admire this celestial show.

The star is also the symbol of magic, and all your wishes come true with the wave of a wand!

STAR
MAGIC
CONSTELLATION
SUPERNova
LUMINARY
SOLAR



• 132



IPL257- ROMAN BANNER

TO ORDER

IPL258® ROMAN

TO ORDER

L257W- ROMAN BANNER
2.8m ◀ 0.8m

100

258W ROMAN

www.nature.com/scientificreports/

IPL257B- ROMAN BANNER

1

IPL258B-ROMAN

10 of 10

ITL262-ROMA

7

ITL262W ROMA

10 of 10

ITL2

— 1 —

ITL2
◆ 1.1

MAN CURVE

10 of 10

N UNIT

DER

261W- ROMAN UNIT

10 of 10

61B-ROMAN UNIT


Page 1



STELLA • 133

Suspensions
Collections

• 134



IPL259 ROMAN PETIT
Φ 1,2m H 0,6m Z 2,7kg ⚡ 12W
● SLOWFLASH&STARS&LED 24

IPL259W ROMAN PETIT
Φ 1,2m H 0,6m Z 2,7kg ⚡ 12W
● SLOWFLASH&STARS&LED 24

IPL260W ROMAN ROLL
Φ 1,2m H 0,6m Z 2,7kg ⚡ 12W
● SLOWFLASH&STARS&LED 24

ITL234W ASTRAL IF
Φ 1,2m H 0,6m Z 2,7kg ⚡ 12W
● STARS 19

ITL227W ASTRAL CHAIN
Φ 1,2m H 0,6m Z 2,7kg ⚡ 12W
● STARS&FLASH 68

IPL191B-ASTRAL
Φ 1,2m H 0,6m Z 2,7kg ⚡ 12W


IPL191W-ASTRAL
Φ 1,2m H 0,6m Z 2,7kg ⚡ 12W

IPL191R-ASTRAL
Φ 1,2m H 0,6m Z 2,7kg ⚡ 12W



STELLA 135

• 136



IPL190B-ASTRAL BANNER
Φ 1,8m H 0,8m Z 12,0kg ⚡ 100W
● XLED & STARS & SLOWFLASH 67

TO ORDER

IPL190W-ASTRAL BANNER
Φ 1,8m H 0,8m Z 12,0kg ⚡ 100W
● FLASH & XLED & STARS 67

TO ORDER

IPL190R-ASTRAL BANNER
Φ 1,8m H 0,8m Z 12,0kg ⚡ 100W
● FLASH & XLED & STARS 67

TO ORDER

ITL094W-GRANDE STELLA
Φ 1,8m H 0,8m Z 16,0kg ⚡ 150W
● FLASH & XLED & STARS 67


TO ORDER

IPL189W-ASTRAL DRAPEAU
Φ 1,0m H 1,0m Z 13,5kg ⚡ 60W
● XLED & STARS & SLOWFLASH 128

TO ORDER

ITL191B-ASTRAL TRAVERSE
Φ 1,0m H 1,0m Z 15,5kg ⚡ 60W
● XLED & STARS & SLOWFLASH 128

TO ORDER



STELLA 137



• 138



IPL094W- STELLA
Φ 1.0m H 1.0m W 12.8kg ⚡ 70W
ORANGE XLED&SLOWFLASH 9



IPL042W- CELESTE
Φ 1.0m H 0.3m W 5.0kg ⚡ 70W
FLASH 92

IPL228B- ASTRAL ROLL
Φ 1.5m H 1.0m W 6.0kg ⚡ 70W
STARS&XLED&SLOWFLASH 51

IPL540W- ALPS
Φ 1.5m H 0.3m W 9kg ⚡ 70W
FLASH 65

IPL228W- ASTRAL ROLL
Φ 1.0m H 1.0m W 6kg ⚡ 55W
STARS&XLED&SLOWFLASH 51

IPL117W- BLIZZARD BANNER
Φ 1.5m H 0.3m W 10.0kg ⚡ 45W
SLOWFLASH 76

ITL082W- ANTHARES MM
Φ 0.3m H 0.3m W 3.5kg ⚡ 55W
ORANGE SLOWFLASH 37

ITL083W- ANTHARES GM
Φ 2.0m H 1.0m W 18.2kg ⚡ 270W
FLASH 175

ITL043W- CAJUN JF
Φ 1.0m H 1.0m W 18.2kg ⚡ 270W
FLASH 175

ITL132W- BOLERO ARK
Φ 1.0m H 1.0m W 19.0kg ⚡ 110W
XLED&SLOWFLASH 162



STELLA • 139

ITL020B



ITGL112



ITL115



G-STAR+



ITL020W



ITGL112W



ITL115W



G-STARW+



ITL020B-GIVRE
Φ 1.0m □ 3m □ 4.5kg □ 40W FLASH 47



ITGL112-STAR 5
Φ 0.8m □ 3m □ 1.2m □ 1.5kg □ 32W FLASH 47

ITL115-LILLY
Φ 0.5m □ 0.4m □ 0.4m □ 0.4kg □ 12W FLASH 47

G-STAR+ STAR
Φ 0.6m □ 0.6m □ 0.6m □ 2.3kg □ 12W






DUO COLORS® RANGE

2 in 1 products!


FROM ONE YEAR TO THE NEXT, SWITCH YOUR DECOR FROM WARM WHITE TO PURE WHITE ACCORDING TO YOUR DESIRES!

You can choose from a warm white or pure white. By reversing the connectors, you can obtain either a pure white decor/ pure white flash or a warm white decor/ warm white flash.



GX118DC DUO COMETE
Φ 2.0m Φ 1.0m Ζ 1.0m ▲ 57.4kg ⚡ 55W
FLASH

GX166DC MINI MAGIC
Φ 1.5m Φ 1.6m Ζ 1.6m ▲ 28.1kg ⚡ 50W
FLASH



ITL288DC DUO FLAKE

Φ 1.0m	Φ 1.0m	Ζ 1.0m	▲ 4.2kg	⚡ 25W
FLASH	FLASH	FLASH	FLASH	FLASH

IPL285DC DUO PETIT

Φ 1.1m	Φ 0.6m	Ζ 0.6m	▲ 3.5kg	⚡ 25W
FLASH&LED	FLASH&LED	FLASH&LED	FLASH&LED	FLASH&LED

IPL284DC DUO GRANDE

Φ 1.1m	Φ 1.0m	Ζ 1.0m	▲ 9kg	⚡ 55W
FLASH	FLASH	FLASH	FLASH	FLASH

IPL286DC DUO

Φ 1.1m	Φ 0.6m	Ζ 0.6m	▲ 4.2kg	⚡ 25W
FLASH&STARS	FLASH&STARS	FLASH&STARS	FLASH&STARS	FLASH&STARS



SOLAR RANGE

Varied decorations that adapt to all your decoration themes and work with solar energy

Thanks to our new solar-powered rechargeable battery, you can combine lighting with energy efficiency.


Once your decor is in place, position the solar box on top of it facing the right way, set your switch-on and switch-off times and enjoy your lighted decorations.
Technical details:

- 8 to 10 hours of recharging with optimal sunlight for 7 hours of lighting.
- Your lights can be programmed to operate for 5, 6 or 7 hours.

Enter decor reference no. + PIXSOL2

PIXSOL2


20W panel power
7,2W power output



When you set it up, make sure it is facing the right way to get the most sun during the day.
These decorations are equipped only with 24V LED garlands.

**Consumption:
Zero watts !
Zero € !**

100%
autonomous



PIXSOL2 (p.275)

+



IPS289W-STAR S.
Φ13m HxW13m 4.0kg 8W
FLASH&STARS 30
TO ORDER

IPS290-RIBBON S.
Φ13m HxW13m 5.0kg 10W
FLASH&LED 38
TO ORDER

IPS280W-QUADRILLE S.
Φ13m HxW13m 7.0kg 13W
FLASH&LED&STARS 57
TO ORDER

IPS264W-BLIZZY S.
Φ13m HxW13m 5.0kg 6W
FLASH&STARS 28
TO ORDER

IPS280-QUADRILLE S.
Φ12m HxW12m 7.0kg 13W
FLASH&LED&STARS 57
TO ORDER

IPS281W-RIBBON S.
Φ12m HxW12m 4.0kg 7W
XLED&STARS 28
TO ORDER

PLAY MAGIC

Play in augmented reality!

Allowing audiences to do things like take a photo with Father Christmas or play with Charlie the Unicorn, our augmented reality apps add virtual characters into the real world, leaving the public laughing and amazed. Children and adults can easily take part in the fun using a smartphone enjoying an unforgettable experience that transforms reality into a unique performance.

How does it work?

For the public, the idea is simple: When users approach the Play Magic banner, the app they have pre-installed on their phone automatically unlocks to give them access to the games.

They can then share the experience on their social media pages. The public app features your branding and a link to your website or social media.

For the city

The games app has a subscription model valid while the illuminations are up, with games updated each year.

Apart from this, all you need to do is install the banner near the illuminations to tell the public they can enjoy a free game on their phone in the location. There is no need for any connection. The app's success also depends on you advertising it on displays in your town/city and on your social media pages.

We can assist you in setting up your communications (Réf. ARCOM below).

Reference	Description
AR001	3 games pack (chosen from the 7 existing games) + 1 Totem
AR002	5 games pack (chosen from the 7 existing games) + 1 Totem
ARTOT02	1 additional Totem
ARCOM	Augmented Reality Communications Pack (non-printed poster, web banner and smartphone-format image).

Games available:



• 148




EXCLUSIVE POSTCARD CONCEPT

Discover our customizable postcards featuring the name and symbols of your city!

Our postcards, crafted with 3D printing and eco-friendly materials, are more than just cards; they're customizable to include the name of your city, town, or region, along with iconic symbols of your local culture and heritage.

Imagine a piece of art that proudly reflects your geographic identity while adding a personal and modern touch to your space.

Contact your account manager to design your unique postcard together.



ECO-FRIENDLY MATERIALS



MOUNTED ON A FRAME FOR ADDED STABILITY



CUSTOMIZABLE & MADE-TO-MEASURE

• 149





BI-SEASON ARCH & TREE

Discover our dual-season urban furniture that adapts with the changing seasons!

First of all select your base:
A bright arch composed of pure white LEDs, livened up with wooden benches
A shade tree endowed with pure white LED spots and a white wooden bench base equipped with USB plugs.

Then, for a colourful summer look, add the SUMMER passive decoration kit to this base.
For a frosted look for year-end celebrations, add the WINTER bright decoration kit.



BASE	◆	◆	☒	▲	○
3.0m 3.2m 3.2m 127kg					GX242L

KIT	◆	◆	☒	▲	○
270m 56.7kg					KIT1-242



BASE	◆	◆	☒	▲	○
3.0m 3.2m 3.2m 127kg					GX242L

KIT SUMMER	◆	◆	☒	▲	○
52.0m 38kg					KIT2-242



BASE ARCH	◆	◆	☒	▲	○
3.5m 5.0m 3.6m 245.3kg					SL134

KIT ARCH	◆	◆	☒	▲	○
39.0m 41kg					KIT1-134




BASE ARCH	◆	◆	☒	▲	○
3.5m 5.0m 3.6m 245.3kg					SL134

KIT ARCH SUMMER	◆	◆	☒	▲	○
37.0m 21.7kg					KIT2-134



PALM	◆	◆	☒	▲	○
3.6m 3.2m 3.2m 160kg					GX245LW



2D & 3D LETTER

Stand Out! Showcase your identity with our XXL Lettering

Place them wherever you like—on roundabouts, in front of your town hall, or near any iconic landmark in your community.

We offer various options for volume, size, color, and weighted base:

Our 2D letters come in Recyclight gold and white, made from recycled plastic bottles and fully recyclable. They are available in heights of 1.4m or 2m. The lightweight, discreet aluminum frame is crafted from recycled material and designed to hold your weighted base.

This year, we're introducing 3D letters with added depth. Covered in Flexiprint—our new flexible, recyclable material made from recycled plastic—these letters feature white front and back faces with gold-colored edges.

Two sizes are available:

1.8m with a depth of 60cm
1.4m with a depth of 40cm

These 3D letters also come with a black lacquered base that serves as a weighted support, offering a turnkey, ready-to-install lettering solution.

All our lettering includes warm white spotlights, so your name will shine at nightfall.



ECO-FRIENDLY MATERIALS



DISCREET BLACK LACQUERED FRAME



SPOTLIGHT

2D LETTER - WHITE

TO ORDER



2D LETTERS BLANC ◆ ♦ □ ▲ ○ ▽
1.4m 15.5kg LETTREPMB

2D LETTERS XL-BLANC ◆ ♦ □ ▲ ○ ▽
2.0m 18.5kg LETTREGMB

2D LETTER - GOLD

TO ORDER



2D LETTERS OR ◆ ♦ □ ▲ ○ ▽
1.4m 15.5kg LETTREPMB

2D LETTERS XL-OR ◆ ♦ □ ▲ ○ ▽
2.0m 18.5kg LETTREGMO

3D LETTER WITHOUT BASE PLATE

TO ORDER



3D LETTERS ◆ ♦ □ ▲ ○ ▽
1.4m 1.5m 0.4m 15kg LET3DPM N

3D LETTERS XL ◆ ♦ □ ▲ ○ ▽
1.8m 1.9m 0.6m 25kg LET3DGM N

3D LETTER WITH BASE PLATE

TO ORDER



3D LETTERS-BASE ◆ ♦ □ ▲ ○ ▽
1.4m 1.5m 0.4m 97kg LET3DPM-P N

3D LETTERS XL-BASE ◆ ♦ □ ▲ ○ ▽
1.8m 1.9m 0.6m 119kg LET3DGM-P N



DRESSING CITY BARRIERS & PLANTERS

2D ground decor

Adorn your urban furniture with colourful environmentally-friendly decorations!

Marine, floral or butterfly theme – customise the decoration of your town barriers or planters. You can choose the background colour of the decoration as well as the motif which will be applied on top, everything will be tailor-made in Bioprint, our biodegradable, recyclable material.

Customised project, contact us.



TREE CORSET

3D ground decor

Embellish your tree trunks!

Our tree corsets will adorn and light up your trees while protecting them and ensuring optimal hold. Available in bright or passive versions and in a wide array of colours, there are unlimited combinations to liven up your urban areas or green spaces with style and creativity.

Customised project, contact us.





FUNNY ANIMAL CONTAINERS

Our funny animals join you on your recycling journey!

Educating young people about recycling is a major challenge, and we have met it with creativity and humor.

We have transformed this vital initiative into a fun and joyful collective act with animal-shaped recycling containers. Placed in city centers or along beaches, whales, fish, and turtles house recycling bins.

The collected plastic bottles are retrieved by specialized organizations, from which we source the raw material. This is then fed into our printers to produce structures made from Recyprint, our material crafted from PET (polyethylene terephthalate) sourced from the food industry.




COMPATIBLE LARGE-FORMAT CONTAINER



DOOR INTEGRATED INTO THE DESIGN



COMMUNICATION ON THE PRINCIPLE OF COLLECTION



SIMON

2.1m 1.5m 3.3m 54.5kg GX110

TO ORDER

SIMON

2.1m 1.5m 3.3m 54.5kg GX110-UK

TO ORDER



BULLE

2.3m 2.1m 3.7m 86kg GX107

TO ORDER

BULLE

2.3m 2.1m 3.7m 86kg GX107-UK

TO ORDER



GAIA

2.3m 2.1m 4.0m 82kg GX108

TO ORDER

GAIA

2.3m 2.1m 4.0m 82kg GX108-UK

TO ORDER



• 158



• 159

RANGE

Garlands and light decorations

CONTENTS

- MULTICOLOURED RGBWW/RGB RANGE 162–167
- LED GARLANDS 168–185
- LED CURTAINS 186–203
- LED STALACTITES 204–213
- CEILINGS AND BRAIDS 214–227
- SUSPENSIONS AND DECORATIONS 228–247
- PROJECTORS 248–253
- CONTROL SYSTEM 254–259
- TECHNICAL PAGES 260–288



LEGENDS

- | | |
|--------------------------------|--|
| Height | Indoor/outdoor use |
| Length | Type of cable |
| Depth | Protection class |
| Voltage | Power cord supplied |
| Cable colour | Impact rating |
| Flash colour | Exclusive 230V octoplus by blachere® range |
| LED Colour | Exclusive 24V octoplus by blachere® range |
| New | Exclusive 12V octoplus by blachere® range |
| Number of runs | |
| Number of connectable garlands | |




An exclusive 100% Blachere® innovation

Taking a practical approach to innovation, our R&D department has developed the all-new Led+ in fixed and slowflash versions to give your projects a real boost! The result of a collaboration with Nichia®, the world leader in LEDs, we now offer you an exclusive new Led range.

+ bright, + robust, + long life, + uniform colour

The new technical characteristics of Led+ are:

- > Design optimised and registered to promote the lighting efficacy of our solutions (inverted cone principle).
- > Maximised heat dissipation for longer LED life.
- > Uniform phosphor deposition for uniform light output.
- > 2-year guarantee
- > Optimum protection rating: IP66/IP69
- > 230V Octoplus by Blachere IP67 connectors



LED+ RANGE: MORE EFFICIENT, LESS ENERGY-CONSUMING

Blachere is committed to tackling environmental and energy issues: In 2024, we will be lowering the power consumption of our LED+ range in order to reconcile illuminations with energy efficiency

As a result of extensive work on the energy performance of our LEDs, we have reduced the wattage of our LED+ range by an average of 15%, while maintaining its brightness and lifespan (the wattage of each product has been updated in our technical specification tables).

As a result, our products consume less energy while maintaining the same high light density.

The different types of Blachere® LEDs.



LED + :
See box on the left



LED Classique :
A robust and stable encapsulated LED with an inverted interior cone.



LED RGBWW/RGB :
A special capsule for better color diffusion.



Micro LED :
A LED delicately placed on a micro cable, creating a fine and refined effect.



LED SMD :
The ultimate electrical component, manufactured by an automatic machine.

GARLAND iLED ColorTech by Blachere®

RGBWW - multicoloured




RGBWW technology completely reinvented!

Over the last 2 years, we have developed a new RGBWW LED, the brightest on the market, which can be controlled pixel by pixel using a combination of software and "open command" animations (DMX compatible).

This technology requires a personalised analysis tailored to your project


Ask for an analysis!



Brighter (WW 10 lumen per pixel)

New shape of LED

Up to 6 end-to-end garlands (768 linear pixels) > 490 000 pixels




GARLAND iLED ColorTech by Blachere®

RGBWW - multicoloured




Transform an avenue or a square into a unique, multicolored, and animated spectacle.

By equipping your trees with iLED ColorTech RGBWW, you become the conductor of this show, creating your own animations according to your preferences and schedule (hourly, daily, weekly, or even monthly, for example).




Create a multicolored and animated tent above a square or roundabout. An aerial installation that creates a magical starry sky, fully customizable to your preferences.





Transform your main avenue into a unique gathering place and energize your city center by creating a multicolored light show.

The endless animation possibilities will allow you to create a spectacle (for example, every half hour) and attract a crowd that loves light events! A great way to boost your local economy during the festive season...






Why not create your own giant light screen on the façade of your town hall? Each evening, attract a crowd of spectators eager to enjoy the light show, specially designed for the occasion, to complement your Christmas market or city festivities!





MULTICOLOURED RGB CONTROLLABLE GARLAND

colour changing




description	◆	LED	P (W)	☒	■
RGB - 5V	3,75 m	25 RGB	7,5	2	FLS25RGB
Caméléon set	input voltage	output voltage	no. of pixels	P (W)	no. of outputs
	230V	5V	10 .. 50 .. 500	150	10
					DPX10PCB



PRODUCT DETAILS

Customise the lighting, colour and animation of your trees, on a monthly, weekly or special event basis throughout the year.

- For a tree of 8 to 10m:
 - 20 FL525RGB strands for 10 radians of 7.50m (2x3.75),
 - a PRX10RGB box
 - the Cameleon application on your smartphone.
- Maximum colour spectrum thanks to RGB LED technology.
- Communication via Bluetooth 5 between communications, WiFi communication between phone + sets.



DUO COLORS® GARLAND flash



FLASH


LED	FLASH	P (W)		
20m 128	32	11,5	5	530WWF

PRODUCT DETAILS

2 products in 1!
Your garland can be either warm white or pure white.
Reverse the connection to obtain pure white/pure white flash or warm white/warm white flash. See DUO COLORS® Decor Collection.



SPARKLIGHT® LED+ GARLANDS slowflash or static



SLOWFLASH

LED	SLOWFLASH	P (W)			
20m 108 ⚪	52 ⚪	10	5	FL590F+	FL590BF+
20m 108 ⚩	52 ⚩	10	5	FL590WF+	FL590WBF+
20m 108 ⚫	52 ⚫	10	5	FL590BLF+	
20m 108 ⚪	52 ⚪	10	5	FL590RF+	

STATIC

LED	SLOWFLASH	P (W)			
20m 160 ⚪	-	10	5	FL590+	FL590-B+
20m 160 ⚩	-	10	5	FL590W+	FL590W-B+
20m 160 ⚫	-	10	5	FL590BL+	
20m 160 ⚪	-	10	5	FL590R+	

ACCESSORIES NEEDED TO OPERATE THESE PRODUCTS

1,50 m	230V power supply cable	FY08+	FY08-B+
0,30 m	bridge rectifier	690W max	FY043A+
0,20 m	bridge rectifier	230W max	FY041A+

PRODUCT INFO

INNOVATION Our optimized LED+

-15% reduction in electrical consumption (on average) +brightness



Blachere exclusive
- Registered design
- High brightness
- Shock resistant IK06
- Long lifespan
- Stable colour
- IP 66/69 protection rating. Maximum rating allowed for a 230V product
- Flexible connectivity thanks to the extensive Octoplus 230V range.

2 YEARS GUARANTEE
conditions : contact us



SPARKLIGHT® GARLANDS

flash or static



100% FLASH

◆	LED	FLASH	P (W)	■	□
20m	-	80 ☀	6	5	510-FX
FLASH					
20m	190 ☁	30 ☀	8	5	512-FX
20m	190 ☐	30 ☀	8	5	512W-FX
20m	150 ☁	50 ☀	12	5	511-FX
20m	150 ☐	50 ☀	12	5	510W-FX
20m	150 ☙	50 ☀	12	5	510B-FX
20m	150 ☚	50 ☀	12	5	510R-FX
20m	150 ☛	50 ☀	15,5	5	510P-FX

STATIC

◆	LED	FLASH	P (W)	■	□
20m	200 ☁	-	15	5	508
20m	200 ☐	-	15	5	508W
20m	200 ☙	-	15	5	508B
20m	120 ☁	-	8	5	512C
20m	120 ☐	-	8	5	512W


PRODUCT INFO

Proven reliability.
Power supply with connecting socket included.
Wide range of Octoplus 230V by Blachere accessories available.

High flash concentration on FX models.
Increased waterproofing thanks to optimum protection rating.



SPARKLIGHT® 24V GARLANDS *flash or static*



WITH PVC CABLE



FLASH

LED	FLASH	P (W)			
20m 168 ⚪	28 ⚪	5	5	5	FL502-FX
20m 168 ⚩	28 ⚪	5	5	5	FL502W-FX
20m 168 ⚫	28 ⚪	5	5	5	FL502B-FX
20m 168 ⚪	28 ⚪	5	5	5	FL502R-FX

STATIC

LED	FLASH	P (W)			
20m 196 ⚩	-	5	5	5	501W

WITH RUBBER CABLE (PERMANENT USE)



STATIC

LED	FLASH	P (W)			
20m 196 ⚩	-	6.2	4	4	501CW

switch-mode power supply 24V dc 25W - sold separately


PRODUCT INFO

Very low voltage ideal for safe installations within the reach of the public.
High protection rating to withstand dirt and moisture.
Long lengths made possible by connecting several garlands using one transformer.

Ref 501CW: more durable rubber cable, ideal for permanent use.

Wide range of Octoplus 24V by Blachere accessories

TWIGS GARLANDS



PRODUCT INFO

Save 40 % on installation time!

Quick and easy tree wiring thanks to the double-output Y connector FY030M.

Operates with 24V transformer 24V FY04BRIN.

3 outputs for twig BRIN180/180W supplied with 3 x 2m extension leads for connecting up to 6 sets of 3 branches on a single power supply.




SET OF 3 TWIGS


	LED	P (W)	
5X1.80m	3X161 (○)	5x5	BRIN180
5X1.80m	3X161 (●)	5x5	BRIN180W
24V - 3 output transformer for BRIN180/180W	FY04BRIN		
double output Y connector	FY030M		



CHERRYLIGHT® GARLAND multicoloured



	LED	P (W)		
20.0m	160 (●)	4	3	FL555C




SPARKLIGHT LED SUPER BRIGHT® GARLAND

flash



L : 40 m



PLUS PRODUCT

INNOVATION 2024 Our optimized LED+

-15% reduction in electrical consumption
(on average) +brightness

Recreate the most beautiful avenue in the world in your town!
A product and animation exclusively developed for the Champs-Elysées is now available to all our clients.

Blachere Illumination, the official supplier of the «Champs-Élysées» Committee.



FLASH

◆	FLASH	P (W)	■	■
40m	80	20	2	560-F



LED MOSPHERE GARLANDS static

rubber IP66 230V incl. l.



STATIC

◆	LED	P (W)	■	■
10.0m	30	14	10	600W
50.0m	150	70	2	650W

PRODUCT INFO

Garland packaged in rolls and mounted on a steel wire which will allow an easy installation and a greater resistance.

Compatible with the Octoplus 230V range. Carabiners supplied.



GARLANDS with B22 sockets

rubber | IP54 | 230V



N NEW CONSTRUCTION 2025

ROLLS OF B22 SOCKET GARLANDS - PLUG NOT INCLUDED

	description	cable section	B22	B22	B22
100.00m	roll of garland 1 socket/m	2 x 1,5 mm ²	<input checked="" type="checkbox"/> GR098C	<input type="checkbox"/> GR098CN	
100.00m	roll of garland 2 sockets/m	2 x 1,5 mm ²	<input checked="" type="checkbox"/> GR099C	<input type="checkbox"/> GR099CN	
100.00m	roll of garland 3 sockets/m	2 x 1,5 mm ²	<input checked="" type="checkbox"/> GR100C	<input type="checkbox"/> GR100CN	<input type="checkbox"/> GR100C-B
50.00m	roll of garland 4 sockets/m	2 x 1,5 mm ²	<input checked="" type="checkbox"/> GR112C	<input type="checkbox"/> GR112CN	
50.00m	roll of garland 5 sockets/m	2 x 1,5 mm ²	<input checked="" type="checkbox"/> GR113C	<input type="checkbox"/> GR113CN	

GARLANDS WITH B22 SOCKETS - PLUG INCLUDED

	description	cable section	B22	B22
9.00m	garland of 20 sockets	2 x 1,5 mm ²	<input checked="" type="checkbox"/> GR1C	<input type="checkbox"/> GR1CN
15.00m	garland of 40 sockets	2 x 1,5 mm ²	<input checked="" type="checkbox"/> GR2C	

PRODUCT INFO

Customise your garland with different bulbs suggested on p185 and make up your own eye-catching effect.

Replace your old incandescent bulbs with LED bulbs, new technology with vintage look but more economical so more ecological.



LDL B22/E27 range (registered design)



LDLH B22 SMD range



LDLFL-B22



F722-L / F732-L



B22/E27 BULBS & STARFLASH®




PRODUCT INFO

The LDL series is a classic of Blachere lighting. A registered model, the particular arrangement of the LEDs in the bulb globe gives a «flame» effect similar to the incandescent bulbs of yesteryear.

The polycarbonate globe guarantees an increased solidity (IK06).

The LDLFL-B22 recreates the effect of a flame, regardless of the mounting direction.

F722-L / F732-L
A historical product that is easy to use on a B22 lampholder.
Produces 1 flash approximately every 3 seconds.



description	B22	E27	B22	B22	B22
type of globe	polycarbonate	polycarbonate	polycarbonate	polycarbonate	polycarbonate
ø of globe	45 mm	45 mm	45 mm	36 x 115 mm	
voltage	230V	230V	230V	230V	230V
intensity	3,68VA	3,68VA	3,68VA		0,5J 2J
wattage	16 mA max/ 0,5W	16 mA max/ 0,5W	16 mA max/ 0,5W	3W	1W 1,3W
packing	set of 25	set of 25	set of 25	unit	unit unit
pure white	LDL11-B22	LDL11-E27	LDLH11		F722-L F732-L
warm white	LDL11W-B22	LDL11W-E27	LDLH11W		
amber	LDL12-B22	LDL12-E27	LDLH12	LDLFL-B22	
red	LDL13-B22	LDL13-E27	LDLH13		
blue	LDL14-B22	LDL14-E27	LDLH14		
green	LDL16-B22	LDL16-E27	LDLH16		
pink	LDL18-B22	-	LDLH18		

Low power consumption bulb - Note : use the appropriate power (16mA i.e 3,68VA) to calculate the rating of your network (cable section area, circuit breaker, power required etc.). Use 0,5W per bulb to calculate the power consumption.

In outdoor use, must be mounted on garland with B22 sockets minimum IPX4 with waterproof seal fitted.



JOYLIGHT® LED+ CURTAINS slowflash or static



SLOWFLASH

◆	◆	LED	SLOW FLASH	P (W)		■	□
1,5m	2m	150 (○)	60 (●)	13	15	27	FL74F+
1,5m	2m	150 (○)	60 (●)	13	15	27	LF74WF+
3m	2m	240 (○)	120 (●)	25	15	18	FL70F+
3m	2m	240 (○)	120 (●)	25	15	18	FL70WF+
5m	2m	360 (○)	180 (●)	60	15	9	FL75F+
5m	2m	360 (○)	180 (●)	60	15	9	FL75WF+
7m	2m	510 (○)	240 (●)	60	15	9	FL72F+
7m	2m	510 (○)	240 (●)	60	15	9	FL72WF+
10m	2m	690 (○)	360 (●)	69	15	9	FL79F+
10m	2m	690 (○)	360 (●)	69	15	9	FL79WF+

STATIC


◆	◆	LED	SLOW FLASH	P (W)		■	□
1,5m	2m	210 (○)	-	13	15	27	FL74+
1,5m	2m	210 (○)	-	13	15	27	FL74W+B+
3m	2m	360 (○)	-	25	15	18	FL70+
3m	2m	360 (○)	-	25	15	18	FL70W+B+
5m	2m	540 (○)	-	60	15	9	FL75+
5m	2m	540 (○)	-	60	15	9	FL75W+B+
7m	2m	750 (○)	-	60	15	9	FL72+
7m	2m	750 (○)	-	60	15	9	FL72W+B+
10m	2m	1050 (○)	-	69	15	9	FL79+
10m	2m	1050 (○)	-	69	15	9	FL79W+B+

ACCESSORIES NEEDED TO OPERATE THESE PRODUCTS

◆	■	□
1,50 m	230V power supply cable	FY08+
0,50 m	bridge rectifier	690W max FY043A+ FY043A-B+
0,20 m	bridge rectifier	250W max FY041A+ FY041A-B+



requires 230V power supply cable L: 1,50m FY08+ type... and bridge rectifier FY043A+ type...



PRODUCT INFO

INNOVATION Our optimized LED+

-15% reduction in electrical consumption
(on average) +brightness

Blachere exclusive
Registered design
-High brightness
-Shock resistant IK06
-Long lifespan
-Stable colour
-IP 66/69 protection rating. Maximum rating allowed for a 230V product
-Flexible connectivity thanks to the extensive Octoplus 230V by Blachere range.


2 YEARS GUARANTEE
conditions : contact us

• 188



• 189

JOYLIGHT LED SUPER BRIGHT® CURTAIN *flash*



PRODUCT INFO

INNOVATION 2024 Our optimized LED+

- 15% reduction in consumption (on average)
- +brightness

Recreate the most beautiful avenue in the world in your town!
A product and animation exclusively developed for the Champs-Élysées is now available to all our clients.

Blachere Illumination, the official supplier of the «Champs-Élysées» Committee.

FLASH

◆	◆	FLASH	P (W)	■	■	■
2m	6m	80	20	8	5	260-F



JOYLIGHT® CURTAINS flash or static




FLASH

◆	◆	LED	FLASH	P (W)	■	■	□
0.8m	2.0m	140	28	14	14	30	21CBFX
0.8m	2.0m	140	28	14	14	30	21CWBFX
1.5m	2.0m	210	30	15	15	25	24CBFX
1.5m	2.0m	210	30	15	15	25	24CBLFX
1.5m	2.0m	210	30	15	15	25	24CRFX
1.5m	2.0m	210	30	15	15	25	24CWBFX
3.0m	2.0m	420	56	33	14	16	20CBFX
3.0m	2.0m	420	56	33	14	16	20CBLFX
3.0m	2.0m	420	56	33	14	16	20CRFX
3.0m	2.0m	420	56	33	14	16	20CWBFX
5.0m	2.0m	900	90	55	15	12	25CBFX
5.0m	2.0m	900	90	55	15	12	25CBLFX
5.0m	2.0m	900	90	55	15	12	25CRFX
5.0m	2.0m	900	90	55	15	12	25CWBFX
7.0m	2.0m	1200	120	80	15	8	22CBFX
7.0m	2.0m	1200	120	80	15	8	22CWBFX
10.0m	2.0m	1200	135	84	15	8	29CBFX
10.0m	2.0m	1200	135	84	15	8	29CWBFX

STATIC

◆	◆	LED	FLASH	P (W)	■	■	□
1.5m	2.0m	342	-	30	18	20	24C-B
1.5m	2.0m	342	-	30	18	20	24CW-B
3.0m	2.0m	540	-	35	18	15	20C-B
3.0m	2.0m	540	-	35	18	15	20CW-B
5.0m	2.0m	900	-	65	18	9	25C-B
5.0m	2.0m	900	-	65	18	9	25CW-B
7.0m	2.0m	1080	-	72	18	9	22C-B
7.0m	2.0m	1080	-	72	18	9	22CW-B
10.0m	2.0m	1350	-	58	18	10	29C-B
10.0m	2.0m	1350	-	58	18	10	29CWBFX



PRODUCT INFO

Ideal for decorating facades, trees or for cross-street motifs.


Up to 30 curtains on the same power supply.

Compatible with the entire range.

Connection options with the Octoplus 230V by Blachere® accessories.



ECO LIGHT CURTAINS flash or static



N

◆	◆	LED	FLASH	P (W)	■	■	□
1.5m	2.0m	180	30	15	15	20	ECOX24W-F
3.0m	2.0m	315	45	20	15	15	ECOX20W-F
5.0m	2.0m	512	64	30	16	12	ECOX25W-F

STATIC

◆	◆	LED	FLASH	P (W)	■	■	□
5.0m	2.0m	360	-	20	15	15	ECOX20-B
3.0m	2.0m	360	-	20	15	15	ECOX20W-B
7.0m	2.0m	750	-	50	15	7	ECOX22-B
7.0m	2.0m	750	-	50	15	7	ECOX22W-B
1.5m	2.0m	210	-	15	15	20	ECOX24-B
1.5m	2.0m	210	-	15	15	20	ECOX24W-B
5.0m	2.0m	576	-	30	16	12	ECOX25-B
5.0m	2.0m	576	-	30	16	12	ECOX25W-B
10.0m	2.0m	1050	-	55	15	6	ECOX29-B
10.0m	2.0m	1050	-	55	15	6	ECOX29W-B

PRODUCT INFO



Unbeatable value for money with proven reliability.

An extensive selection of accessories and connection options with Octoplus® 230V by Blachere® accessories.



JOYLIGHT® 24V CURTAINS

flash



FLASH

◆	◆	LED	FLASH	P (W)	■	■	□
3.0m	2.0m	300	60	125	15	2	FL203-FX
3.0m	2.0m	300	60	125	15	2	FL203B-FX
3.0m	2.0m	300	60	125	15	2	FL203P-FX
3.0m	2.0m	300	60	125	15	2	FL203R-FX
3.0m	2.0m	300	60	125	15	2	FL203W-FX


PRODUCT INFO

Unbeatable value for money with proven reliability.

An extensive selection of accessories and connection options with Octoplus® 230V by Blachere® accessories.



JOYLIGHT® CURTAINS slowglow effect



SLOWGLOW

◆	◆	SLOWGLOW	P (W)	■	■	□
15m	2.0m	120 ⚡	16	15	15	24SG
1.5m	2.0m	120 ⚡	16	15	13	24WSG
3.0m	2.0m	180 ⚡	15	15	12	20SG
3.0m	2.0m	180 ⚡	15	15	12	20WSG
5.0m	2.0m	210 ⚡	17	15	12	25SG
5.0m	2.0m	210 ⚡	17	15	12	25WSG
7.0m	2.0m	225 ⚡	17	15	12	22SG
7.0m	2.0m	225 ⚡	17	15	12	22WSG
10.0m	2.0m	270 ⚡	15	15	13	29SG
10.0m	2.0m	270 ⚡	15	15	13	29WSG

PRODUCT INFO


New animation exclusive to Blachere Illumination.
Gentle lighting snowflake effect.

Compatible with the entire range.
Connection options with 230V Octoplus® accessories
by Blachere®



EXCLUSIVE CONCEPT «SOBRILLANCE» CURTAINS *Champs-Elysées*

rubber IP64-69 230V



FLASH JOYLIGHT LED SUPER BRIGHT® CURTAIN

◆	◆	FLASH	P (W)		■	■
2m	6m	80	20	8	5	260-F

STATIC LED+ CURTAINS

◆	◆	LED	P (W)		■	□
2m	5m	540	60	15	9	FL75W+
2m	7m	750	60	15	9	FL72W+
2m	10m	1050	69	15	9	FL79W+

ACCESSORIES NEEDED TO OPERATE THESE PRODUCTS

■	□		
1,50 m	power supply cable	FY08+	FY08-B+
0,30 m	bridge rectifier	FY043A+	FY043A-B+
0,20 m	bridge rectifier	FY041A+	FY041A-B+



PRODUCT INFO

INNOVATION Our optimized LED+

-15% reduction in electrical consumption
(on average) +brightness

Sobrillance is the combination of a static warm white curtain and a Super Bright flash curtain.


Vary the sequences with our remote controlled/programmable clock and create a living light show in your street!
On special request.



FL75W-B+, FL75W+, FL72W-B+,
FL72W+, FL79W-B+, FL79W+



CHAMPS ÉLYSÉES «SCINTILLANCE» CURTAIN with vertical animation



PRODUCT INFO

Recreate the most beautiful avenue in the world wherever you are !

Product and animation developed exclusively for the Champs Elysées now available for all our customers.


Blachere illumination official supplier of the « Champs Elysées » Committee.

A PRO version that exactly reproduces the effect on the Champs Elysées and an ECO version with a simplified effect.

FLASH

◆	◆	LED	FLASH	P (W)	■	■	□
7.0m	2.0m	420	80%	55	10	-	ECOX216W

CHERRYLIGTH® CURTAINS multicoloured



PRODUCT INFO



This curtain with opaque globes diffuses a uniform light in vibrant colours that changes randomly and automatically.

STATIC

◆	◆	LED	P (W)		■
1.5m	2.0m	180	15	15	FL224C
3.0m	2.0m	300	25	10	FL220C



HONEYCOMB LIGHT® TREE NET flash



PRODUCT INFO

This net makes easy the decoration of tree trunks... with light. Thanks to its honeycomb mesh, it is placed around the trunk and adjusted to the diameter.

Ergonomic and practical, it will take you on average 10 minutes to dress your tree trunks than with a traditional garland!

The colour of the cable (brown) allows it to be less visible during the day and is exclusive to Blachere illumination.




◆	◆	LED	SLOWFLASH	P (W)		■
2.0m	2.0m	204	52	11	7	802W-F
3.0m	2.0m	306	78	16	5	803W-F
4.0m	2.0m	-	592	23	5	804WSF




• 205

STALACTITLIGHT DUO COLORS®

flash



Garlands



FLASH


◆	◆	LED	SLOWFLASH	P (W)	■	□
1,0m	4,5m	190	48	15	36	15

PRODUCT INFO

2 products in 1!
Your garland can be either warm white or pure white.
Reverse the connection to obtain pure white/pure
white flash or warm white/warm white flash. See DUO
COLORS® Decor Collection.



STALACTITLIGHT® LED+ slowflash or static



SLOWFLASH

◆	◆	LED	SLOWFLASH	P (W)	■		□
0.8m	4.5m	120	60	13	48	20	FL390BF+
0.8m	4.5m	120	60	13	48	20	FL390WBF+

STATIC

◆	◆	LED	STATIC	P (W)	■		□
0.8m	4.5m	180	-	13	48	20	FL390-B+
0.8m	4.5m	180	-	13	48	20	FL390W-B+

ACCESSORIES NEEDED TO OPERATE THESE PRODUCTS

1,50 m	power supply cable	FY08-B+	FY08+
0,50 m	bridge rectifier	690W max	FY043A-B+ FY043A+
0,20 m	bridge rectifier	250W max	FY041A-B+ FY041A+

PRODUCT INFO

INNOVATION Our optimized LED+



-15% reduction in consumption (on average) + brightness

Blachere exclusive
 - Registered design
 - High brightness
 - Shock resistant IK06
 - Long lifespan
 - Stable colour
 - IP 66/69 protection rating. Maximum rating allowed for a 230V product
 - Flexible connectivity thanks to the extensive Octoplus 230V by Blachere range.

2 YEARS GUARANTEE
conditions : contact us



STALACTITLIGHT® flash or static



FLASH

◆	◆	LED	FLASH	P (W)	■	■	□
0.6m	4.5m	156 (●)	48 ☀	10	48	15	352-FX
0.6m	4.5m	156 (●)	48 ☀	10	48	15	352W-FX
0.6m	4.5m	156 (●)	48 ☀	10	48	15	352B-FX
0.6m	4.5m	156 (●)	48 ☀	10	48	15	352R-FX
1.0m	4.5m	180 (●)	60 ☀	10	36	15	354-FX
1.0m	4.5m	180 (●)	60 ☀	10	36	15	354W-FX

STATIC

◆	◆	LED	FLASH	P (W)	■	■	□
0.6m	4.5m	180 (●)	-	10	48	15	352
0.6m	4.5m	180 (●)	-	10	48	15	352W
1.0m	4.5m	240 (●)	-	12	36	15	354
1.0m	4.5m	240 (●)	-	12	36	15	354W
1.5m	4.5m	320 (●)	-	16	52	15	353C
1.5m	4.5m	320 (●)	-	16	52	15	353CW

PRODUCT INFO

An absolute must since its creation, this product is a best-seller owing to its reliability.
Can be divided into sections for greater adaptability.

Compatible with the entire range.
Connection options with 230V.
Octoplus® accessories by Blachere®.

210



• 211

ECO STALACTITES flash



rubber




IP65



230V



incl.



PRODUCT INFO

Unbeatable value for money and proven reliability.

A wide choice of accessories and connection options with Octoplus® by Blachere® accessories.


FLASH

◆	◆	LED	FLASH	P (W)		USB	□
0.8m	4.5m	90 ⚪	30 ☀	9	30	15	ECOX350F
0.8m	4.5m	90 ⚪	30 ☀	9	30	15	ECOX350WF



FIR GARLAND STALACTITES *flash*

rubber IP66 230V incl. l.



◆	◆	LED	FLASH	P (W)	¶	USB	□
0,6m	4,5m	156 ⚪	48 ⚪	13	48	15	GP138L
0,6m	4,5m	156 ⚪	48 ⚪	13	48	15	GP139L-W

PRODUCT INFO


A classic choice for traditional street decorations.

Quick connection accessories, extension leads, multi-socket connectors, 230V Octoplus by Blachere®.



• 214

CEILINGS flash or static



FLASH

◆	◆	LED	FLASH	P (W)	■	■	■
3.00m	2.0m	588 ⚪	98 ☀	30	7	3	414-FX
3.00m	2.0m	588 ⚪	98 ☀	30	7	3	414W-FX

STATIC

◆	◆	LED	FLASH	P (W)	■	■	■
3.00m	2.0m	686 ⚪	-	30	7	3	414
3.00m	2.0m	686 ⚪	-	30	7	3	414W

PRODUCT INFO

Cover up to 180m² with a single power supply at a lower cost.
The 24V/100W transformer for outdoor use, included with the 414-FX and 414W-FX garlands, allows three modules to be connected to a single transformer. Each string is reinforced with a micro-steel wire for greater durability.



• 215

• 216



• 217

DUO COLORS® BRAIDS flash



PRODUCT INFO



2 products in 1!
Your garland can be either warm white or pure white.
Reverse the connection to obtain pure white/warm white or warm white/pure white. See DUO COLORS® Decor Collection.

FLASH

Ø	◆	LED	FLASH	P (W)		□
12.0m	75m	192	48	12	10	TSL4WWF



LED+ BRAIDS *slowflash*



SLOWFLASH


Ø	◆	LED	SLOWFLASH	P (W)		□
6.0m	60.0m	648	312	60	2	TSL60+
6.0m	60.0m	648	312	60	2	TSL60W+

PRODUCT INFO

«Ready-to-install» crossing with high light density.
Mounted on a coated a3mm steel cable.
Features quick connection accessories, multi-socket
connectors, and an animation kit.



BRAIDS flash or static



FLASH

Ø	◆	LED	FLASH	P (W)		
12.0m	7.5m	210	30	13	13	TSL3FX
12.0m	7.5m	210	30	13	13	TSL3WFX

STATIC

Ø	◆	LED	FLASH	P (W)		
6.0m	7.5m	240	-	13	13	TSL2
6.0m	7.5m	240	-	13	13	TSL2W

PRODUCT INFO


«Ready-to-install» crossing with high light density.
Mounted on a coated a3mm steel cable.
Features quick connection accessories, multi-socket connectors, and an animation kit.

• 222



• 223

ECO BRAIDS flash



N

PRODUCT INFO

Unbeatable value for money and proven reliability.


A wide choice of accessories and connection options with Octoplus® by Blachere® accessories.

FLASH

◆	LED	FLASH	P (W)	█	□
75m	160 (●)	20 (●)	10	15	ECOXSL3F
75m	160 (●)	20 (●)	10	15	ECOXSL3WF



NICIA® BRAIDS flash



FLASH

Ø	◆	LED	FLASH	P (W)		
6.0m	6.0m	432	48	23	9	558-FX
6.0m	6.0m	432	48	23	9	558W-FX

PRODUCT INFO

Unbeatable value for money and proven reliability.

A wide choice of accessories and connection options with Octopus® by Blachere® accessories.


• 226



TSLWW-W + ITGL111

• 227

TWO-TONE BRAIDS dropdown



DROPODOWN


Ø	◆	LED	FLASH	P (W)		
12cm	6.0m	240	-	55	-	TSLBL-W
12cm	6.0m	240	-	55	-	TSLWW-W

PRODUCT INFO

Discover our two-tone blue/white or warm white/pure white garlands; ideal for elegant decorations. Equipped with scrolling light effects and connectable to hanging lights, they create a magical, sophisticated atmosphere for all your festive occasions.

• 228

SWAG GARLANDS pre-fit



PRODUCT INFO

A timeless classic for traditional street decorations. Quick connection accessories, extensions, multi-socket connectors, and Octoplus 230V by Blachere®.


SWAG GARLAND PER UNIT

Ø	◆	LED	P (W)		
35cm	3.0m	400	30	6	GP303W
35cm	4.0m	500	38	4	GP304W



• 229

FIR GARLANDS pre-fit



PRODUCT INFO

Great classic for traditional street decorations. Quick-fit accessories, extension leads, multi-socket connectors Octoplus® 230V by Blachere®.

FLASHES

Ø	◆	LED	FLASH	P (W)		
30cm	2.7m	180	60	11	10	GP134LWFX


STATIC

Ø	◆	LED	P (W)		
30cm	2.7m	240	11	10	GP134L-W




HANGING BOUQUETS static


22V



drawing of installation:



Installation sample



INDOOR

Ø	◆	LED	FLASH	P (W)	
80cm	-	441 (●)	63	18	FCL080A
80cm	-	441 (●)	63	18	FCL080G

Indoor transformer for FCL bouquet - sold separately

OUTDOOR

Ø	◆	LED	FLASH	P (W)	
80cm	-	441 (●)	63	18	FCL080A-E
80cm	-	441 (●)	63	18	FCL080G-E

Outdoor transformer for FCL bouquet - sold separately


PRODUCT INFO

The hanging bouquets animated with flash with a gold or silver decoration, good daytime effect.

Working with a PRTR24VI or PRTR24V transformer - sold separately.
Compatible with 24V Octopus extension leads.

HANGING MOTIFS

X-Led effect



PRODUCT INFO

Ideal for embellishing your trees or hanging from strand lights.
Enjoy exclusive Xled animations! Set includes 5 decorations.

Remember to attach the mini decorations with the suspension cables supplied.


SET OF 5 DECORATIONS

Ø	◆	◆	LED SMD	P (W)	■
25cm	1.2m	3.0m	270	25	FXL920E
23cm x 20cm	1.2m	3.0m	270	25	FXL920S



HANGING SPARKLING STARS

animated



octoplus 230V



suspension cable and attachments
Refs: G-FL900xx

PRODUCT INFO

Discover the two-tone warm white/cool white glow: 2 effects in 1, exclusive to Blachere!
A best-seller with a patented design, this product provides smooth animation and an elegant daytime effect. The stars are supplied with hooks. Easy to install on trees or ropes with the hooks included.
Available individually or in packs of 10.

Remember to attach the mini decorations with the suspension cables supplied.

SET OF 10 STARS

Ø	◆	◆	LED	P (W)	■
25cm	2.0m	3.0m	10	18	FL900E
25cm	2.0m	3.0m	10	18	FL900EW
25cm	2.0m	3.0m	10	18	FL900EWW
25cm	2.0m	3.0m	10	18	FL900EM


INDIVIDUAL STAR

Ø	◆	◆	LED	P (W)	■
25cm	-	-	1	3	G-FL900
25cm	-	-	1	3	G-FL900WW

230V -> 24V transformer with Octoplus connector



HANGING BALLS flame effect



PRODUCT INFO

Perfect for decorating trees or hanging from strand lights. Recreate the warm atmosphere of candlelight with a unique sparkling animation.

Add a fashionable retro touch to your decorations! Available in packs of 5 GLOBES or individually.

SET OF 5 SPHERES

Ø	◆	◆	LED	P (W)	■
20cm	1.2m	3.0m	5 (Y)	18	FL920LU


INDIVIDUAL SPHERE

Ø	◆	◆	LED	P (W)	■
20cm	-	-	1 (Y)	3	G-FL920LU


230V->24V transformer with Octoplus connector
FYPTR9



HANGING BALLS multicoloured RGB



60 cm suspension and securing cable



PRODUCT INFO

Perfect for decorating trees or hanging from ropes. Create a colourful pop atmosphere. RGB animation, a unique effect!

Available in packs of 5 GLOBES or individually.

SET OF 5 SPHERES

Ø	◆	◆	LED	P (W)	■
20cm	1.2m	3.0m	5 (Y)	24	FL920M



INDIVIDUAL SPHERE

Ø	◆	◆	LED	P (W)	■
20cm	-	0.5m	1 (Y)	4.5	G-FL920M

230V->24V transformer with Octoplus connector
FYPTR9



NOSTALGIA XL HANGING BULBS flash



SET OF 4 BULBS

Ø	◆	◆	LED	FLASH	P (W)	■
28cm	2,0m	2,0m	400	200	18	FL930BB

INDIVIDUAL BULB

Ø	◆	◆	LED	FLASH	P (W)	■
28cm	-	0,5m	100	50	4	G-FL930BB

230V->24V transformer with Octoplus connector

PRODUCT INFO

Perfect for enhancing your trees or hanging on cables, these oversized bulbs offer a captivating sparkle. Add a trendy retro touch to your decorations!


Available in a set of 4 bulbs with a transformer included, or individually.

Equipped with a stainless aluminum base for optimal durability.

HANGING SPHERES

micro led and flashes

PVC IP66 230V incl. l.



PRODUCT INFO

Set of 4 decorative light balls, perfect for illuminating your trees and creating a magical atmosphere. Easy to install, they give off a soft glow for your festive celebrations or seasonal decorations.

SET OF 4 SPHERES


Ø	◆	◆	LED	FLASH	P (W)	■
30cm	2,0m	2,0m	400 ⚡	200 ☀	18	FL930A



HANGING BRANCHES

micro led

PVC IP55 24V



PRODUCT INFO

Super easy installation. It will ideally decorate lamp posts and facades.

Accessories sold separately.




◆	LED	P (W)	■	□	BRIN288
1,2m	288 ⚡	6	24	4	BRIN288
1,2m	288 ☀	6	24	4	BRIN288W
extension cable 2m					FY04W-PVC

XLED HANGING STEMS *Double drop double-sided*



Suspension attachment and securing required during installation



PRODUCT INFO

A smooth double-drop animation, exclusive to Blachere, a registered design that is one of the reasons behind the brand's success in lighting the Champs-Elysées project. Double-sided rods for 360° ambient luminosity. Can be used for a wide range of applications, including facades, street crossings and tree decorations. Multi-output accessory FY04FXL: 20 stems on a single power supply!

◆	◆	LED	P (W)	■
0,5m	2,7m	320	12	5
0,8m	2,7m	480	17	5

FXL055
FXL085


X-LED STEM FOR B22/230V SOCKET FY03B22 ACCESSORIES

◆	LED	P (W)	■
0,8m	96	2	FY03B22

FY04FXL
Multi ends power supply



HANGING STEMS *flashes*



PRODUCT INFO

Very light products for hanging on all types of branches.


Pack of 6 drop decorations.

◆	◆	LED	FLASH	P (W)	■
1,2m	1,2m	480	120	50	6
1,2m	1,2m	480	120	50	6

950-FX
950W-FX



HANGING LIGHTS foldable - 230V



Led Classic compatible with Octoplus 230V range
requires 230V power supply cable L: 1,50m FY08+ type... and bridge rectifier FY043+ type...

Ø	◆	LED	FLASH	P (W)	□
0.6m	0.6m	70	6	4	G-SPHERE
0.6m	0.6m	41	4	4	G-STAR

HANGING LIGHTS foldable - 24V



Micro light + PRO compatible with Octoplus 24V range

Ø	◆	LED	P (W)	□
0.6m	0.6m	136	12	G-MONT+
0.6m	0.6m	136	12	G-MONTW+
0.6m	0.6m	144	12	G-SPHER+
0.6m	0.6m	144	12	G-SPHERW+
0.6m	0.6m	88	10	G-STAR+
0.6m	0.6m	88	10	G-STARW+

compatible with PRTR24V or OCTOPLUS 24V accessories

PRODUCT INFO


These foldable suspensions are aesthetic by day thanks to the white lacquering of the metal structures (available in Led Classic or Micro light + PRO). Power supply sold separately.

Compatible with the entire range.

HANGING BALLS *inflatable*



Using a conventional
inflation gun



Suspension sling and
securing with carabiner



PRODUCT INFO

Passive decorative balls, ideal for decorating
ceilings or trees by day or night.

Inflates on site with a simple compressor. Set of 4
balls, for outdoor use.

Ø	colour	ref (set of 4)
0.5m	●	BG50-1
0.5m	○	BG50-2
0.5m	●	BG50-3
0.5m	○	BG50-4



GOBO PROJECTORS



rubber

IP65

230V



PRODUCT INFO

Rotating projector.
Multiple pattern options.
Manual control available or via DMX.

Contact us for more information.

Note: Technical specifications and the type of gobo projector are subject to change depending on the manufacturer.



BUNCH LIGHT® BOUQUETS with RGBWWLEDs



PVC

IP66



LED



Waterproof




UV Resistant




LED




Waterproof




UV Resistant



LED



Waterproof




UV Resistant




LED




Waterproof



UV Resistant




LED




Waterproof




UV Resistant



LED



Waterproof



UV Resistant



LED



Waterproof



UV Resistant



LED



Waterproof



UV Resistant



LED



Waterproof



UV Resistant

LED

Waterproof

Our new Bunch Light® RGBWW Bouquets can be placed on the floor to create animated, multi-coloured lighting surfaces.

They can be custom-controlled to create an overall lighting design. Each bead can be controlled like a pixel to create a multicoloured field of light. The rods are flexible and move with the wind, creating an animated and truly magical display.

This product is sold in packs of 6 bouquets, each made up of 8 RGBWW beads.

If your project requires a customised analysis, please contact your account manager.

• 248

LED PROJECTORS

Round



PRODUCT INFO

Light up the trunks or branches of your trees with our round micro spotlights! Mini size but super powerful!

Bright, elegant and easy to install. Totally safe for the public (24V) and the trees (elastic ties). protective foam.

ROUND SPOTLIGHTS FOR TREES (SET OF 2)

dim.	LED	tension	P (W)	ref
180 x 55 x 24 mm	2x6 (●)	24V	2 x 6W	PRJA
180 x 55 x 24 mm	2x6 (●)	24V	2X6W	PRJA-W
black switch-mode power supply 24V dc 25W (for a set of 2)				PRTR24N
elastic strap for PRJA-W and PRJA projectors				FYSDOW
protective and adhesive foam (set of 10)				FYMOUS



LED PROJECTOR

Decorative



PRODUCT INFO

Decorative spotlight, ideal for creating a soft, warm atmosphere.



LED DECORATIVE SPOTLIGHT - UNIT - IP65 - CLASS 1

LED	tension	P (W)	ref
(●)	230V	6	PRJP-03W+

• 249



PROJECTORS AND WALL-WASHES LED RGBW-DMX



RGBW WALL-WASHES

N

	LED	angle	tension	weight	P (W)	reference
1 m	16 RGBW	39°	110-240V	6,2kg	75	PRJR4-DMX
6 m	DMX extension lead					FYSP-DMX
6 m	DMX signal extension lead					FYSS-DMX

RGBW PROJECTORS

N

Dimensions	LED	angle	tension	weight	P (W)	reference
21 cm x 12 cm x 15 cm	6 led x 5W RGBW DMX avec mode manuel	40°	230V	2,7kg	35	HLPRJD MX
21 cm x 33 cm x 17 cm	15 RGBW	40°	230V	5,2kg	115	PRJP5-DMX

Option: controllable with infrared remote control (distance 3 to 4 m max). Simple functions.

PRODUCT INFO

Range of RGB strip lights.
Perfect for facades or monument illuminations.
Use of the SMD RGB led for a better lighting result.



FILS LUMIÈRE® static



FIL LUMIERE® PLATINUM & ECO 30 Led/m

320° inverted cone LED with vertical positioning

FIL LUMIERE® DUO COLORS 30 Led/m

320° inverted cone LED with vertical positioning

FIL LUMIERE® NEON 144 Leds SMD/m

320° inverted cone LED with vertical positioning

N

Fil Lumière® eco	Fil Lumière® Platinum	Fil Lumière®Neon	Fil Lumière DUO COLORS*
Led density/m	30	30	144 SMD
P (W)/m	3,5	4	3,5
Roll of	90,00m	50,00m	25,00m
ø	12mm	12mm	15mm
IP	IP55	IP66-69	IP66
□	■	■	□
○	NLS011	NLEDU51	NLEDN01
○	NLS011W	NLEDU51W	NLEDN01W
○	NLS012	NLEDU52	
○	NLS014	NLEDU54	
○	NLS016	NLEDU56	
○	NLS013	NLEDU53	
			NLEDWW

PRODUCT INFO

Platinum fil lumière® (strand lights):

Ideal for showcasing facades. Comes with 3 special LED power supplies, 3 end caps and 3 connectors. Strictly for professional use, not for retail sale in shops.

DUO COLORS® strand light:
2 products in 1!

Your strand lights can be either warm white or pure white. Reverse the connection to get pure white or warm white.

• 254



• 255

TECHNICAL *pages*

OUR STEERING SOLUTIONS

It's time to step up the smart city movement to save more energy.

Eco-designed equipment that is sustainable and smart energy management are part of any global eco-friendly urban policy. Blachere Illumination is committed to working alongside cities and developing innovative solutions to protect our planet and our future.



With our lighting management systems, you can remotely manage lighting with a single click.

Whether it's with [our range of timer boxes](#) or [our MASTER+SAVER global control system](#) on the next page.

This makes it easier for the city to manage its electricity resources in line with its ecological and sustainable development aspirations.

ON/OFF BOX WITH REMOTE CONTROL

When you fit your set with this remote control switch, you can install and connect your set to the public lighting system in advance and switch it on manually with the remote control on the day of the lighting show, without having to interact with the box installed on lighting set.

Box ref: **TERUP**
Remote control ref: **TERUP-C** (can control multiple TERUP boxes)

- SIMPLE ON/OFF CONTROL
- WORK VIA REMOTE CONTROL



TEMPO 2 BOX UNIVERSAL & 7-HR PROGRAMMABLE

When you fit your set with the TEMPO2 box, you can disconnect it from the public lighting network. Sets are switched off automatically after 7 hours, from the moment the street lighting switched on.

By connecting a TERUP ON/OFF box upstream of this box, you can trigger the timer using the remote control. Compatible with Octoplus and/or any other decor.

Box ref: **TEMPO2**

- AUTOMATIC 7-HOUR TIME DELAY
- CONTROL IS ON THE BOX




TEMPO+ BOX PROGRAMMABLE FROM 5 TO 10 HRS

When you fit your set with the TEMPO+ box, you can disconnect it from the public lighting network and can adjust the lighting times you want and programme the lights to go out. A long press means you can select 5, 6, 7, 8, 9 or 10 hours of illumination followed by automatic switch-off. By connecting a TERUP ON/OFF box upstream of this box, you can trigger the timer with the remote control. Octoplus compatible.

Box ref: **TEMPO+**

- TIME DELAY SELECTABLE BETWEEN 5 AND 10 HOURS
- CONTROL IS ON THE BOX



MASTER+SAVER SYSTEM

Fit your light displays with SAVER boxes.

One of lighting sets will be a group leader and will be equipped with a MASTER box. The MASTER box can be programmed with the switch-on times/days and will communicate the same information to all the SAVERS via Bluetooth.

The distance between SAVER and MASTER must not exceed 50m.

If two sets are more than 50m apart, you will need to make a new group with a new MASTER box. You also need to be close to the MASTER, with your phone in your hand and the application open, to be able to control your sets.

Lighting sets can be pre-programmed in our workshops or programmed by the customer themselves using the dedicated mobile application.

- SUPER EASY CONTROL VIA MOBILE APPLICATION
- CREATION OF SET GROUPS
- PROGRAMMING OF SWITCH-ON DAYS AND TIMES
- MANAGEMENT OF SWITCH-OFF TIMES FOR ENERGY SAVINGS
- SECURE W - DATA PROTECTION



OCTOPLUS BY BLACHERE®

Exclusive



Octoplus by Blachere® 230V connector, protection rating IP67, according the European standard EN60529 on the degree of protection provided by enclosures.

Safety extra-low voltage connector 12/24V


Special connector RGBWW 12V

Octoplus is the connector that enables fast and multiple connection between our decorations and most of our range of garlands. Each item that is marked "Octoplus" can therefore be connected to another "Octoplus" item. This means the combination of items is infinite just by simplifying the electrical connections.

EXAMPLE FOR A TRANSVERSE MOTIF

Ref.	Quantity	Page
FY08-B+	1	263
FY043A-B+	1	263
FY01-3B+	1	263
FL590WBF+	1	207
FCL080G-E	2	231
FYPRTR9B	2	265
FYT-B+	2	263


To install on steel wire with PVC sheath



EXAMPLE FOR A WIDTH OF 4,50M


Ref.	Quantity	Page
FY08-B+	1	263
FY043A-B+	1	263
FY01-2B+	1	263
354W	1	209
FYT-B+	2	263
FYPRTR9	2	265
G-FL900	2	233

To install on steel wire with PVC sheath





EXAMPLE FOR A TREE



Ref.	Quantity	Page
FY08-B+	1	263
FY043A-B+	1	263
FY01-3+	2	263
BTX8	1	263
508R-FX	10	173
FY030+	4	263
FYPRTR9	1	265
G-FL900	1	233
FY03B22	1	264
FXL08-B22	1	240
F722-L	1	185

OCOTPLUS CONNEXIONS 230V - (1/2)

Diagram/Picture	Description	Obs	■	□
	Power cable 230V - 1.5m - HO5RN-F - 2x1mm ² with male plug and female Octoplus connector	Euro	FY08+	FY08-B+
	AC/DC bridge rectifier (compulsory) for LED+ with Octoplus connector (M+F)	UK	FY08-UK+	FY08-BUK+
	Octoplus extension 230V - HO5RN-F - 2x1mm ²	Swiss	FY08-S+	FY08-BS+
	Set of 5 end-caps plugs	Wieland	FY08-W	FY08-BW
	T connector 230V (M+F/F)	1A/230W	FY041A+	FY041A-B+
	Y connector 230V (M+F/F)	3A/690W	FY043A+	FY043A-B+
	W connector 230V (M+F/F/F)	1m	FY01-1+	FY01-1B+
		2m	FY01-2+	FY01-2B+
		3m	FY01-3+	FY01-3B+
		5m	FY01-5+	FY01-5B+
	Collector - 230V - HO5RN-F L = 2 x 1.60m = 3.20m 20cm between connectors with 16 sockets and steel wire with PVC-coating 690 W max in total	10m (2X5m)	FY01-10+	FY01-10B+
			FY1C+	FY1CB+
			FYT+	FYT-B+
			FY030+	FY030-B+
			FY031+	FY031-B+
			FY023+	FY023-B+



OCTOPLUS CONNEXIONS 230V - (2/2)



Diagram/Picture	Description	Obs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	IP66 multi-socket box with 4 Octoplus (F) outputs and one Octoplus (M) input	690 W max	BTX4	-
	IP66 multi-socket box with 8 Octoplus (F) outputs and one Octoplus (M) input	690 W max	BTX8	-
	230V adaptor Sparklight and Stalactites (connector 2017 -> connector 2018)	-	FY230F2	FY230F2-B
	230V adaptor Sparklight and Stalactites (connector 2018 -> connector 2017)	-	FY230M1	FY230M1-B
	B22 bushing with M/F Octoplus connector	5W max	FY03B22	FY03B22-B
	Elasticated "SPECIAL TREE" connector to let the tree grow without any restrictions	lot de 5	FY07A	-
	20cl tube of silicone sealant for full sealing of connectors (extreme environment)	-	NLC60	-
	Protective and adhesive foam	-	FY-MOUS	-

OCTOPLUS CONNEXIONS 24V



Diagram/Picture	Description	Obs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	1m extension PVC cord 24V Connectors M-C1/F-C2		FY01-PVC	FY01B-PVC
	2m extension PVC cord 24V Connectors M-C1/F-C2		FY02-PVC	FY02B-PVC
	5m extension PVC cord 24V Connectors M-C1/F-C2		FY05-PVC	FY05B-PVC
	2 output connector PVC 24V Connectors M-C1/F-C2		FY2-PVC	FY2B-PVC
	3 output connector PVC 24V Connectors M-C1/F-C2		FY3-PVC	FY3B-PVC
	230V -> 24V transformer with Octoplus connector	10W max	FYPTR9	FYPTR9B
	Transformer 230V / 24V with Octoplus connectors	100W		PRTR100W
	collector 24V - PVC L: 80cm - 4 sockets spacing 20cm		FY024	FY024-B

OCTOPLUS TECH CONNEXIONS 12V



Diagram/Picture	Description	Obs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	T connector Octoplus Tech	-	FT-T1	FT-T1B
	Octoplus Tech extension - 50 cm	-	FT-R05	FT-R05B
	Octoplus Tech extension - 1 m	-	FT-R1	FT-R1B
	Octoplus Tech extension - 2 m	-	FT-R2	FT-R2B
	3 outputs Octoplus Tech collector	-	FT-C3	FT-C3B
	12V/100W transformer	-	FT-TR100	-
	12V/200W transformer	-	FT-TR200	-
	End-caps plug Octoplus Tech	lot de 5	FT-B	FT-BB

FIL LUMIÈRE® ACCESSORIES

Electrical accessories for LED Platinium fil lumière® ø 12mm

	NLC95-12	Fil lumière® Led power cord kit		NLC51L-12	Glueable L connector		NLC92-12	Standardized glueable central 'spins'		NLC54-12	Glueable insulation end cap
<p>The kit includes : 1 rubber power lead of 1m with plug and polarized connector + integrated AC/DC bridge rectifier, 1 power lead spin, 1 full spin, 1 pot of glue and 1 end cap.</p>											

Fixing accessories for Led fil lumière®

	NLC56	X 100		NLC59	NLC61 - Pot of glue PVC 250ml
--	--------------	-------	--	--------------	--------------------------------------

Repair kit for Led Platinium fil lumière® - 230V - IP55 - ø 12mm

NLKLO1-12	10 m of fil lumière®	white Led		(type NML41),	2 power leads,	glue,	10 connectors,	5 end caps
NLKLO2-12	10 m of fil lumière®	blue Led		(type NML42),	2 power leads,	glue,	10 connectors,	5 end caps
NLKLO6-12	10 m of fil lumière®	red Led		(type NML46),	2 power leads,	glue,	10 connectors,	5 end caps
NLKLO1W12	10 m of fil lumière®	warm white Led		(type NML41W),	2 power leads,	glue,	10 connectors,	5 end caps

For Blachere illumination motifs only

FIXING ACCESSORIES FOR MOTIFS AND CONNECTION HOUSING

Photo	Infos	Ref
	Heart shape eye for ø 4mm cable set of 10	D001
	Heart shape eye for ø 6mm cable set of 10	D011
	Cable gripper for ø 4mm cable set of 10	D002
	Cable gripper for ø 6mm cable set of 10	D012
	Steel cable ø 4mm 100m roll	D005
	Steel cable ø 6mm 100m roll	D006
	Steel cable ø 4mm with PVC sheath ø 6mm 100m roll	D015
	Steel cable ø 6mm with PVC sheath ø 8mm 100m roll	D016

Photo	Infos	Ref
	Transverse unit for fastening to pole for ø 11mm cable pair	MA011
	Eyebolt L: 150mm set of 2pcs	D033
	Galvanized steel shackle ø 10mm	MA002
	Mixed stretcher unit -M10 L: 22 to 30cm	D004
	Ø 6mm Snap hook WLL 80kg	DOM7T
	safety sling L: 60cm WLL: 70kg	D026
	Differential circuit-breaker equipped with a waterproof power plug. (for poles) Note : box subject to modification according to availability	C001

FIXING ACCESSORIES FOR POLEMOUNTS




Inverted cone
1 PIX03 (up)
1 PIX04-2 (down)
2 curtains H : 5m

Cylinder
2 PIX03
1 PIX02 (down)
1 curtain H : 5m

Christmas tree
1 PIX04-2 (up)
1 PIX02 (down)
1 curtain H : 3m

Free composition
2 PIX03
2 FL74WB+

1 FL900E



PIX02 / PIX03





PIX04-2



Circular brackets
Put together low-price 3D decorations
on your columns with our circular brackets
(inner diameter adjustable)

Ref	ø	Perimeter	pole ø	usable with
PIX04-2	25 cm	0,80 m	60 à 120 mm	curtains
PIX02	60 cm	1,90 m	60 à 200 mm	
PIX03	130 cm	4,00 m	60 à 200 mm	

FIXING ACCESSORIES FOR POLEMOUNTS




FIXING ACCESSORIES FOR POLEMOUNTS





FIXING ACCESSORIES FOR MOTIFS

"Order your FIX01 fixing to colour match your lamp columns!!!
Let us know the corresponding RAL and get a customized quotation. Contact our sales department for information"



FIXING ACCESSORIES FOR MOTIFS

"Order your FIX01 fixing to colour match your lamp columns!!!
Let us know the corresponding RAL and get a customized quotation. Contact our sales department for information"



SOLAR ACCESSORIES

A new roundabout to decorate but no power supply?

Or looking to illuminate a street on your own with zero carbon emissions?

Choose our solar solutions.

Discreet panels, with an integrated autonomous and programmable system (switch-on and switch-off times).



Adapted light decorations, 24V garlands, and more. We offer you a **complete range that is 100% self-powered**.

All you need is sunshine!

Consult our advisory teams for a personalised analysis

SOLAR KIT SELF-POWERED

KITSOL

- Kit containing a solar panel with high-performance monocrystalline cells.
- Gel batteries for 2400 cycles with discharge.
- Power regulator and discharge protection.
- 24V or 230V output easily switched by rotary selector.
- Can be fixed to the floor.

PRODUCT INFO

- 50% battery consumption after 12 hours.
- Low-power prevents battery damage.
- Easy to move thanks to flexible rubber wheels with high abrasion resistance.
- Maintenance-free and easy to install.



SOLAR KIT POLE

PIXSOL2

- 20W panel power
- 7.2W power output
- DAILY PROGRAMMER: selection of the days and times lighting set is switched on
- 8 to 10 hours of sunshine required for 7 hours of lighting set operation

COMPATIBLE PRODUCTS

- | | |
|----------------------|-------------------------|
| Garland 1 x FLS02@ | Sphere 1 x G-FL920M |
| Garland 1 x S01CW | Bulb 1 x G-FL950BB |
| Garland 1 x S01W | Kit 1 x PRJA and PRJA-W |
| Sphere 1 x G-FL920LU | |



SOLAR KIT POLE

PIXSOL3

- 12W panel power
- 4W power output
- DAILY PROGRAMMER: selection of the days and times lighting set is switched on
- 8 to 10 hours of sunshine required for 7 hours of projector operation


RÉFÉRENCES COMPATIBLES

½ PRJA/PRJA-W




SCENOGRAPHY/DECORATION ACCESSORIES

Pictures	Infos	Ref
	To complement your decorations, we can provide you with our real fir trees sustainably cultivated and processed with flake finish based on fireproof natural cellulose fibre. Contact our sales department and choose your colours and finish.	
	Mounting base lacquered in gold for 3D motif ø : 800mm	PLA800OR

Picture	Infos	Ref
		
	Opera barrier H : 1,20m L : 2,00m	BAR01

	White pine barrier H : 0,80m L : 1,80m	GP506-B
---	--	---------

SCENOGRAPHY/DECORATION ACCESSORIES

Picture	Infos	Ref
	Square Carpet Blue 3m x 3m	GPC300B
	Round Carpet Blue ø : 3m	GPR300B
	Square Carpet Red 3m x 3m	GPC300R
	Round Carpet Red ø : 3m	GPR300R


Picture	Infos	Ref
	White cotton carpet roll 30m x 2,6m	GP500
	Red carpet roll 10m x 2m	GP510R
	Red - ø 140mm Set of 16	B14-1
	Gold - ø 140mm Set of 16	B14-2
	Red - ø 200mm Set of 9	B20-1
	Gold - ø 200mm Set of 9	B20-2
	Red - ø 280mm Set of 2	B28-1
	Gold - ø 280mm Set of 2	B28-2

BALLASTING ILLUMINATIONS

Dress up your blocks as pretty gifts!

Use our magical gifts to hide the concrete blocks in your decorations!

Depending on the features of your decoration, put together your own ballast kit and wrap your gift (size & colour).



1. Choose your block

Reference	Description	dimensions
KPL0100B	Concrete block - 100kg	0,37 x 0,37 x 0,37m
KPL0040	Concrete block - 40kg	0,30 x 0,50 x 0,20m
KPL0020	Concrete block - 20kg	0,20 x 0,20 x 0,20m


2. Choose your cover

Reference	Description	dimensions	colour
KFLEXCA2	Block cover - PM	0,2 x 0,2 x 0,2m	blue / white
KFLEXCA5	Block cover - MM	0,3 x 0,3 x 0,2m	blue / white
KFLEXCA8	Block cover - GM	0,37 x 0,37 x 0,37m	blue / white
KFLEXCA1	Block cover - PM	0,2 x 0,2 x 0,2m	red / white
KFLEXCA4	Block cover - MM	0,3 x 0,3 x 0,2m	red / white
KFLEXCA7	Block cover - GM	0,37 x 0,37 x 0,37m	red / white
KFLEXCA3	Block cover - PM	0,2 x 0,2 x 0,2m	green / white
KFLEXCA6	Block cover - MM	0,3 x 0,3 x 0,2m	green / white
KFLEXCA9	Block cover - GM	0,37 x 0,37 x 0,37m	green / white

Enter the reference for the decoration + the block + the cover



GX345L +
.3 x KPL0100B + 3 x KFLEXCA8 +
.3 x KPL0040 + 3 x KFLEXCA6



INDEX



ARTOT02	146
CIME2	71
CIME4	71
CIME6	71
CIME7	71
GP158WF	65
GX047L	36
GX048LW	118
GX070CL	42
GX070LR	41
GX079L	33
GX081LW-2	68
GX082LW	68
GX083LW	68
GX086L	32
GX086L-A	32
GX087L	21
GX092L	24
GX093L	24
GX097L	33
GX098L	33

GX102LW	28
GX103L	36
GX103L-A	36
GX105L	31
GX107	157
GX107-UK	157
GX108	157
GX108-UK	157
GX110	157
GX110-UK	157
GX114LW	90
GX116LW	108
GX117LW	108
GX118DC	27
GX118L	31
GX119L	31
GX132L	23
GX133L	32
GX145L	37
GX145L-A	37
GX146L	147

GX147L	37
GX148L	22
GX149L	37
GX151L	26
GX152L	26
GX153L	23
GX154LW	41
GX155LW	40
GX156LW	48
GX159L	30
GX160L	36
GX163L	21
GX164L	31
GX168LW	48
GX171RGBW	43
GX172LW	34
GX173L	50
GX173LW	50
GX182L	36
GX182L-A	36
GX184L	38

GX184LW	38
GX185LW	51
GX193L	29
GX194L	27
GX200L	147
GX205L	37
GX206L	37
GX210LW	48
GX242L	151
GX243LW	151
GX244L	29
GX245LW	35
GX247L-A	29
GX248LR	30
GX249L	31
GX249L-A	31
GX251L	61
GX251LW	61
GX252L	39
GX252LW	39
GX253LW	61
GX256LW	34
GX257LW	34
GX258L	35
GX258LW	35
GX259LW	35
GX260L	25

GX260LW	25
GX261LW	24
GX262LW	30
GX263L	28
GX264LW	29
GX265LW	21
GX266DC	53
GX267LW	28
GX308L	22
GX327L	48
GX327LW	48
GX333L	20
GX344L	18
GX344LW	55
GX345L	19
GX346L	16
GX347L	18
GX348L	17
GX349L	18
GX350LW	59
GX354L	52
GX354LW	16
GX355LW	53
GX356L	16
GX357L	19
GX358L	28
IPL031W	88

IPL039	104
IPL039W	104
IPL042W	138
IPL070B	112
IPL070W	112
IPL072W	126
IPL075B	94
IPL075W	94
IPL076	112
IPL076W	112
IPL081W	112
IPL082W	88
IPL084	126
IPL087W	102
IPL094W	138
IPL110	94
IPL110W	94
IPL114W	108
IPL115W	102
IPL117W	138
IPL118W	126
IPL122	128
IPL126	128
IPL126W	128
IPL127	122
IPL127W	122
IPL128	122

IPL128W	122
IPL129	80
IPL129W	78
IPL130	80
IPL130W	78
IPL131	80
IPL131W	78
IPL134W	108
IPL135	94
IPL135W	94
IPL139W	108
IPL140W	108
IPL141W	104
IPL143	80
IPL143W	78
IPL144	80
IPL144W	78
IPL145W	104
IPL150	128
IPL151W	104
IPL160	128
IPL189B	136
IPL189R	136
IPL189W	136
IPL190B	136
IPL190R	136
IPL190W	136

IPL191B	134
IPL191R	134
IPL191W	134
IPL199	124
IPL199W	124
IPL200	124
IPL200W	124
IPL201	124
IPL201W	124
IPL202W	86
IPL203W	86
IPL226W	86
IPL228B	138
IPL228W	138
IPL230	80
IPL230W	78
IPL231W	86
IPL257	132
IPL257B	132
IPL257W	132
IPL258	132
IPL258B	132
IPL258W	132
IPL259	134
IPL259W	134
IPL260W	134
IPL265W	88

IPL266W	88
IPL267W	88
IPL268W	88
IPL270R	110
IPL270W	110
IPL271R	110
IPL271W	110
IPL272	104
IPL272W	102
IPL282DC	143
IPL283DC	143
IPL284DC	143
IPL285DC	143
IPL286DC	143
IPL300B	92
IPL300W	92
IPL311	92
IPL311W	92
IPL317R	86
IPL318R	86
IPL319R	86
IPL320R	86
IPL322	122
IPL323W	122
IPL324W	102
IPL325W	102
IPL326W	102

IPL328W	98
IPL329W	98
IPL330W	98
IPL332W	98
IPL333W	98
IPL334W	98
IPL335	76
IPL335W	76
IPL336	76
IPL336W	76
IPL337	76
IPL337W	76
IPL340W	138
IPS264W	145
IPS280	145
IPS280W	145
IPS281W	145
IPS289W	145
IPS290	145
ITGL100	90
ITGL101W	90
ITGL102	116
ITGL102W	116
ITGL104	114
ITGL104W	114
ITGL105	114
ITGL105W	114

ITGL11	116
ITGL11W	116
ITGL112	140
ITGL112W	140
ITGL117R	116
ITGL130W	118
ITGL131	116
ITGL131W	116
ITGL141	116
ITGL170B	90
ITGL170L	90
ITGL179BW	100
ITGL179WW	100
ITGL180BW	100
ITGL180WW	100
ITGL182BW	100
ITGL182WW	100
ITL009	112
ITL020B	140
ITL020W	140
ITL021	94
ITL022	82
ITL022W	82
ITL033W	102
ITL043W	138
ITL053	114
ITL053W	114

ITL059W	122
ITL061	112
ITL072W	126
ITL076W	112
ITL077W	88
ITL082W	138
ITL083W	138
ITL094W	136
ITL101	82
ITL101W	82
ITL102	82
ITL102W	82
ITL113W	108
ITL115	140
ITL115W	140
ITL118W	126
ITL126	128
ITL127	122
ITL127W	122
ITL129	80
ITL129W	78
ITL130	80
ITL130W	78
ITL132W	138
ITL135	94
ITL135W	94
ITL160	128

ITL161	80
ITL161W	78
ITL163	82
ITL165W	88
ITL167	128
ITL191B	136
ITL191W	136
ITL218W	86
ITL226W	86
ITL227B	134
ITL227W	134
ITL232W	122
ITL233	82
ITL234W	134
ITL261	132
ITL261B	132
ITL261W	132
ITL262	132
ITL262B	132
ITL262W	132
ITL266W	88
ITL275R	110
ITL276R	110
ITL276W	110
ITL277W	110
ITL278W	110
ITL279R	110

ITL279W	110
ITL282DC	143
ITL288DC	143
ITL291	80
ITL291W	78
ITL310	92
ITL310W	92
ITL312	124
ITL312W	124
ITL314	124
ITL314W	124
ITL315	82
ITL316W	82
ITL317W	104
ITL321R	86
ITL327W	102
ITL328W	98
ITL331W	98
ITL332W	98
ITL333W	98
ITL338	76
ITL338W	76
KFLEXCA1	279
KFLEXCA3	279
KFLEXCA4	279
KFLEXCA5	279
KFLEXCA6	279

KFLEXCA7	279
KFLEXCA8	279
KFLEXCA9	279
KIT1-134	151
KIT1-242	151
KIT2-134	151
KIT2-242	151
KLFEXCA2	279
ML019W	104
ML020W	104
PIX05B	126
PL250B	126
PL250W	126
PL344	108
PL344W	108
SL005	51
SL005W	50
SL012	49
SL012W	49
SL013	49
SL013W	49
SL019CL	42
SL032	49
SL032W	49
SL033	49
SL033W	49
SL035W	44

SL036	46
SL036W	46
SL037W	47
SL038W	23
SL039W	51
SL040	45
SL041W	54
SL044W	45
SL045V	33
SL048	54
SL049W	54
SL050R	40
SL051W	17
SL052W	19
SL053W	16
SL134	151
SL135W	32
SL136	39
SL136W	39
SLED010W	56
SND017	56
SND018	65
SND019	63
SND021	64
SND022	63
SOCL42	36
SOCL43	25

SOCL47	26
SOCLGX81	71
SOCLGX82	71
SOCLGX83	71
SV1001	62
SV1001W	62
SV1201-P	62
SV1201W-P	62
SV301	62
SV301W	62
SV302	59
SV302W	58
SV303	58
SV303W	58
SV501	62
SV501W	62
SV502	59
SV502W	56
SV504A	22
SV505CL	64
SV506RGBW	64
SV507W	63
SV801-P	62
SV801W-P	62
TGL139W	126
TGL169LW	90
TGL247LW	118

TGL70LW	114
TGL70LWW	114
TGL71LW	114
TGL71LWC	114
TGL71LWW	114
TGL72LW	114
TGL72LWW	114
TL311R	104
TL311W	104
TL312R	104
TL312W	104
TL347W	118
VL045W	112
VL046	128
VL046	128

Blachere INTERNATIONAL



BLACHERE ILLUMINATION S.A.S.
22 Allée des Bourguignons
84400 Apt - France
tél : +33 (0) 413 068 002
fax : +33 (0) 490 747 367
sales@blachere-illumination.com
blachere-illumination.com

Géraldine
tél : +33 (0) 490 747 323
geraldine@blachere-illumination.com
Léa
tél : +33 (0) 490 747 642
Lalves@blachere-illumination.com
Marion
tél : +33 (0) 490 747 330
marion@blachere-illumination.com
Irène
tél : +33 (0) 490 747 396
i.baravet@blachere-illumination.com
Marie
tél : +33 (0) 490 747 044
marie@blachere-illumination.com
Cathy
tél : +33 (0) 490 747 325
cathy@blachere-illumination.com

AFRIQUE/AFRICA

Blachere Illumination Afrique
Rue du Caire - Route de M'Saken, 4081 Zaouiet Sousse
tel : +216 73 386 601
email : gregory.roux@blachere-factory.com
fax : +216 73 386 650

ASIE PACIFIQUE/ASIA PACIFIC

Blachere Illumination Asia Pacific
Unit B, 17/F., United Centre, 95 Queensway,
Admiralty, Hong Kong
email : hkoffice@blachere-illumination.com

AUTRICHE/AUSTRIA & ALLEMAGNE/GERMANY

Blachere Illumination GmbH
Krenglbacher Straße 7 - 4631 Kremsbach
tel : +43 (0) 7249 46400 - 0
email : office@blachere.at

BELGIQUE/BELGIUM

Blachere Illumination Belgique
Rue de Hermée 225, 4040 Herstal
tel : +32 4 275 02 81
email : info@blachere-illumination.be

BRÉSIL/BRASIL

Blachere Iluminação Brasil
Estrada do Zilo, 1519 - Distrito Industrial,
Arapiraguama - São Paulo 18147-000
tel : +55 11 99512-6734
email : sergio.cmolina@cmaise.com.br

CANADA/CANADA

Blachere Illumination Canada
3400 14th Avenue, Unit 18, Markham, Ontario L3R 0H7
tel : 905-475-6553
email : info@blachere-illumination.ca
Web : www.blachere-illumination.ca

COLOMBIE/COLOMBIA

Blachere - City Lights
Carrera 33 N. 19-26, Bogotá
tel : 576 016 466 000
email : comercial@blachere.co - jkahr@blachere.co

CROATIE/CROATIA

Blachere Illumination Croatia (Blachere Illumination – Gospodari svjetla)
Medsave 48, 10430 Samobor
tel : +385 1 8877 660
email : info@gospodarisvjetla.hr
Web : www.gospodarisvjetla.hr

DANEMARK/DENMARK

Blachere Illumination - JADA GROUP APS
Norgesvej 2, 6230 Rødekro
tel : +45 70 20 00 03
email : info@jadagroup.dk

ESPAGNE/SPAIN

Blachere Iluminación España s.a.
Calle Corazón de María, 70-8E, 28002 Madrid
tel : +34 91 388 28 77
email : info@blachere-illumination.es

ÉTATS-UNIS/USA

Blachere Illumination USA Inc.
PO Box 41, 4198 State Highway 14 W, Christopher, IL 62822
tel : +1 618-724-1500
email : info@blachere-illumination.us
fax : +1 618-724-4500
Web : https://blachere-illumination.com/en/blachere-illumination-usa

EUROPE CENTRALE/CENTRAL EUROPE

Blachere Illumination Central Europe
Karadžićeva 8/A, Bratislava 821 08
tel : 421918428040
email : info@blachere-illumination.sk

FINLANDE/FINLAND

Blachere Illumination Finland - Lohikari
Ruoholahdenkatu 24, 00180 Helsinki
tel : +358 9 565 7750
email : lohikari@lohikari.fi
fax :
Web : www.lohikari.fi

HONGRIE/HUNGARY

Blachere Illumination Hungary
H-2142, Nagytarcsa, Csónka János út 4, K bátiment
tel : +36 70 389 1475
email : info@blachere-illumination.hu

ITALIE/ITALY

Blachere Illumination Italia - Lumiworks Srl
Via Eupipa 22, 73100 Lecce
tel : 393760565212
email : info@lumiworks.it

MEXIQUE/MEXICO

Blachere Iluminación México - Luces Feliz
3 Oriente No. 416 Centro, 74200 Atlixco, Puebla
tel : +52 244 44 51 281
email : contacto@blachere.com.mx
Web : https://blachere.com.mx/

MOYEN-ORIENT/MIDDLE EAST

Blachere Illumination Middle East
FAB Property Management Buildings
Building 22 Warehouse 3 DIP 1
tel : +971 4 254 8856
email : m.soltay@blachere-illumination.ae

NORVÈGE/NORWAY

Blachere Illumination Norway - Eurosign
Stanseveien 21, 0975 Oslo
tel : +47 23 00 85 00
email : salg@eurosign.no

PAYS-BAS/NETHERLANDS

Blachere Illumination Netherlands - Avontuur
Blokdijk 3 - 1608 HH Wijnden
tel : +31 229 50 12 22
email : info@avontuur.net

POLOGNE/POLAND

Blachere Illumination Polska
Jasna 39 - 86-070 Czermiewo
tel : +48 668318492
email : info@blachere-illumination.pl

PORTUGAL/PORTUGAL

Blachere illumination - Design Studio
Rua Pedro Nunes
IPN Aceleradora Edifício D - Sala 1.15
3030-199 Coimbra, Portugal
design@blachere-illumination.pt
Tel: 00351 239 154 384

RÉP. TCHÈQUE/CZECH REPUBLIC

Blachere Illumination Czech Republic
Ostrá Herka 1/511 - 760 01 Zlín
tel : +420602227226
email : pesek@blachere-illuminations.cz

ROUMANIE/ROMANIA

Blachere Illumination Romania
Cluj Napoca, Str.Anatol, nr.22, et.2
birou 2,Județul Cluj, cod postal 400463
tel : +40 75 705 08 66
email : office@blachere-illumination.ro
fax : +40 31 845 15 73

ROYAUME-UNI/UK

Blachere Illumination UK Ltd
Gladstone Place, Ladybank, Fife, KY15 7LB
tel : +44 (0)1337 832 910
email : sales@blachere-illumination.co.uk
Web : www.blachere-illumination.co.uk

SUÈDE/SWEDEN

Blachere Illumination Sweden
Gustavslundsvägen 143, 167 51 Bromma
tel : +46 (0)72 601 66 46
email : info@blachere-illumination.se

SUISSE/SWITZERLAND


Blachere Illumination Swiss SA
Rue du Châtelard 18 1400 Yverdon-les-Bains
tel : 021 886 00 90
email : office@blachere-illumination.ch
Web : www.blachere-illumination.ch

TURQUIE/TURKEY

Blachere Illumination Aydinlatma
Haşanpaşa Mah. Lavanta Sk. Polat İş Merkezi 26/3,
Kadıköy-İstanbul
tel : +90 532 660 69 23
email : msoltay@blachere-illumination.com.tr

Blachere FRANCE

- Directeur des ventes France :**
Christophe Rey • 06 30 07 35 31
- Responsable régional Nord :**
Joao Vitoria • 06 74 35 65 68
- Responsable régional Centre :**
Sébastien Bouvet • 06 08 80 47 66
- Responsable régionale Sud :**
Aude Grojsman • 06 74 48 50 41
- Directrice administration des ventes :**
Géraldine Lê • 04 90 74 73 23
- Blachere Illumination France Régions :**
Alexandre Thanh • 06 80 15 11 25
• 04 48 06 50 95
- Blachere Illumination Shopping Center :**
Corinne Garcia • 06 78 39 56 74



Paris intramuros

Cédric Parcineau • 01 42 77 66 15 / 07 77 26 37 76
Assistante, Sandrine Sarrazin • 04 90 74 70 45

Île-de-France Est

Sophie Duquesnoy • 06 08 00 57 52
Assistante, Sarah Galizzi • 04 90 74 73 61

Île-de-France Ouest

Véronique René • 06 08 80 47 65
Assistante, Sarah Galizzi • 04 90 74 73 61

Nord - Picardie

Barbara Gheysens • 06 31 59 64 07
Assistante, Anaïs Truphémus • 04 90 74 73 94

Champagne - Ardennes

Matthieu Mairie • 06 79 47 06 26
Assistante, Anaïs Truphémus • 04 90 74 73 94

Alsace - Lorraine

Olivier Radreux • 06 07 67 39 46
Assistant, Vincent Vicari • 04 90 74 70 47

Savoie - Haute Savoie

Maëva Rigoureau • 06 42 56 43 70
Assistante, Stéphanie Imbert • 04 90 74 96 22

Rhône - Sud Bourgogne - Jura - Isère - Loire

Soizic De Vanel • 06 70 12 41 62
Assistante, Delphine Borel • 04 90 74 96 24

Bourgogne - Centre - Limousin - Auvergne

Maxime Bavouzet • 06 78 52 33 82
Assistante, Marianne Fabi • 04 90 74 73 90

Bouches-du-Rhône - Var

Xavier Le Penven • 06 84 02 80 04
Assistante, Delphine Borel • 04 90 74 96 24

Côte d'Azur - Monaco

Jérôme Falin • 06 37 62 41 21
Assistante, Stéphanie Imbert • 04 90 74 96 22

Vaucluse - Ardèche - Cantal - Haute Loire - Drôme

Delphine Ha • 06 48 79 99 62
Assistante Delphine Borel • 04 90 74 96 24

Occitanie - Pyrénées - Méditerranée - Aveyron

Justine Gausson • 06 47 04 59 85
Assistante, Sandrine Sarrazin • 04 90 74 70 45

Sud-Ouest

Nicolas Montenon • 07 85 88 19 50
Assistante, Sandrine Sarrazin • 04 90 74 70 45

Pays de Loire - Poitou

Sophie Pintiaux • 06 85 23 77 43
Assistante, Stéphanie Imbert • 04 90 74 96 22

Bretagne - Basse Normandie

Régis Danais • 06 30 07 35 09
Assistante, Nadège David • 04 90 74 73 60

Corse

M. Giabbiati Fabrice • 06 29 31 51 19
Nadège Dauberte • 04 90 74 73 63

GOING PAPER FREE

Here at Blachere, above and beyond just being deeply concerned about sustainable development and our carbon footprint, we are constantly looking for ways to increase the efficiency of the tools we use, which has naturally led us towards going paper-free.

Though the «zero paper» business is somewhat of a Utopian ideal, going paper-free considerably reduces the amount of printouts we produce and, as a consequence, our impact on the environment. The paper tools we do continue to use are printed on paper from sustainably managed forests at our «Imprim'vert» accredited printers.

QR Code in our catalogue gives you access to multiple additional media: videos of our decorations and installations, how they look in the daytime, work in progress photos and technical information about the products.

Visit us at www.blachere-illumination.com





Blachere Illumination S.A.S
22 Allée des Bourguignons, 84400, Apt
Tel : + 33 (0) 413 068 004

blachere-illumination.com